


2020 ANNUAL GROUNDWATER MONITORING AND
CORRECTIVE ACTION REPORT ADDENDUM
ASH POND
A.B. BROWN GENERATING STATION
POSEY COUNTY, INDIANA

by
Haley & Aldrich, Inc.
Greenville, South Carolina

for
Southern Indiana Gas and Electric Company
Evansville, Indiana

File No. 129420
May 2023





HALEY & ALDRICH, INC.
400 Augusta Street
Suite 100
Greenville, SC 29601
864.214.8750

15 May 2023
File No. 129420

SUBJECT: 2020 Annual Groundwater Monitoring and Corrective Action Report Addendum
Southern Indiana Gas and Electric Company
Ash Pond
A.B. Brown Generating Station; Posey County, Indiana

The Ash Pond at A.B. Brown Generating Station is subject to the groundwater monitoring and corrective action requirements described under 40 CFR § 257.90 through § 257.98 (Rule). An *Annual Groundwater Monitoring and Corrective Action Report* (Annual Groundwater Report) documenting the activities in 2020 for the Ash Pond was completed and placed in the facilities operating record on 30 January 2021, as required by the Rule. The Annual Groundwater Report contained the specific information listed in § 257.90(e).

This addendum has been prepared to supplement the operating record in recognition of comments issued by the United States Environmental Protection Agency (U.S. EPA) on 11 January 2022, to various utilities regarding their respective Part A extension applications, and U.S. EPA's "proposed finding that GWMCA reports are incomplete and lack clarity of visual representation of data" in the proposed conditional approval for the A.B. Brown Generating Station that was released on 5 October 2022. Those comments, proposed findings, and U.S. EPA clarifications were understood to be U.S. EPA's expectations regarding the contents of the facility's Annual Groundwater Report. In addition to the information listed in § 257.90(e), the U.S. EPA indicated in their comments that annual reports should contain:

- water level gauging data for each sampling event, including groundwater elevation data, a determination of groundwater flow direction(s) and rate(s), and updated potentiometric surface map(s);
- laboratory analytical reports to verify that groundwater sampling and analysis requirements outlined in § 257.93 are being met; and finally,
- statistical analyses, including detailed discussion of the statistical analyses (e.g., statistical method applied, confidence levels, and normality test results).

While this information is not specifically referred to in the in 257.90(e) of the Rule for inclusion in the annual reports, it has been routinely collected and maintained in Southern Indiana Gas and Electric Company's files, and is being provided in the attachments to this addendum as follows:

Attachment 1 – Groundwater Gauging Data

- Summary of groundwater gauging data

Attachment 2 – Updated Potentiometric Surface Map Containing Most Recent Groundwater Elevation Data

- Water table configuration map – May 2020
- Water table configuration map – November 2020

Water table maps include groundwater flow direction arrows and groundwater velocity calculations.

Attachment 3 – Laboratory Analytical Reports

- Laboratory data packages

Includes supporting information, such as, case narrative, sample and method summary, analytical results, quality control, and chain-of-custody documentation.

Attachment 4 – Statistical Analyses

- Statistical Evaluation of the October 2019 *Semi-annual Groundwater Assessment*
- Statistical Evaluation of the May 2020 *Semi-annual Groundwater Assessment*

Includes a discussion of the statistical analysis utilized along with a table summarizing the statistical outputs (e.g., frequency of detection, maximum detection, variance, standard deviation, coefficient of variance, outlier tests, trends, upper and lower confidence limits, and comparison against Groundwater Protection Standards), and supporting backup.

ATTACHMENT 1
Groundwater Gauging Data

VECTREN - AB BROWN STATION
 CCR Groundwater Sampling Event
 Gauging Dates: May 21 and May 29, 2020
 ATC Project No. 170LF00900

WELL ID	DATE	TIME	DTW FROM TOC
Ash Pond Wells			
CCR-AP-1R	5/21/2020	14:40	14.39
CCR-AP-2R	5/21/2020	17:10	38.30
CCR-AP-2I	5/21/2020	17:05	24.89
CCR-AP-3R	5/21/2020	13:15	39.56
CCR-AP-3I	5/21/2020	13:20	22.40
CCR-AP-4R	5/21/2020	15:00	32.52
CCR-AP-5	5/21/2020	13:30	36.73
CCR-AP-6	5/21/2020	17:20	14.42
CCR-AP-7R	5/21/2020	17:35	33.94
CCR-AP-8	5/21/2020	11:35	4.34
CCR-AP-9	5/21/2020	11:50	7.77
CCR-AP-10	5/21/2020	16:05	34.91
Landfill Wells			
CCR-LF-1	5/21/2020	12:10	7.16
CCR-LF-2	5/21/2020	12:25	26.40
CCR-LF-3	5/21/2020	12:30	28.88
CCR-LF-4	5/21/2020	10:40	46.75
CCR-LF-5	5/21/2020	13:55	20.11
CCR-LF-6	5/21/2020	12:40	8.47
Sedimentation Pond Wells			
CCR-SP-1	5/21/2020	12:50	10.60
CCR-SP-2	5/21/2020	12:55	12.70
CCR-SP-3	5/21/2020	13:00	6.83
Background Wells			
CCR-BK-1R	5/21/2020	11:00	60.45
CCR-BK-2	5/21/2020	11:20	14.29
New Property Line Well			
CCR-AP-11	5/29/2020	9:30	10.60

DTW= Depth to Water

TOC= Top of Casing

VECTREN - AB BROWN STATION

CCR Groundwater Sampling Event

Gauging Date: November 2, 2020

ATC Project No. 170LF00900

WELL ID	DATE	TIME	DTW FROM TOC
French Drain Area Locations			
HA-PP-1	11/2/2020	13:35	2.65
HA-PP-2	11/2/2020	13:40	3.19
FD PZ-1	11/2/2020	17:00	7.97
FD PZ-2	11/2/2020	17:15	4.00
CCR-SG-3	11/2/2020	13:30	1.00
MH-1	11/2/2020	17:20	9.24
MH-2	11/2/2020	17:25	11.12
Ash Pond Wells			
CCR-AP-1R	11/2/2020	16:35	14.68
CCR-AP-2R	11/2/2020	10:30	39.80
CCR-AP-2I	11/2/2020	10:35	26.38
CCR-AP-3R	11/2/2020	10:10	38.20
CCR-AP-3I	11/2/2020	10:15	22.97
CCR-AP-4R	11/2/2020	15:35	33.21
CCR-AP-5	11/2/2020	Destroyed	
CCR-AP-6	11/2/2020	14:40	18.40
CCR-AP-7R	11/2/2020	15:10	35.38
CCR-AP-8	11/2/2020	14:25	4.89
CCR-AP-9	11/2/2020	14:00	7.94
CCR-AP-10	11/2/2020	16:00	35.80
Landfill Wells			
CCR-LF-1	11/2/2020	11:05	8.79
CCR-LF-2	11/2/2020	10:50	27.33
CCR-LF-3	11/2/2020	10:40	29.72
CCR-LF-4	11/2/2020	15:30	47.89
CCR-LF-5	11/2/2020	12:00	21.80
CCR-LF-6	11/2/2020	12:10	8.49
Sedimentation Pond Wells			
CCR-SP-1	11/2/2020	11:30	12.28
CCR-SP-2	11/2/2020	11:33	14.66
CCR-SP-3	11/2/2020	11:35	7.77
Background Wells			
CCR-BK-1R	11/2/2020	12:58	Dry
CCR-BK-2	11/2/2020	12:40	21.88
New Property Line Well			
CCR-AP-11	11/2/2020	14:10	12.07


DTW= Depth to Water

TOC= Top of Casing

ATTACHMENT 2

**Updated Potentiometric Surface Map Containing Most
Recent Groundwater Elevation Data**

GIS FILE PATH: \\haleyaldrich.com\share\grn_common\129420_Vectren\GIS\Maps\2023_05\129420_001_001\ME_MONITORING_WELL_LOCATIONS_BROWN_ASH_POND.mxd — USER: khaskins — LAST SAVED: 5/15/2023 5:00:08 PM




LEGEND

- CCR MONITORING WELL
- NATURE AND EXTENT MONITORING WELL
- CCR PIEZOMETER WELL
- GROUNDWATER ELEVATION CONTOUR, 10-FT INTERVAL, DASHED WHERE INFERRED
- GROUNDWATER FLOW DIRECTION
- APPROXIMATE UNIT BOUNDARY
- SEDIMENTATION POND
- PROPERTY BOUNDARY

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. CCR REGULATED UNITS INCLUDE THE ASH POND, LANDFILL, AND SEDIMENTATION POND.
3. GROUNDWATER ELEVATIONS WERE MEASURED 21 MAY 2020.
4. APPROXIMATE GROUNDWATER FLOW RATE CALCULATED USING $V = \frac{k(i)}{n_e}$
 WHERE:
 V = GROUNDWATER FLOW VELOCITY (FT/YR)
 k = HORIZONTAL HYDRAULIC CONDUCTIVITY (FT/DAY)
 i = HORIZONTAL GROUNDWATER GRADIENT (FT/FT)
 n_e = ASSUMED EFFECTIVE POROSITY
5. AERIAL IMAGERY SOURCE: NEARMAP, 23 SEPTEMBER 2021




HALEY ALDRICH SOUTHERN INDIANA GAS AND ELECTRIC COMPANY
 A.B. BROWN GENERATING STATION
 MOUNT VERNON, INDIANA

SHALLOW GROUNDWATER ELEVATION CONTOURS - MAY 2020

JUNE 2020

FIGURE 1

GIS FILE PATH: \\haleyaldrich.com\share\grn_common\129420_Vectren\GIS\Maps\2023_05\129420_001_001\ME_MONITORING_WELL_LOCATIONS_BROWN_ASH_POND.mxd — USER: khaskins — LAST SAVED: 5/15/2023 5:00:08 PM




LEGEND

- CCR MONITORING WELL
- NATURE AND EXTENT MONITORING WELL
- CCR PIEZOMETER WELL
- GROUNDWATER ELEVATION CONTOUR, 10-FT INTERVAL, DASHED WHERE INFERRED
- GROUNDWATER FLOW DIRECTION
- APPROXIMATE UNIT BOUNDARY
- SEDIMENTATION POND
- PROPERTY BOUNDARY

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
 2. CCR REGULATED UNITS INCLUDE THE ASH POND, LANDFILL, AND SEDIMENTATION POND.
 3. GROUNDWATER ELEVATIONS WERE MEASURED 2 NOVEMBER 2020.
 4. APPROXIMATE GROUNDWATER FLOW RATE CALCULATED USING $V = \frac{k(i)}{n_e}$
- WHERE:
V = GROUNDWATER FLOW VELOCITY (FT/YR)
k = HORIZONTAL HYDRAULIC CONDUCTIVITY (FT/DAY)
i = HORIZONTAL GROUNDWATER GRADIENT (FT/FT)
n_e = ASSUMED EFFECTIVE POROSITY
5. AERIAL IMAGERY SOURCE: NEARMAP, 23 SEPTEMBER 2021



HALEY ALDRICH SOUTHERN INDIANA GAS AND ELECTRIC COMPANY
A.B. BROWN GENERATING STATION
MOUNT VERNON, INDIANA

SHALLOW GROUNDWATER ELEVATION CONTOURS - NOVEMBER 2020

DECEMBER 2020

FIGURE 2

ATTACHMENT 3
Laboratory Analytical Reports

ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-106195-1

Client Project/Site: CCR Groundwater Monitoring AB Brown

For:

Vectren Corporation
PO BOX 209
Evansville, Indiana 47702

Attn: Accounts Payable



Authorized for release by:
7/16/2020 11:22:34 AM

Veronica Bortot, Senior Project Manager
(412)963-2435

Veronica.Bortot@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	5
Certification Summary	6
Sample Summary	8
Method Summary	9
Lab Chronicle	10
Client Sample Results	16
QC Sample Results	25
QC Association Summary	30
Chain of Custody	33
Receipt Checklists	38

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Job ID: 180-106195-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative 180-106195-1

Comments

No additional comments.

Receipt

The samples were received on 5/27/2020 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 1.8° C, 2.5° C and 2.5° C.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

RAD

Methods 903.0, 9315: Ra-226 Prep Batch 160-471608

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative.

Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

CCR-AP-4R (180-106195-1), CCR-AP-10 (180-106195-2), CCR-AP-8 (180-106195-3), CCR-AP-7R (180-106195-4), CCR-AP-6 (180-106195-5), BLIND DUPLICATE 1 (180-106195-6), FIELD BLANK 1 (180-106195-7), (LCS 160-471608/1-A), (MB 160-471608/22-A), (160-38177-A-1-A), (160-38177-C-1-A MS) and (160-38177-A-1-B MSD)

Methods 904.0, 9320: Ra-228 Prep Batch 160-471609

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative.

Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

CCR-AP-4R (180-106195-1), CCR-AP-10 (180-106195-2), CCR-AP-8 (180-106195-3), CCR-AP-7R (180-106195-4), CCR-AP-6 (180-106195-5), BLIND DUPLICATE 1 (180-106195-6), FIELD BLANK 1 (180-106195-7), (LCS 160-471609/1-A), (MB 160-471609/22-A), (160-38177-A-1-C), (160-38177-C-1-B MS) and (160-38177-A-1-D MSD)

Method PrecSep_0: Radium 228 Prep Batch 160-471609:

The following sample was prepared at a reduced aliquot due to yellow discoloration: CCR-AP-10 (180-106195-2).

Method PrecSep-21: Radium 226 Prep Batch 160-471608:

The following sample was prepared at a reduced aliquot due to yellow discoloration: CCR-AP-10 (180-106195-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

Methods 200.8, 6020A, 6020B: The ICVL recovered below 80% recovery for nickel(actual 77%) for 6020B method but passes for 6020A method with accompanying QC passing.

Method 6020A: The following sample was diluted due to the nature of the sample matrix: CCR-AP-10 (180-106195-2). Elevated reporting limits (RLs) are provided.

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Job ID: 180-106195-1 (Continued)

Laboratory: Eurofins TestAmerica, Pittsburgh (Continued)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

Definitions/Glossary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Laboratory: Eurofins TestAmerica, Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-26-20
California	State	2891	04-30-21
Connecticut	State	PH-0688	09-30-20
Florida	NELAP	E871008	06-30-20
Georgia	State	PA 02-00416	04-30-21
Illinois	NELAP	004375	06-30-20
Kansas	NELAP	E-10350	01-31-21
Kentucky (UST)	State	162013	04-30-21
Kentucky (WW)	State	KY98043	12-31-20
Louisiana	NELAP	04041	06-30-20
Maine	State	PA00164	03-06-22
Minnesota	NELAP	042-999-482	12-31-20
Nevada	State	PA00164	07-31-20
New Hampshire	NELAP	2030	04-05-21
New Jersey	NELAP	PA005	06-30-20
New York	NELAP	11182	04-01-21
North Carolina (WW/SW)	State	434	01-01-21
North Dakota	State	R-227	04-30-21
Oregon	NELAP	PA-2151	07-01-20
Pennsylvania	NELAP	02-00416	05-23-21
Rhode Island	State	LAO00362	12-31-20
South Carolina	State	89014	04-30-21
Texas	NELAP	T104704528	03-31-21
US Fish & Wildlife	US Federal Programs	058448	07-31-20
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	05-31-21
Virginia	NELAP	10043	09-15-20
West Virginia DEP	State	142	02-01-21
Wisconsin	State	998027800	08-31-20



Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Laboratory: Eurofins TestAmerica, St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-22
ANAB	Dept. of Defense ELAP	L2305	04-06-22
ANAB	Dept. of Energy	L2305.01	04-06-22
ANAB	ISO/IEC 17025	L2305	04-06-22
Arizona	State	AZ0813	12-08-20
California	Los Angeles County Sanitation Districts	10259	06-30-20
California	State	2886	06-30-20
Connecticut	State	PH-0241	03-31-21
Florida	NELAP	E87689	06-30-20
HI - RadChem Recognition	State	n/a	06-30-20
Illinois	NELAP	004553	11-30-20
Iowa	State	373	09-17-20
Kansas	NELAP	E-10236	10-31-20
Kentucky (DW)	State	KY90125	12-31-20
Louisiana	NELAP	04080	06-30-20
Louisiana (DW)	State	LA011	12-31-20
Maryland	State	310	09-30-20
MI - RadChem Recognition	State	9005	06-30-20
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-20
New Jersey	NELAP	MO002	06-30-20
New York	NELAP	11616	04-01-21
North Dakota	State	R-207	06-30-20
NRC	NRC	24-24817-01	12-31-22
Oklahoma	State	9997	08-31-20
Pennsylvania	NELAP	68-00540	02-28-21
South Carolina	State	85002001	06-30-20
Texas	NELAP	T104704193-19-13	07-31-20
US Fish & Wildlife	US Federal Programs	058448	07-31-20
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542019-11	07-31-20
Virginia	NELAP	10310	06-14-21
Washington	State	C592	08-30-20
West Virginia DEP	State	381	10-31-20

Sample Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-106195-1	CCR-AP-4R	Water	05/21/20 16:00	05/27/20 09:00	
180-106195-2	CCR-AP-10	Water	05/21/20 18:20	05/27/20 09:00	
180-106195-3	CCR-AP-8	Water	05/22/20 14:30	05/27/20 09:00	
180-106195-4	CCR-AP-7R	Water	05/22/20 18:00	05/27/20 09:00	
180-106195-5	CCR-AP-6	Water	05/22/20 19:15	05/27/20 09:00	
180-106195-6	BLIND DUPLICATE 1	Water	05/22/20 00:00	05/27/20 09:00	
180-106195-7	FIELD BLANK 1	Water	05/22/20 19:20	05/27/20 09:00	

Method Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Method	Method Description	Protocol	Laboratory
EPA 9056A	Anions, Ion Chromatography	SW846	TAL PIT
EPA 6020A	Metals (ICP/MS)	SW846	TAL PIT
EPA 7470A	Mercury (CVAA)	SW846	TAL PIT
EPA 9040C	pH	SW846	TAL PIT
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PIT
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL PIT
7470A	Preparation, Mercury	SW846	TAL PIT
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-4R

Lab Sample ID: 180-106195-1

Date Collected: 05/21/20 16:00

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			317986	06/10/20 07:58	MJH	TAL PIT
		Instrument ID: CHICS2100B								
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317358	06/02/20 20:21	RSK	TAL PIT
		Instrument ID: A								
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317171	05/31/20 02:08	RJR	TAL PIT
		Instrument ID: DORY								
Total/NA	Prep	7470A			50 mL	50 mL	316978	06/01/20 15:15	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317131	06/01/20 20:23	NAM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			317147	06/02/20 07:51	MTW	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	316756	05/28/20 09:52	AVS	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			1000.40 mL	1.0 g	471608	06/01/20 06:43	JLC	TAL SL
Total/NA	Analysis	9315		1			474058	06/23/20 07:30	CJQ	TAL SL
		Instrument ID: GFPCBLUE								
Total/NA	Prep	PrecSep_0			1000.40 mL	1.0 g	471609	06/01/20 07:18	JLC	TAL SL
Total/NA	Analysis	9320		1			472553	06/05/20 07:28	CJQ	TAL SL
		Instrument ID: GFPCPURPLE								
Total/NA	Analysis	Ra226_Ra228		1			474962	06/30/20 09:02	SMP	TAL SL
		Instrument ID: NOEQUIP								

Client Sample ID: CCR-AP-10

Lab Sample ID: 180-106195-2

Date Collected: 05/21/20 18:20

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		2.5	1 mL	1.0 mL	317986	06/10/20 09:36	MJH	TAL PIT
		Instrument ID: CHICS2100B								
Total/NA	Analysis	EPA 9056A		25	1 mL	1.0 mL	317986	06/10/20 09:53	MJH	TAL PIT
		Instrument ID: CHICS2100B								
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		2			317358	06/02/20 20:25	RSK	TAL PIT
		Instrument ID: A								
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317171	05/31/20 02:12	RJR	TAL PIT
		Instrument ID: DORY								
Total/NA	Prep	7470A			50 mL	50 mL	316978	06/01/20 15:15	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317131	06/01/20 20:24	NAM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			317147	06/02/20 07:54	MTW	TAL PIT
		Instrument ID: NOEQUIP								

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-10

Lab Sample ID: 180-106195-2

Date Collected: 05/21/20 18:20

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	25 mL	100 mL	316756	05/28/20 09:52	AVS	TAL PIT
Total/NA	Prep	PrecSep-21			750.38 mL	1.0 g	471608	06/01/20 06:43	JLC	TAL SL
Total/NA	Analysis	9315		1			474058	06/23/20 07:30	CJQ	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			750.38 mL	1.0 g	471609	06/01/20 07:18	JLC	TAL SL
Total/NA	Analysis	9320		1			472553	06/05/20 07:28	CJQ	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			474962	06/30/20 09:02	SMP	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-AP-8

Lab Sample ID: 180-106195-3

Date Collected: 05/22/20 14:30

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			317410	06/04/20 13:46	MJH	TAL PIT
Instrument ID: CHIC2100A										
Total/NA	Analysis	EPA 9056A		10			317553	06/05/20 11:50	MJH	TAL PIT
Instrument ID: CHICS2000										
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317358	06/02/20 20:28	RSK	TAL PIT
Instrument ID: A										
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317171	05/31/20 02:15	RJR	TAL PIT
Instrument ID: DORY										
Total/NA	Prep	7470A			50 mL	50 mL	316978	06/01/20 15:15	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317131	06/01/20 20:25	NAM	TAL PIT
Instrument ID: HGZ										
Total/NA	Analysis	EPA 9040C		1			317147	06/02/20 07:57	MTW	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	316756	05/28/20 09:52	AVS	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			1000.18 mL	1.0 g	471608	06/01/20 06:43	JLC	TAL SL
Total/NA	Analysis	9315		1			474058	06/23/20 07:30	CJQ	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			1000.18 mL	1.0 g	471609	06/01/20 07:18	JLC	TAL SL
Total/NA	Analysis	9320		1			472553	06/05/20 07:28	CJQ	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			474962	06/30/20 09:02	SMP	TAL SL
Instrument ID: NOEQUIP										

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-7R

Lab Sample ID: 180-106195-4

Date Collected: 05/22/20 18:00

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHICS2100B		5			317545	06/05/20 12:32	MJH	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHICS2100B		50			317545	06/05/20 12:48	MJH	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHICS2100B		100			317840	06/09/20 19:47	MJH	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			317358	06/02/20 20:32	RSK	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: DORY		1			317171	05/31/20 02:26	RJR	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	316978	06/01/20 15:15	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			317131	06/01/20 20:26	NAM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			317147	06/02/20 08:00	MTW	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	25 mL	100 mL	316756	05/28/20 09:52	AVS	TAL PIT
Total/NA	Prep	PrecSep-21			999.89 mL	1.0 g	471608	06/01/20 06:43	JLC	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCBLUE		1			474058	06/23/20 07:30	CJQ	TAL SL
Total/NA	Prep	PrecSep_0			999.89 mL	1.0 g	471609	06/01/20 07:18	JLC	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCPURPLE		1			472553	06/05/20 07:28	CJQ	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			474962	06/30/20 09:02	SMP	TAL SL

Client Sample ID: CCR-AP-6

Lab Sample ID: 180-106195-5

Date Collected: 05/22/20 19:15

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHICS2100B		2.5			317986	06/10/20 10:42	MJH	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHICS2100B		25			317986	06/10/20 10:58	MJH	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			317358	06/02/20 20:35	RSK	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: DORY		1			317171	05/31/20 02:29	RJR	TAL PIT

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-6

Lab Sample ID: 180-106195-5

Date Collected: 05/22/20 19:15

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			50 mL	50 mL	316978	06/01/20 15:15	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317131	06/01/20 20:27	NAM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			317147	06/02/20 08:03	MTW	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	50 mL	100 mL	316756	05/28/20 09:52	AVS	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			1000.33 mL	1.0 g	471608	06/01/20 06:43	JLC	TAL SL
Total/NA	Analysis	9315		1			474058	06/23/20 07:30	CJQ	TAL SL
		Instrument ID: GFPCBLUE								
Total/NA	Prep	PrecSep_0			1000.33 mL	1.0 g	471609	06/01/20 07:18	JLC	TAL SL
Total/NA	Analysis	9320		1			472553	06/05/20 07:28	CJQ	TAL SL
		Instrument ID: GFPCPURPLE								
Total/NA	Analysis	Ra226_Ra228		1			474962	06/30/20 09:02	SMP	TAL SL
		Instrument ID: NOEQUIP								

Client Sample ID: BLIND DUPLICATE 1

Lab Sample ID: 180-106195-6

Date Collected: 05/22/20 00:00

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		5			317986	06/10/20 15:20	MJH	TAL PIT
		Instrument ID: CHICS2100B								
Total/NA	Analysis	EPA 9056A		50			317986	06/10/20 15:36	MJH	TAL PIT
		Instrument ID: CHICS2100B								
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317358	06/02/20 20:53	RSK	TAL PIT
		Instrument ID: A								
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317171	05/31/20 02:33	RJR	TAL PIT
		Instrument ID: DORY								
Total/NA	Prep	7470A			50 mL	50 mL	316978	06/01/20 15:15	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317131	06/01/20 20:28	NAM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			317147	06/02/20 08:06	MTW	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	25 mL	100 mL	316756	05/28/20 09:52	AVS	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			999.61 mL	1.0 g	471608	06/01/20 06:43	JLC	TAL SL
Total/NA	Analysis	9315		1			474058	06/23/20 07:30	CJQ	TAL SL
		Instrument ID: GFPCBLUE								
Total/NA	Prep	PrecSep_0			999.61 mL	1.0 g	471609	06/01/20 07:18	JLC	TAL SL
Total/NA	Analysis	9320		1			472553	06/05/20 07:28	CJQ	TAL SL
		Instrument ID: GFPCPURPLE								

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: BLIND DUPLICATE 1

Lab Sample ID: 180-106195-6

Date Collected: 05/22/20 00:00

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			474962	06/30/20 09:02	SMP	TAL SL

Client Sample ID: FIELD BLANK 1

Lab Sample ID: 180-106195-7

Date Collected: 05/22/20 19:20

Matrix: Water

Date Received: 05/27/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHICS2100B		1			317411	06/04/20 11:02	MJH	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			317358	06/02/20 20:56	RSK	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	316890	05/29/20 08:30	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: DORY		1			317171	05/31/20 02:36	RJR	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	316978	06/01/20 15:15	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			317131	06/01/20 20:32	NAM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			317147	06/02/20 08:12	MTW	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	316756	05/28/20 09:52	AVS	TAL PIT
Total/NA	Prep	PrecSep-21			1000.52 mL	1.0 g	471608	06/01/20 06:43	JLC	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			474300	06/23/20 07:37	CJQ	TAL SL
Total/NA	Prep	PrecSep_0			1000.52 mL	1.0 g	471609	06/01/20 07:18	JLC	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCPURPLE		1			472553	06/05/20 07:28	CJQ	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			474962	06/30/20 09:02	SMP	TAL SL

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Analyst References:

Lab: TAL PIT

Batch Type: Prep

KEM = Kimberly Mahoney

NAM = Nicole Marfisi

Batch Type: Analysis

AVS = Abbey Smith

MJH = Matthew Hartman

MTW = Michael Wesoloski

NAM = Nicole Marfisi

RJR = Ron Rosenbaum

RSK = Robert Kurtz

Lab: TAL SL

Batch Type: Prep

JLC = Jessica Chapman

Batch Type: Analysis

CJQ = Caleb Quinn

SMP = Siobhan Perry

1

2

3

4

5

6

7

8

9

10

11

12

13

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-4R

Lab Sample ID: 180-106195-1

Date Collected: 05/21/20 16:00

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	28		1.0	0.32	mg/L			06/10/20 07:58	1
Fluoride	0.26		0.10	0.026	mg/L			06/10/20 07:58	1
Sulfate	99		1.0	0.38	mg/L			06/10/20 07:58	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		05/29/20 08:30	05/31/20 02:08	1
Boron	0.041	J	0.080	0.039	mg/L		05/29/20 08:30	06/02/20 20:21	1
Barium	0.091		0.010	0.0016	mg/L		05/29/20 08:30	05/31/20 02:08	1
Beryllium	ND		0.0010	0.00018	mg/L		05/29/20 08:30	05/31/20 02:08	1
Calcium	180		0.50	0.13	mg/L		05/29/20 08:30	05/31/20 02:08	1
Cadmium	ND		0.0010	0.00022	mg/L		05/29/20 08:30	05/31/20 02:08	1
Cobalt	ND		0.00050	0.00013	mg/L		05/29/20 08:30	05/31/20 02:08	1
Chromium	0.0027		0.0020	0.0015	mg/L		05/29/20 08:30	05/31/20 02:08	1
Molybdenum	0.0012	J	0.0050	0.00061	mg/L		05/29/20 08:30	05/31/20 02:08	1
Lead	ND		0.0010	0.00013	mg/L		05/29/20 08:30	05/31/20 02:08	1
Antimony	ND		0.0020	0.00038	mg/L		05/29/20 08:30	05/31/20 02:08	1
Selenium	ND		0.0050	0.0015	mg/L		05/29/20 08:30	05/31/20 02:08	1
Thallium	ND		0.0010	0.00015	mg/L		05/29/20 08:30	05/31/20 02:08	1
Lithium	ND		5.0	3.4	ug/L		05/29/20 08:30	05/31/20 02:08	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 15:15	06/01/20 20:23	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	920		10	10	mg/L			05/28/20 09:52	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.2	HF	0.1	0.1	SU			06/02/20 07:51	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.114		0.0752	0.0759	1.00	0.103	pCi/L	06/01/20 06:43	06/23/20 07:30	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.3		40 - 110					06/01/20 06:43	06/23/20 07:30	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.319	U	0.334	0.335	1.00	0.545	pCi/L	06/01/20 07:18	06/05/20 07:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.3		40 - 110					06/01/20 07:18	06/05/20 07:28	1
Y Carrier	55.3		40 - 110					06/01/20 07:18	06/05/20 07:28	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-4R

Lab Sample ID: 180-106195-1

Date Collected: 05/21/20 16:00

Matrix: Water

Date Received: 05/27/20 09:00

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.433	U	0.342	0.343	5.00	0.545	pCi/L		06/30/20 09:02	1

Client Sample ID: CCR-AP-10

Lab Sample ID: 180-106195-2

Date Collected: 05/21/20 18:20

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	210		2.5	0.80	mg/L			06/10/20 09:36	2.5
Fluoride	0.34		0.25	0.066	mg/L			06/10/20 09:36	2.5
Sulfate	2300		25	9.5	mg/L			06/10/20 09:53	25

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00045	J	0.0010	0.00031	mg/L		05/29/20 08:30	05/31/20 02:12	1
Boron	7.1		0.16	0.077	mg/L		05/29/20 08:30	06/02/20 20:25	2
Barium	0.012		0.010	0.0016	mg/L		05/29/20 08:30	05/31/20 02:12	1
Beryllium	ND		0.0010	0.00018	mg/L		05/29/20 08:30	05/31/20 02:12	1
Calcium	220		0.50	0.13	mg/L		05/29/20 08:30	05/31/20 02:12	1
Cadmium	ND		0.0010	0.00022	mg/L		05/29/20 08:30	05/31/20 02:12	1
Cobalt	0.00073		0.00050	0.00013	mg/L		05/29/20 08:30	05/31/20 02:12	1
Chromium	ND		0.0020	0.0015	mg/L		05/29/20 08:30	05/31/20 02:12	1
Molybdenum	0.0026	J	0.0050	0.00061	mg/L		05/29/20 08:30	05/31/20 02:12	1
Lead	0.00016	J	0.0010	0.00013	mg/L		05/29/20 08:30	05/31/20 02:12	1
Antimony	ND		0.0020	0.00038	mg/L		05/29/20 08:30	05/31/20 02:12	1
Selenium	0.018		0.0050	0.0015	mg/L		05/29/20 08:30	05/31/20 02:12	1
Thallium	ND		0.0010	0.00015	mg/L		05/29/20 08:30	05/31/20 02:12	1
Lithium	ND		5.0	3.4	ug/L		05/29/20 08:30	05/31/20 02:12	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 15:15	06/01/20 20:24	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	3100		40	40	mg/L			05/28/20 09:52	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.4	HF	0.1	0.1	SU			06/02/20 07:54	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.113	U	0.107	0.107	1.00	0.167	pCi/L	06/01/20 06:43	06/23/20 07:30	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	81.9		40 - 110					06/01/20 06:43	06/23/20 07:30	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-10

Lab Sample ID: 180-106195-2

Date Collected: 05/21/20 18:20

Matrix: Water

Date Received: 05/27/20 09:00

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.294	U	0.294	0.295	1.00	0.478	pCi/L	06/01/20 07:18	06/05/20 07:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	81.9		40 - 110					06/01/20 07:18	06/05/20 07:28	1
Y Carrier	89.7		40 - 110					06/01/20 07:18	06/05/20 07:28	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.408	U	0.313	0.314	5.00	0.478	pCi/L		06/30/20 09:02	1

Client Sample ID: CCR-AP-8

Lab Sample ID: 180-106195-3

Date Collected: 05/22/20 14:30

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	79		1.0	0.32	mg/L			06/04/20 13:46	1
Fluoride	0.22		0.10	0.026	mg/L			06/04/20 13:46	1
Sulfate	700		10	3.8	mg/L			06/05/20 11:50	10

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00036	J	0.0010	0.00031	mg/L		05/29/20 08:30	05/31/20 02:15	1
Boron	0.34		0.080	0.039	mg/L		05/29/20 08:30	06/02/20 20:28	1
Barium	0.089		0.010	0.0016	mg/L		05/29/20 08:30	05/31/20 02:15	1
Beryllium	ND		0.0010	0.00018	mg/L		05/29/20 08:30	05/31/20 02:15	1
Calcium	240		0.50	0.13	mg/L		05/29/20 08:30	05/31/20 02:15	1
Cadmium	ND		0.0010	0.00022	mg/L		05/29/20 08:30	05/31/20 02:15	1
Cobalt	0.00054		0.00050	0.00013	mg/L		05/29/20 08:30	05/31/20 02:15	1
Chromium	ND		0.0020	0.0015	mg/L		05/29/20 08:30	05/31/20 02:15	1
Molybdenum	0.00082	J	0.0050	0.00061	mg/L		05/29/20 08:30	05/31/20 02:15	1
Lead	ND		0.0010	0.00013	mg/L		05/29/20 08:30	05/31/20 02:15	1
Antimony	ND		0.0020	0.00038	mg/L		05/29/20 08:30	05/31/20 02:15	1
Selenium	ND		0.0050	0.0015	mg/L		05/29/20 08:30	05/31/20 02:15	1
Thallium	ND		0.0010	0.00015	mg/L		05/29/20 08:30	05/31/20 02:15	1
Lithium	12		5.0	3.4	ug/L		05/29/20 08:30	05/31/20 02:15	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 15:15	06/01/20 20:25	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1500		10	10	mg/L			05/28/20 09:52	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.1	HF	0.1	0.1	SU			06/02/20 07:57	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-8

Lab Sample ID: 180-106195-3

Date Collected: 05/22/20 14:30

Matrix: Water

Date Received: 05/27/20 09:00

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.208		0.0921	0.0939	1.00	0.0967	pCi/L	06/01/20 06:43	06/23/20 07:30	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	72.7		40 - 110					06/01/20 06:43	06/23/20 07:30	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.177	U	0.309	0.309	1.00	0.523	pCi/L	06/01/20 07:18	06/05/20 07:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	72.7		40 - 110					06/01/20 07:18	06/05/20 07:28	1
Y Carrier	63.6		40 - 110					06/01/20 07:18	06/05/20 07:28	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.385	U	0.322	0.323	5.00	0.523	pCi/L		06/30/20 09:02	1

Client Sample ID: CCR-AP-7R

Lab Sample ID: 180-106195-4

Date Collected: 05/22/20 18:00

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2400		50	16	mg/L			06/05/20 12:48	50
Fluoride	0.55		0.50	0.13	mg/L			06/05/20 12:32	5
Sulfate	14000		100	38	mg/L			06/09/20 19:47	100

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00057	J	0.0010	0.00031	mg/L		05/29/20 08:30	05/31/20 02:26	1
Boron	5.0		0.080	0.039	mg/L		05/29/20 08:30	06/02/20 20:32	1
Barium	0.026		0.010	0.0016	mg/L		05/29/20 08:30	05/31/20 02:26	1
Beryllium	ND		0.0010	0.00018	mg/L		05/29/20 08:30	05/31/20 02:26	1
Calcium	420		0.50	0.13	mg/L		05/29/20 08:30	05/31/20 02:26	1
Cadmium	ND		0.0010	0.00022	mg/L		05/29/20 08:30	05/31/20 02:26	1
Cobalt	0.00023	J	0.00050	0.00013	mg/L		05/29/20 08:30	05/31/20 02:26	1
Chromium	ND		0.0020	0.0015	mg/L		05/29/20 08:30	05/31/20 02:26	1
Molybdenum	ND		0.0050	0.00061	mg/L		05/29/20 08:30	05/31/20 02:26	1
Lead	0.00016	J	0.0010	0.00013	mg/L		05/29/20 08:30	05/31/20 02:26	1
Antimony	0.00040	J	0.0020	0.00038	mg/L		05/29/20 08:30	05/31/20 02:26	1
Selenium	ND		0.0050	0.0015	mg/L		05/29/20 08:30	05/31/20 02:26	1
Thallium	ND		0.0010	0.00015	mg/L		05/29/20 08:30	05/31/20 02:26	1
Lithium	21		5.0	3.4	ug/L		05/29/20 08:30	05/31/20 02:26	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-7R

Lab Sample ID: 180-106195-4

Date Collected: 05/22/20 18:00

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 15:15	06/01/20 20:26	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	4400		40	40	mg/L			05/28/20 09:52	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.6	HF	0.1	0.1	SU			06/02/20 08:00	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0914	U	0.0666	0.0671	1.00	0.0946	pCi/L	06/01/20 06:43	06/23/20 07:30	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	88.1		40 - 110	06/01/20 06:43	06/23/20 07:30	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.327	U	0.235	0.237	1.00	0.366	pCi/L	06/01/20 07:18	06/05/20 07:28	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	88.1		40 - 110	06/01/20 07:18	06/05/20 07:28	1
Y Carrier	75.5		40 - 110	06/01/20 07:18	06/05/20 07:28	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.418		0.244	0.246	5.00	0.366	pCi/L		06/30/20 09:02	1

Client Sample ID: CCR-AP-6

Lab Sample ID: 180-106195-5

Date Collected: 05/22/20 19:15

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	260		2.5	0.80	mg/L			06/10/20 10:42	2.5
Fluoride	0.12	J	0.25	0.066	mg/L			06/10/20 10:42	2.5
Sulfate	1500		25	9.5	mg/L			06/10/20 10:58	25

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0011		0.0010	0.00031	mg/L		05/29/20 08:30	05/31/20 02:29	1
Boron	4.5		0.080	0.039	mg/L		05/29/20 08:30	06/02/20 20:35	1
Barium	0.013		0.010	0.0016	mg/L		05/29/20 08:30	05/31/20 02:29	1
Beryllium	ND		0.0010	0.00018	mg/L		05/29/20 08:30	05/31/20 02:29	1
Calcium	310		0.50	0.13	mg/L		05/29/20 08:30	05/31/20 02:29	1
Cadmium	ND		0.0010	0.00022	mg/L		05/29/20 08:30	05/31/20 02:29	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: CCR-AP-6

Lab Sample ID: 180-106195-5

Date Collected: 05/22/20 19:15

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	0.00098		0.00050	0.00013	mg/L		05/29/20 08:30	05/31/20 02:29	1
Chromium	ND		0.0020	0.0015	mg/L		05/29/20 08:30	05/31/20 02:29	1
Molybdenum	0.0057		0.0050	0.00061	mg/L		05/29/20 08:30	05/31/20 02:29	1
Lead	0.00019	J	0.0010	0.00013	mg/L		05/29/20 08:30	05/31/20 02:29	1
Antimony	ND		0.0020	0.00038	mg/L		05/29/20 08:30	05/31/20 02:29	1
Selenium	ND		0.0050	0.0015	mg/L		05/29/20 08:30	05/31/20 02:29	1
Thallium	ND		0.0010	0.00015	mg/L		05/29/20 08:30	05/31/20 02:29	1
Lithium	29		5.0	3.4	ug/L		05/29/20 08:30	05/31/20 02:29	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 15:15	06/01/20 20:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	2600		20	20	mg/L			05/28/20 09:52	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.2	HF	0.1	0.1	SU			06/02/20 08:03	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.00136	U	0.0653	0.0653	1.00	0.127	pCi/L	06/01/20 06:43	06/23/20 07:30	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.8		40 - 110					06/01/20 06:43	06/23/20 07:30	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.300	U	0.209	0.211	1.00	0.325	pCi/L	06/01/20 07:18	06/05/20 07:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.8		40 - 110					06/01/20 07:18	06/05/20 07:28	1
Y Carrier	87.9		40 - 110					06/01/20 07:18	06/05/20 07:28	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.301	U	0.219	0.221	5.00	0.325	pCi/L		06/30/20 09:02	1

Client Sample ID: BLIND DUPLICATE 1

Lab Sample ID: 180-106195-6

Date Collected: 05/22/20 00:00

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	430		5.0	1.6	mg/L			06/10/20 15:20	5

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: BLIND DUPLICATE 1

Lab Sample ID: 180-106195-6

Date Collected: 05/22/20 00:00

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 9056A - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.50	0.13	mg/L			06/10/20 15:20	5
Sulfate	3000		50	19	mg/L			06/10/20 15:36	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00043	J	0.0010	0.00031	mg/L		05/29/20 08:30	05/31/20 02:33	1
Boron	5.2		0.080	0.039	mg/L		05/29/20 08:30	06/02/20 20:53	1
Barium	0.025		0.010	0.0016	mg/L		05/29/20 08:30	05/31/20 02:33	1
Beryllium	ND		0.0010	0.00018	mg/L		05/29/20 08:30	05/31/20 02:33	1
Calcium	400		0.50	0.13	mg/L		05/29/20 08:30	05/31/20 02:33	1
Cadmium	ND		0.0010	0.00022	mg/L		05/29/20 08:30	05/31/20 02:33	1
Cobalt	0.00021	J	0.00050	0.00013	mg/L		05/29/20 08:30	05/31/20 02:33	1
Chromium	ND		0.0020	0.0015	mg/L		05/29/20 08:30	05/31/20 02:33	1
Molybdenum	ND		0.0050	0.00061	mg/L		05/29/20 08:30	05/31/20 02:33	1
Lead	0.00034	J	0.0010	0.00013	mg/L		05/29/20 08:30	05/31/20 02:33	1
Antimony	ND		0.0020	0.00038	mg/L		05/29/20 08:30	05/31/20 02:33	1
Selenium	ND		0.0050	0.0015	mg/L		05/29/20 08:30	05/31/20 02:33	1
Thallium	ND		0.0010	0.00015	mg/L		05/29/20 08:30	05/31/20 02:33	1
Lithium	20		5.0	3.4	ug/L		05/29/20 08:30	05/31/20 02:33	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 15:15	06/01/20 20:28	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	4700		40	40	mg/L			05/28/20 09:52	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.6	HF	0.1	0.1	SU			06/02/20 08:06	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.227		0.0938	0.0960	1.00	0.108	pCi/L	06/01/20 06:43	06/23/20 07:30	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>Ba Carrier</i>	95.0		40 - 110	06/01/20 06:43	06/23/20 07:30	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.352		0.219	0.221	1.00	0.335	pCi/L	06/01/20 07:18	06/05/20 07:28	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>Ba Carrier</i>	95.0		40 - 110	06/01/20 07:18	06/05/20 07:28	1
<i>Y Carrier</i>	80.0		40 - 110	06/01/20 07:18	06/05/20 07:28	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: BLIND DUPLICATE 1

Lab Sample ID: 180-106195-6

Date Collected: 05/22/20 00:00

Matrix: Water

Date Received: 05/27/20 09:00

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Combined Radium 226 + 228	0.578		0.238	0.241	5.00	0.335	pCi/L		06/30/20 09:02	1

Client Sample ID: FIELD BLANK 1

Lab Sample ID: 180-106195-7

Date Collected: 05/22/20 19:20

Matrix: Water

Date Received: 05/27/20 09:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			06/04/20 11:02	1
Fluoride	0.027	J	0.10	0.026	mg/L			06/04/20 11:02	1
Sulfate	0.40	J	1.0	0.38	mg/L			06/04/20 11:02	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		05/29/20 08:30	05/31/20 02:36	1
Boron	0.056	J	0.080	0.039	mg/L		05/29/20 08:30	06/02/20 20:56	1
Barium	ND		0.010	0.0016	mg/L		05/29/20 08:30	05/31/20 02:36	1
Beryllium	ND		0.0010	0.00018	mg/L		05/29/20 08:30	05/31/20 02:36	1
Calcium	ND		0.50	0.13	mg/L		05/29/20 08:30	05/31/20 02:36	1
Cadmium	ND		0.0010	0.00022	mg/L		05/29/20 08:30	05/31/20 02:36	1
Cobalt	ND		0.00050	0.00013	mg/L		05/29/20 08:30	05/31/20 02:36	1
Chromium	ND		0.0020	0.0015	mg/L		05/29/20 08:30	05/31/20 02:36	1
Molybdenum	ND		0.0050	0.00061	mg/L		05/29/20 08:30	05/31/20 02:36	1
Lead	ND		0.0010	0.00013	mg/L		05/29/20 08:30	05/31/20 02:36	1
Antimony	ND		0.0020	0.00038	mg/L		05/29/20 08:30	05/31/20 02:36	1
Selenium	ND		0.0050	0.0015	mg/L		05/29/20 08:30	05/31/20 02:36	1
Thallium	ND		0.0010	0.00015	mg/L		05/29/20 08:30	05/31/20 02:36	1
Lithium	ND		5.0	3.4	ug/L		05/29/20 08:30	05/31/20 02:36	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 15:15	06/01/20 20:32	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			05/28/20 09:52	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.9	HF	0.1	0.1	SU			06/02/20 08:12	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Radium-226	0.0207	U	0.0378	0.0378	1.00	0.0685	pCi/L	06/01/20 06:43	06/23/20 07:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.1		40 - 110					06/01/20 06:43	06/23/20 07:37	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Client Sample ID: FIELD BLANK 1

Lab Sample ID: 180-106195-7

Date Collected: 05/22/20 19:20

Matrix: Water

Date Received: 05/27/20 09:00

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0755	U	0.223	0.223	1.00	0.414	pCi/L	06/01/20 07:18	06/05/20 07:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.1		40 - 110					06/01/20 07:18	06/05/20 07:28	1
Y Carrier	69.5		40 - 110					06/01/20 07:18	06/05/20 07:28	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.0548	U	0.226	0.226	5.00	0.414	pCi/L		06/30/20 09:02	1



QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Method: EPA 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 180-317410/6
Matrix: Water
Analysis Batch: 317410

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			06/04/20 05:04	1
Fluoride	ND		0.10	0.026	mg/L			06/04/20 05:04	1
Sulfate	ND		1.0	0.38	mg/L			06/04/20 05:04	1

Lab Sample ID: LCS 180-317410/5
Matrix: Water
Analysis Batch: 317410

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	51.6		mg/L		103	80 - 120
Fluoride	2.50	2.60		mg/L		104	80 - 120
Sulfate	50.0	48.6		mg/L		97	80 - 120

Lab Sample ID: MB 180-317411/6
Matrix: Water
Analysis Batch: 317411

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			06/04/20 05:52	1
Fluoride	ND		0.10	0.026	mg/L			06/04/20 05:52	1
Sulfate	ND		1.0	0.38	mg/L			06/04/20 05:52	1

Lab Sample ID: LCS 180-317411/5
Matrix: Water
Analysis Batch: 317411

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	51.3		mg/L		103	80 - 120
Fluoride	2.50	2.50		mg/L		100	80 - 120
Sulfate	50.0	52.0		mg/L		104	80 - 120

Lab Sample ID: MB 180-317545/6
Matrix: Water
Analysis Batch: 317545

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			06/05/20 05:10	1
Fluoride	ND		0.10	0.026	mg/L			06/05/20 05:10	1
Sulfate	ND		1.0	0.38	mg/L			06/05/20 05:10	1

Lab Sample ID: LCS 180-317545/5
Matrix: Water
Analysis Batch: 317545

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	52.4		mg/L		105	80 - 120
Fluoride	2.50	2.56		mg/L		102	80 - 120
Sulfate	50.0	53.1		mg/L		106	80 - 120

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Method: EPA 9056A - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 180-317553/6
Matrix: Water
Analysis Batch: 317553

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		1.0	0.38	mg/L			06/05/20 07:01	1

Lab Sample ID: LCS 180-317553/5
Matrix: Water
Analysis Batch: 317553

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	50.0	47.2		mg/L		94	80 - 120

Lab Sample ID: MB 180-317840/46
Matrix: Water
Analysis Batch: 317840

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		1.0	0.38	mg/L			06/09/20 16:31	1

Lab Sample ID: LCS 180-317840/45
Matrix: Water
Analysis Batch: 317840

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	50.0	54.2		mg/L		108	80 - 120

Lab Sample ID: MB 180-317986/6
Matrix: Water
Analysis Batch: 317986

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			06/10/20 07:18	1
Fluoride	ND		0.10	0.026	mg/L			06/10/20 07:18	1
Sulfate	ND		1.0	0.38	mg/L			06/10/20 07:18	1

Lab Sample ID: LCS 180-317986/5
Matrix: Water
Analysis Batch: 317986

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	52.5		mg/L		105	80 - 120
Fluoride	2.50	2.58		mg/L		103	80 - 120
Sulfate	50.0	53.8		mg/L		108	80 - 120

Method: EPA 6020A - Metals (ICP/MS)

Lab Sample ID: MB 180-316890/1-A
Matrix: Water
Analysis Batch: 317171

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 316890

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		05/29/20 08:30	05/31/20 00:41	1
Barium	ND		0.010	0.0016	mg/L		05/29/20 08:30	05/31/20 00:41	1

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Method: EPA 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-316890/1-A
Matrix: Water
Analysis Batch: 317171

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 316890

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Beryllium	ND		0.0010	0.00018	mg/L		05/29/20 08:30	05/31/20 00:41	1
Calcium	ND		0.50	0.13	mg/L		05/29/20 08:30	05/31/20 00:41	1
Cadmium	ND		0.0010	0.00022	mg/L		05/29/20 08:30	05/31/20 00:41	1
Cobalt	ND		0.00050	0.00013	mg/L		05/29/20 08:30	05/31/20 00:41	1
Chromium	ND		0.0020	0.0015	mg/L		05/29/20 08:30	05/31/20 00:41	1
Molybdenum	ND		0.0050	0.00061	mg/L		05/29/20 08:30	05/31/20 00:41	1
Lead	ND		0.0010	0.00013	mg/L		05/29/20 08:30	05/31/20 00:41	1
Antimony	ND		0.0020	0.00038	mg/L		05/29/20 08:30	05/31/20 00:41	1
Selenium	ND		0.0050	0.0015	mg/L		05/29/20 08:30	05/31/20 00:41	1
Thallium	ND		0.0010	0.00015	mg/L		05/29/20 08:30	05/31/20 00:41	1
Lithium	ND		5.0	3.4	ug/L		05/29/20 08:30	05/31/20 00:41	1

Lab Sample ID: MB 180-316890/1-A
Matrix: Water
Analysis Batch: 317358

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 316890

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	ND		0.080	0.039	mg/L		05/29/20 08:30	06/02/20 18:43	1

Lab Sample ID: LCS 180-316890/2-A
Matrix: Water
Analysis Batch: 317171

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 316890

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Arsenic	1.00	1.04		mg/L		104	80 - 120
Barium	1.00	1.00		mg/L		100	80 - 120
Beryllium	0.500	0.504		mg/L		101	80 - 120
Calcium	25.0	28.1		mg/L		112	80 - 120
Cadmium	0.500	0.497		mg/L		99	80 - 120
Cobalt	0.500	0.519		mg/L		104	80 - 120
Chromium	0.500	0.481		mg/L		96	80 - 120
Molybdenum	0.500	0.509		mg/L		102	80 - 120
Lead	0.500	0.500		mg/L		100	80 - 120
Antimony	0.250	0.258		mg/L		103	80 - 120
Selenium	1.00	0.991		mg/L		99	80 - 120
Thallium	1.00	1.06		mg/L		106	80 - 120
Lithium	500	497		ug/L		99	80 - 120

Lab Sample ID: LCS 180-316890/2-A
Matrix: Water
Analysis Batch: 317358

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 316890

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Boron	1.25	1.20		mg/L		96	80 - 120

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: MB 180-316978/1-A
 Matrix: Water
 Analysis Batch: 317131

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 316978

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 15:15	06/01/20 20:19	1

Lab Sample ID: LCS 180-316978/2-A
 Matrix: Water
 Analysis Batch: 317131

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 316978
 %Rec. Limits

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00250	0.00285		mg/L		114	80 - 120

Method: EPA 9040C - pH

Lab Sample ID: LCS 180-317147/1
 Matrix: Water
 Analysis Batch: 317147

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
pH	7.00	7.0		SU		100	99 - 101

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-316756/2
 Matrix: Water
 Analysis Batch: 316756

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			05/28/20 09:52	1

Lab Sample ID: LCS 180-316756/1
 Matrix: Water
 Analysis Batch: 316756

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Total Dissolved Solids	192	176		mg/L		92	80 - 120

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-471608/22-A
 Matrix: Water
 Analysis Batch: 474300

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 471608

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.02845	U	0.0460	0.0461	1.00	0.0804	pCi/L	06/01/20 06:43	06/23/20 07:39	1
Carrier	MB %Yield	MB Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.5		40 - 110					06/01/20 06:43	06/23/20 07:39	1

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Method: 9315 - Radium-226 (GFPC) (Continued)

Lab Sample ID: LCS 160-471608/1-A
 Matrix: Water
 Analysis Batch: 474058

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 471608

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	
Radium-226	11.3	10.38		1.09	1.00	0.108	pCi/L	91	75 - 125	
Carrier	LCS %Yield	LCS Qualifier	Limits							
Ba Carrier	78.3		40 - 110							

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-471609/22-A
 Matrix: Water
 Analysis Batch: 472552

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 471609

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.1842	U	0.185	0.186	1.00	0.301	pCi/L	06/01/20 07:18	06/05/20 07:32	1
Carrier	MB %Yield	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac		
Ba Carrier	95.5		40 - 110			06/01/20 07:18	06/05/20 07:32	1		
Y Carrier	90.1		40 - 110			06/01/20 07:18	06/05/20 07:32	1		

Lab Sample ID: LCS 160-471609/1-A
 Matrix: Water
 Analysis Batch: 472553

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 471609

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	
Radium-228	8.78	7.926		0.974	1.00	0.431	pCi/L	90	75 - 125	
Carrier	LCS %Yield	LCS Qualifier	Limits							
Ba Carrier	78.3		40 - 110							
Y Carrier	77.4		40 - 110							

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

HPLC/IC

Analysis Batch: 317410

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-3	CCR-AP-8	Total/NA	Water	EPA 9056A	
MB 180-317410/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-317410/5	Lab Control Sample	Total/NA	Water	EPA 9056A	

Analysis Batch: 317411

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-7	FIELD BLANK 1	Total/NA	Water	EPA 9056A	
MB 180-317411/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-317411/5	Lab Control Sample	Total/NA	Water	EPA 9056A	

Analysis Batch: 317545

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-4	CCR-AP-7R	Total/NA	Water	EPA 9056A	
180-106195-4	CCR-AP-7R	Total/NA	Water	EPA 9056A	
MB 180-317545/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-317545/5	Lab Control Sample	Total/NA	Water	EPA 9056A	

Analysis Batch: 317553

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-3	CCR-AP-8	Total/NA	Water	EPA 9056A	
MB 180-317553/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-317553/5	Lab Control Sample	Total/NA	Water	EPA 9056A	

Analysis Batch: 317840

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-4	CCR-AP-7R	Total/NA	Water	EPA 9056A	
MB 180-317840/46	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-317840/45	Lab Control Sample	Total/NA	Water	EPA 9056A	

Analysis Batch: 317986

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total/NA	Water	EPA 9056A	
180-106195-2	CCR-AP-10	Total/NA	Water	EPA 9056A	
180-106195-2	CCR-AP-10	Total/NA	Water	EPA 9056A	
180-106195-5	CCR-AP-6	Total/NA	Water	EPA 9056A	
180-106195-5	CCR-AP-6	Total/NA	Water	EPA 9056A	
180-106195-6	BLIND DUPLICATE 1	Total/NA	Water	EPA 9056A	
180-106195-6	BLIND DUPLICATE 1	Total/NA	Water	EPA 9056A	
MB 180-317986/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-317986/5	Lab Control Sample	Total/NA	Water	EPA 9056A	

Metals

Prep Batch: 316890

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total Recoverable	Water	3005A	
180-106195-2	CCR-AP-10	Total Recoverable	Water	3005A	
180-106195-3	CCR-AP-8	Total Recoverable	Water	3005A	
180-106195-4	CCR-AP-7R	Total Recoverable	Water	3005A	
180-106195-5	CCR-AP-6	Total Recoverable	Water	3005A	
180-106195-6	BLIND DUPLICATE 1	Total Recoverable	Water	3005A	

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

Metals (Continued)

Prep Batch: 316890 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-7	FIELD BLANK 1	Total Recoverable	Water	3005A	
MB 180-316890/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-316890/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Prep Batch: 316978

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total/NA	Water	7470A	
180-106195-2	CCR-AP-10	Total/NA	Water	7470A	
180-106195-3	CCR-AP-8	Total/NA	Water	7470A	
180-106195-4	CCR-AP-7R	Total/NA	Water	7470A	
180-106195-5	CCR-AP-6	Total/NA	Water	7470A	
180-106195-6	BLIND DUPLICATE 1	Total/NA	Water	7470A	
180-106195-7	FIELD BLANK 1	Total/NA	Water	7470A	
MB 180-316978/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-316978/2-A	Lab Control Sample	Total/NA	Water	7470A	

Analysis Batch: 317131

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total/NA	Water	EPA 7470A	316978
180-106195-2	CCR-AP-10	Total/NA	Water	EPA 7470A	316978
180-106195-3	CCR-AP-8	Total/NA	Water	EPA 7470A	316978
180-106195-4	CCR-AP-7R	Total/NA	Water	EPA 7470A	316978
180-106195-5	CCR-AP-6	Total/NA	Water	EPA 7470A	316978
180-106195-6	BLIND DUPLICATE 1	Total/NA	Water	EPA 7470A	316978
180-106195-7	FIELD BLANK 1	Total/NA	Water	EPA 7470A	316978
MB 180-316978/1-A	Method Blank	Total/NA	Water	EPA 7470A	316978
LCS 180-316978/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	316978

Analysis Batch: 317171

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total Recoverable	Water	EPA 6020A	316890
180-106195-2	CCR-AP-10	Total Recoverable	Water	EPA 6020A	316890
180-106195-3	CCR-AP-8	Total Recoverable	Water	EPA 6020A	316890
180-106195-4	CCR-AP-7R	Total Recoverable	Water	EPA 6020A	316890
180-106195-5	CCR-AP-6	Total Recoverable	Water	EPA 6020A	316890
180-106195-6	BLIND DUPLICATE 1	Total Recoverable	Water	EPA 6020A	316890
180-106195-7	FIELD BLANK 1	Total Recoverable	Water	EPA 6020A	316890
MB 180-316890/1-A	Method Blank	Total Recoverable	Water	EPA 6020A	316890
LCS 180-316890/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020A	316890

Analysis Batch: 317358

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total Recoverable	Water	EPA 6020A	316890
180-106195-2	CCR-AP-10	Total Recoverable	Water	EPA 6020A	316890
180-106195-3	CCR-AP-8	Total Recoverable	Water	EPA 6020A	316890
180-106195-4	CCR-AP-7R	Total Recoverable	Water	EPA 6020A	316890
180-106195-5	CCR-AP-6	Total Recoverable	Water	EPA 6020A	316890
180-106195-6	BLIND DUPLICATE 1	Total Recoverable	Water	EPA 6020A	316890
180-106195-7	FIELD BLANK 1	Total Recoverable	Water	EPA 6020A	316890
MB 180-316890/1-A	Method Blank	Total Recoverable	Water	EPA 6020A	316890
LCS 180-316890/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020A	316890

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106195-1

General Chemistry

Analysis Batch: 316756

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total/NA	Water	SM 2540C	
180-106195-2	CCR-AP-10	Total/NA	Water	SM 2540C	
180-106195-3	CCR-AP-8	Total/NA	Water	SM 2540C	
180-106195-4	CCR-AP-7R	Total/NA	Water	SM 2540C	
180-106195-5	CCR-AP-6	Total/NA	Water	SM 2540C	
180-106195-6	BLIND DUPLICATE 1	Total/NA	Water	SM 2540C	
180-106195-7	FIELD BLANK 1	Total/NA	Water	SM 2540C	
MB 180-316756/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-316756/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 317147

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total/NA	Water	EPA 9040C	
180-106195-2	CCR-AP-10	Total/NA	Water	EPA 9040C	
180-106195-3	CCR-AP-8	Total/NA	Water	EPA 9040C	
180-106195-4	CCR-AP-7R	Total/NA	Water	EPA 9040C	
180-106195-5	CCR-AP-6	Total/NA	Water	EPA 9040C	
180-106195-6	BLIND DUPLICATE 1	Total/NA	Water	EPA 9040C	
180-106195-7	FIELD BLANK 1	Total/NA	Water	EPA 9040C	
LCS 180-317147/1	Lab Control Sample	Total/NA	Water	EPA 9040C	

Rad


Prep Batch: 471608

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total/NA	Water	PrecSep-21	
180-106195-2	CCR-AP-10	Total/NA	Water	PrecSep-21	
180-106195-3	CCR-AP-8	Total/NA	Water	PrecSep-21	
180-106195-4	CCR-AP-7R	Total/NA	Water	PrecSep-21	
180-106195-5	CCR-AP-6	Total/NA	Water	PrecSep-21	
180-106195-6	BLIND DUPLICATE 1	Total/NA	Water	PrecSep-21	
180-106195-7	FIELD BLANK 1	Total/NA	Water	PrecSep-21	
MB 160-471608/22-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-471608/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

Prep Batch: 471609

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106195-1	CCR-AP-4R	Total/NA	Water	PrecSep_0	
180-106195-2	CCR-AP-10	Total/NA	Water	PrecSep_0	
180-106195-3	CCR-AP-8	Total/NA	Water	PrecSep_0	
180-106195-4	CCR-AP-7R	Total/NA	Water	PrecSep_0	
180-106195-5	CCR-AP-6	Total/NA	Water	PrecSep_0	
180-106195-6	BLIND DUPLICATE 1	Total/NA	Water	PrecSep_0	
180-106195-7	FIELD BLANK 1	Total/NA	Water	PrecSep_0	
MB 160-471609/22-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-471609/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Chain of Custody Record


Client Information		Sampler:	Lab PM:	Carrier Tracking No(s):		COC No:
Client Contact: Angela Casbon Scheller Company: Vectren Corporation		Phone:	Bortol, Veronica			180-49738-8017.1
Address: PO BOX 209 City: Evansville State, Zip: IN, 47702 Phone: 864-214-8750(Tel) Email: acscheller@vectren.com		E-Mail: veronica.bortol@testamericainc.com		Analysis Requested		Page: Page 1 of 1
Project Name: CCR Groundwater Monitoring - AB Brown Site: AB Brown		Due Date Requested:	Perform MS/MSD (Yes or No)		Job #: 170460900	
TAT Requested (days):		Field Filtered Sample (Yes or No)		Total Number of Containers		Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2SO4 S - Amchlor T - TSP Dodecahydrate U - Acetone V - DI Water W - pH 4-5 X - EDTA L - EDA Z - other (specify) Other:
PO #: Purchase Order Requested		Special Instructions/Note:		Special Instructions/Note:		
WO #:		Special Instructions/Note:		Special Instructions/Note:		
Project #: 18016014		Special Instructions/Note:		Special Instructions/Note:		
SSOW#:		Special Instructions/Note:		Special Instructions/Note:		
Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Solid, O-waste, Cell, BT Tissue, Air)	Preservation Code:	Special Instructions/Note:
GERAP-21 CCR-AP-4R	5-21-20	1600	G	Water		
GERAP-94 CCR-AP-10	↓	1820		Water		
GERAP-8 CCR-AP-8	5-22-20	1430		Water		
GERAP-9 CCR-AP-7R	↓	1800		Water		
GERAP-10 CCR-AP-6	↓	1915		Water		
CCR-AP- Blind Duplicate 1	5-22-20	-		Water		
CCR-AP- Fuel Cell Blanket 1	↓	1920		Water		
<div style="text-align: center;">  <p>180-106195 Chain of Custody</p> </div>						
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input checked="" type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)						
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/OC Requirements:						
Empty Kit Relinquished by: Relinquished by: <i>Jim Wind</i> Date: _____ Relinquished by: _____ Date/Time: 5-26-20 0900 Company: ATC Relinquished by: _____ Date/Time: _____ Company: _____ Relinquished by: _____ Date/Time: _____ Company: _____						
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Custody Seal No.: _____ Cooler Temperature(s) °C and Other Remarks:						



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

5/26/2020

FedEx Ship Manager - Print Your Label(s)



Uncorrected temp 2.5 °C
 Thermometer ID 17
 Initials *CF*
 PT-WI-SR-001 effective 7/26/13


NA AGCA

15238 PA-US PIT

MPS# 7705 4267 5537
 Mst# 7705 4267 5515
 0263
 0201
 2 of 3
 WED - 27 MAY 10:30A
 PRIORITY OVERNIGHT



180-106195 Waybill



FedEx Express
 2201120042401uu

REF: 170LF00900
 INV: 170LF00900
 PO: 170LF00900

PITTSBURGH PA 15238

TO VERONICA BORTOT
 TESTAMERICA
 301 ALPHA DRIVE

56BL02929FE4A


SHIP DATE: 26MAY20
 ACTWGT: 50.00 LB
 CAD: 106997842/NET4220
 DIMS: 24x15x16 IN
 BILL SENDER

EVVA
 LEEMAN
 (812) 477-1176


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

<https://www.fedex.com/ship>

WED - 27 MAY 10:30A
 PRIORITY OVERNIGHT
 TRK# 0201
 1 of 3
 # MASTER # 7705 4267 5515
 NA AGCA
 Uncorrected temp 25 °C
 Thermometer ID 17
 Initials *AK*
 CF 0
 PT-WI-SR-001 effective 7/26/13



PA-US
 15238
 PIT




5581312925FE4A

SHIP DATE: 26MAY20
 ACTWGT: 50.00 LB
 CAD: 106997842/NET14220
 DIMS: 24x15x16 IN
 BILL SENDER
 KING AVENUE
 D SUITE 2
 LE, IN 47715
 STATES US
 VVA MAN (812) 477-1176
 RONICA BORTO
 ESTAMERICA
 01 ALPHA DRIVE
 PITTSBURGH PA 15238
 REF: 170LF00900
 DEPT: 170LF00900
 170LF00900
 2) 963-7058
 170LF00900

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

5/26/2020

FedEx Ship Manager - Print Your Label(s)



NA AGCA

MPS# 0263

7705 4267 5559

Mstr# 7705 4267 5515


0201

3 of 3

WED - 27 MAY 10:30A

PRIORITY OVERNIGHT

15238 PIT



REF: 170LF00900

DEPT:

PO: 170LF00900

INV: 170LF00900

(412) 963-7058

PITTSBURGH PA 15238

TO VERONICA BORTO

TESTAMERICA

301 ALPHA DRIVE

ORIGIN ID: EVVA (812) 477-1176

BRIAN KLEEMAN

1149 WEDEKING AVENUE

BUILDING D, SUITE 2

EVANSVILLE, IN 47715

UNITED STATES US

SHIP DATE: 26MAY20

ACTWGT: 50.00 LB

CAD: 106997842/IN/ET4220

DIMS: 24x15x16 IN

BILL SENDER

56B13/2925/F/EA

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Bortot, Veronica	Carrier Tracking No(s):	COC No: 180-395477.1
Shipping/Receiving		E-Mail: veronica.bortot@testamericainc.com	State of Origin: Indiana	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note):		
Address: 13715 Rider Trail North.		Job #: 180-106195-1		
City: Earth City		Analysis Requested		
State, Zip: MO, 63045		Preservation Codes: A - HCL M - Hexane B - NaOH N - None O - AsNaO2 P - Na2OAS D - Nitric Acid Q - Na2SO3 E - NaHSO4 R - Na2SO3 F - MeOH S - H2SO4 G - Amchlor H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify) Other:		
Due Date Requested: 6/8/2020		Total Number of containers		
TAT Requested (days):		Special Instructions/Note:		
PO #:		9315_Ra226/PreSep_21 Standard Target List		
WO #:		9320_Ra226/PreSep_0 Standard Target List		
Project #: 18016014		Field Filtered Sample (Yes or No)		
SSOW#:		Form M/MSD (Yes or No)		
Sample Identification - Client ID (Lab ID)		Preservation Code:		
CCR-AP-4R (180-106195-1)	5/21/20 16:00 Eastern	Water	X	X
CCR-AP-10 (180-106195-2)	5/21/20 18:20 Eastern	Water	X	X
CCR-AP-8 (180-106195-3)	5/22/20 14:30 Eastern	Water	X	X
CCR-AP-7R (180-106195-4)	5/22/20 18:00 Eastern	Water	X	X
CCR-AP-6 (180-106195-5)	5/22/20 19:15 Eastern	Water	X	X
BLIND DUPLICATE 1 (180-106195-6)	5/22/20 Eastern	Water	X	X
FIELD BLANK 1 (180-106195-7)	5/22/20 19:20 Eastern	Water	X	X

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

Possible Hazard Identification

Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) _____
 Primary Deliverable Rank: 2

Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: _____ Date/Time: 5/28/20 13:00
 Relinquished by: _____ Date/Time: _____
 Relinquished by: _____ Date/Time: _____

Received by: MICHAEL KENNINGERS Date/Time: 5/28/20 09:03
 Received by: _____ Date/Time: _____
 Received by: _____ Date/Time: _____

Method of Shipment: **FED EX**
 Special Instructions/QC Requirements: _____
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Cooler Temperature(s) °C and Other Remarks:

Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-106195-1

Login Number: 106195

List Source: Eurofins TestAmerica, Pittsburgh

List Number: 1

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-106195-1

Login Number: 106195

List Number: 2

Creator: Dunn, Tabytha C

List Source: Eurofins TestAmerica, St. Louis

List Creation: 05/29/20 04:05 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-106382-1

Client Project/Site: CCR Groundwater Monitoring AB Brown

For:

Vectren Corporation
PO BOX 209
Evansville, Indiana 47702

Attn: Accounts Payable



*Authorized for release by:
6/29/2020 6:58:35 PM*

Veronica Bortot, Senior Project Manager
(412)963-2435

veronica.bortot@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	5
Certification Summary	6
Sample Summary	8
Method Summary	9
Lab Chronicle	10
Client Sample Results	16
QC Sample Results	27
QC Association Summary	31
Chain of Custody	34
Receipt Checklists	41

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Job ID: 180-106382-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative 180-106382-1

Comments

No additional comments.

Receipt

The samples were received on 5/29/2020 8:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 6 coolers at receipt time were 1.9° C, 2.4° C, 3.2° C, 4.2° C, 4.4° C and 4.6° C.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

RAD

Methods 903.0, 9315: Radium-226Prep Batch 160-472398

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative.

Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

CCR-AP-1R (180-106382-1), CCR-AP-2R (180-106382-2), CCR-AP-2I (180-106382-3), CCR-AP-3R (180-106382-4), CCR-AP-3I (180-106382-5), CCR-AP-5 (180-106382-6), CCR-AP-9 (180-106382-7), CCR-BK-1R (180-106382-8), CCR-BK-2 (180-106382-9), (LCS 160-472398/1-A), (MB 160-472398/22-A), (180-106383-A-2-A) and (180-106383-P-2-A DU)

Methods 904.0, 9320: Radium-228 Prep Batch 160-472402

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative.

Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

CCR-AP-1R (180-106382-1), CCR-AP-2R (180-106382-2), CCR-AP-2I (180-106382-3), CCR-AP-3R (180-106382-4), CCR-AP-3I (180-106382-5), CCR-AP-5 (180-106382-6), CCR-AP-9 (180-106382-7), CCR-BK-1R (180-106382-8), CCR-BK-2 (180-106382-9), (LCS 160-472402/1-A), (MB 160-472402/22-A), (180-106383-A-2-B) and (180-106383-P-2-B DU)

Method PrecSep_0: Radium 228 Prep Batch 160-472402:

The following samples were prepared at a reduced aliquot due to yellow discoloration and cloudy appearance: CCR-AP-9 (180-106382-7) and CCR-BK-1R (180-106382-8). Samples 180-106382-7, 180-106383-2 and 180-106383-2 DU all have a yellow discoloration. Samples 180-106382-8 and 180-106384-2 both have a cloudy appearance.

Method PrecSep-21: Radium 226 Prep Batch 160-472398:

The following samples were prepared at a reduced aliquot due to yellow discoloration and cloudy appearance: CCR-AP-9 (180-106382-7) and CCR-BK-1R (180-106382-8). Samples 180-106382-7, 180-106383-2 and 180-106383-2 DU all have a yellow discoloration. Samples 180-106382-8 and 180-106384-2 both have a cloudy appearance.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

Method 6020A: The following samples were diluted due to the high concentration of sodium in the sample matrix: CCR-AP-2R (180-106382-2), CCR-AP-3R (180-106382-4), CCR-AP-5 (180-106382-6) and CCR-AP-9 (180-106382-7). Elevated reporting limits (RLs)

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Job ID: 180-106382-1 (Continued)

Laboratory: Eurofins TestAmerica, Pittsburgh (Continued)

are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

Definitions/Glossary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Qualifiers

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Laboratory: Eurofins TestAmerica, Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-26-20
California	State	2891	04-30-21
Connecticut	State	PH-0688	09-30-20
Florida	NELAP	E871008	06-30-20
Georgia	State	PA 02-00416	04-30-21
Illinois	NELAP	004375	06-30-20
Kansas	NELAP	E-10350	01-31-21
Kentucky (UST)	State	162013	04-30-21
Kentucky (WW)	State	KY98043	12-31-20
Louisiana	NELAP	04041	06-30-20
Maine	State	PA00164	03-06-22
Minnesota	NELAP	042-999-482	12-31-20
Nevada	State	PA00164	07-31-20
New Hampshire	NELAP	2030	04-05-21
New Jersey	NELAP	PA005	06-30-20
New York	NELAP	11182	04-01-21
North Carolina (WW/SW)	State	434	01-01-21
North Dakota	State	R-227	04-30-21
Oregon	NELAP	PA-2151	02-06-21
Pennsylvania	NELAP	02-00416	05-23-21
Rhode Island	State	LAO00362	12-31-20
South Carolina	State	89014	04-30-21
Texas	NELAP	T104704528	03-31-21
US Fish & Wildlife	US Federal Programs	058448	07-31-20
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	05-31-20 *
Virginia	NELAP	10043	09-15-20
West Virginia DEP	State	142	02-01-21
Wisconsin	State	998027800	08-31-20

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Laboratory: Eurofins TestAmerica, St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-22
ANAB	Dept. of Defense ELAP	L2305	04-06-22
ANAB	Dept. of Energy	L2305.01	04-06-22
ANAB	ISO/IEC 17025	L2305	04-06-22
Arizona	State	AZ0813	12-08-20
California	Los Angeles County Sanitation Districts	10259	06-30-20
California	State	2886	06-30-20
Connecticut	State	PH-0241	03-31-21
Florida	NELAP	E87689	06-30-20
HI - RadChem Recognition	State	n/a	06-30-20
Illinois	NELAP	004553	11-30-20
Iowa	State	373	09-17-20
Kansas	NELAP	E-10236	10-31-20
Kentucky (DW)	State	KY90125	12-31-20
Louisiana	NELAP	04080	06-30-20
Louisiana (DW)	State	LA011	12-31-20
Maryland	State	310	09-30-20
MI - RadChem Recognition	State	9005	06-30-20
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-20
New Jersey	NELAP	MO002	06-30-20
New York	NELAP	11616	04-01-21
North Dakota	State	R-207	06-30-20
NRC	NRC	24-24817-01	12-31-22
Oklahoma	State	9997	08-31-20
Pennsylvania	NELAP	68-00540	02-28-21
South Carolina	State	85002001	06-30-20
Texas	NELAP	T104704193-19-13	07-31-20
US Fish & Wildlife	US Federal Programs	058448	07-31-20
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542019-11	07-31-20
Virginia	NELAP	10310	06-14-21
Washington	State	C592	08-30-20
West Virginia DEP	State	381	10-31-20

Sample Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-106382-1	CCR-AP-1R	Water	05/26/20 16:20	05/29/20 08:45	
180-106382-2	CCR-AP-2R	Water	05/26/20 12:30	05/29/20 08:45	
180-106382-3	CCR-AP-2I	Water	05/26/20 13:35	05/29/20 08:45	
180-106382-4	CCR-AP-3R	Water	05/26/20 14:15	05/29/20 08:45	
180-106382-5	CCR-AP-3I	Water	05/26/20 15:20	05/29/20 08:45	
180-106382-6	CCR-AP-5	Water	05/26/20 11:45	05/29/20 08:45	
180-106382-7	CCR-AP-9	Water	05/26/20 15:00	05/29/20 08:45	
180-106382-8	CCR-BK-1R	Water	05/26/20 18:30	05/29/20 08:45	
180-106382-9	CCR-BK-2	Water	05/26/20 17:30	05/29/20 08:45	

Method Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Method	Method Description	Protocol	Laboratory
EPA 9056A	Anions, Ion Chromatography	SW846	TAL PIT
EPA 6020A	Metals (ICP/MS)	SW846	TAL PIT
EPA 7470A	Mercury (CVAA)	SW846	TAL PIT
EPA 9040C	pH	SW846	TAL PIT
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PIT
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL PIT
7470A	Preparation, Mercury	SW846	TAL PIT
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-1R

Lab Sample ID: 180-106382-1

Date Collected: 05/26/20 16:20

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		1			317665	06/06/20 11:18	MJH	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		10			317665	06/06/20 11:34	MJH	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: DORY		1			317672	06/05/20 19:44	RSK	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	317119	06/01/20 18:50	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			317242	06/02/20 19:04	NAM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			317151	06/02/20 09:23	MTW	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	316996	05/30/20 08:41	AVS	TAL PIT
Total/NA	Prep	PrecSep-21			1000.88 mL	1.0 g	472398	06/04/20 07:34	RBR	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			474575	06/26/20 05:59	AJD	TAL SL
Total/NA	Prep	PrecSep_0			1000.88 mL	1.0 g	472402	06/04/20 08:27	RBR	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCORANGE		1			474544	06/25/20 09:09	AJD	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			474652	06/26/20 10:32	SMP	TAL SL

Client Sample ID: CCR-AP-2R

Lab Sample ID: 180-106382-2

Date Collected: 05/26/20 12:30

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		5			317665	06/06/20 11:50	MJH	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		50			317665	06/06/20 12:06	MJH	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: DORY		10			317672	06/05/20 18:52	RSK	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	317119	06/01/20 18:50	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			317242	06/02/20 19:04	NAM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			317151	06/02/20 09:26	MTW	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	25 mL	100 mL	316996	05/30/20 08:41	AVS	TAL PIT
Total/NA	Prep	PrecSep-21			1000.31 mL	1.0 g	472398	06/04/20 07:34	RBR	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			474575	06/26/20 05:59	AJD	TAL SL

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-2R

Date Collected: 05/26/20 12:30

Date Received: 05/29/20 08:45

Lab Sample ID: 180-106382-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000.31 mL	1.0 g	472402	06/04/20 08:27	RBR	TAL SL
Total/NA	Analysis	9320		1			474544	06/25/20 09:09	AJD	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			474652	06/26/20 10:32	SMP	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-AP-2I

Date Collected: 05/26/20 13:35

Date Received: 05/29/20 08:45

Lab Sample ID: 180-106382-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			317665	06/06/20 13:09	MJH	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317672	06/05/20 17:57	RSK	TAL PIT
Instrument ID: DORY										
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317940	06/06/20 18:05	RSK	TAL PIT
Instrument ID: DORY										
Total/NA	Prep	7470A			50 mL	50 mL	317119	06/01/20 18:50	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317242	06/02/20 19:05	NAM	TAL PIT
Instrument ID: HGZ										
Total/NA	Analysis	EPA 9040C		1			317151	06/02/20 09:29	MTW	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	316996	05/30/20 08:41	AVS	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			1000.28 mL	1.0 g	472398	06/04/20 07:34	RBR	TAL SL
Total/NA	Analysis	9315		1			474575	06/26/20 05:59	AJD	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.28 mL	1.0 g	472402	06/04/20 08:27	RBR	TAL SL
Total/NA	Analysis	9320		1			474544	06/25/20 09:10	AJD	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			474652	06/26/20 10:32	SMP	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-AP-3R

Date Collected: 05/26/20 14:15

Date Received: 05/29/20 08:45

Lab Sample ID: 180-106382-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		5			317665	06/06/20 13:41	MJH	TAL PIT
Instrument ID: CHIC2100A										
Total/NA	Analysis	EPA 9056A		50			317665	06/06/20 13:57	MJH	TAL PIT
Instrument ID: CHIC2100A										

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-3R

Lab Sample ID: 180-106382-4

Date Collected: 05/26/20 14:15

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		10			317672	06/05/20 18:59	RSK	TAL PIT
		Instrument ID: DORY								
Total/NA	Prep	7470A			50 mL	50 mL	317119	06/01/20 18:50	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317242	06/02/20 19:09	NAM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			317151	06/02/20 09:32	MTW	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	20 mL	100 mL	316996	05/30/20 08:41	AVS	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			1000.06 mL	1.0 g	472398	06/04/20 07:34	RBR	TAL SL
Total/NA	Analysis	9315		1			474575	06/26/20 06:00	AJD	TAL SL
		Instrument ID: GFPCRED								
Total/NA	Prep	PrecSep_0			1000.06 mL	1.0 g	472402	06/04/20 08:27	RBR	TAL SL
Total/NA	Analysis	9320		1			474544	06/25/20 09:10	AJD	TAL SL
		Instrument ID: GFPCORANGE								
Total/NA	Analysis	Ra226_Ra228		1			474652	06/26/20 10:32	SMP	TAL SL
		Instrument ID: NOEQUIP								

Client Sample ID: CCR-AP-3I

Lab Sample ID: 180-106382-5

Date Collected: 05/26/20 15:20

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			317665	06/06/20 14:12	MJH	TAL PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317672	06/05/20 19:34	RSK	TAL PIT
		Instrument ID: DORY								
Total/NA	Prep	7470A			50 mL	50 mL	317119	06/01/20 18:50	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317242	06/02/20 19:10	NAM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			317151	06/02/20 09:38	MTW	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	316996	05/30/20 08:41	AVS	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			1000.87 mL	1.0 g	472398	06/04/20 07:34	RBR	TAL SL
Total/NA	Analysis	9315		1			474575	06/26/20 06:00	AJD	TAL SL
		Instrument ID: GFPCRED								
Total/NA	Prep	PrecSep_0			1000.87 mL	1.0 g	472402	06/04/20 08:27	RBR	TAL SL
Total/NA	Analysis	9320		1			474544	06/25/20 09:10	AJD	TAL SL
		Instrument ID: GFPCORANGE								
Total/NA	Analysis	Ra226_Ra228		1			474652	06/26/20 10:32	SMP	TAL SL
		Instrument ID: NOEQUIP								

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-5

Lab Sample ID: 180-106382-6

Date Collected: 05/26/20 11:45

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		5	1 mL	1.0 mL	317665	06/06/20 14:44	MJH	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		50			317665	06/06/20 15:00	MJH	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: DORY		10			317672	06/05/20 19:06	RSK	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	317119	06/01/20 18:50	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			317242	06/02/20 19:11	NAM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			317151	06/02/20 09:41	MTW	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	25 mL	100 mL	316996	05/30/20 08:41	AVS	TAL PIT
Total/NA	Prep	PrecSep-21			1000.01 mL	1.0 g	472398	06/04/20 07:34	RBR	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			474575	06/26/20 06:00	AJD	TAL SL
Total/NA	Prep	PrecSep_0			1000.01 mL	1.0 g	472402	06/04/20 08:27	RBR	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCORANGE		1			474544	06/25/20 09:10	AJD	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			474652	06/26/20 10:32	SMP	TAL SL

Client Sample ID: CCR-AP-9

Lab Sample ID: 180-106382-7

Date Collected: 05/26/20 15:00

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		5			317665	06/06/20 15:16	MJH	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		50			317665	06/06/20 15:32	MJH	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: DORY		10			317672	06/05/20 19:09	RSK	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	317119	06/01/20 18:50	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			317242	06/02/20 19:12	NAM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			317151	06/02/20 09:47	MTW	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	20 mL	100 mL	316996	05/30/20 08:41	AVS	TAL PIT
Total/NA	Prep	PrecSep-21			750.92 mL	1.0 g	472398	06/04/20 07:34	RBR	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			474575	06/26/20 06:01	AJD	TAL SL

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-9

Lab Sample ID: 180-106382-7

Date Collected: 05/26/20 15:00

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			750.92 mL	1.0 g	472402	06/04/20 08:27	RBR	TAL SL
Total/NA	Analysis	9320		1			474544	06/25/20 09:10	AJD	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			474652	06/26/20 10:32	SMP	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-BK-1R

Lab Sample ID: 180-106382-8

Date Collected: 05/26/20 18:30

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			317665	06/06/20 12:21	MJH	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317672	06/05/20 19:37	RSK	TAL PIT
Instrument ID: DORY										
Total/NA	Prep	7470A			50 mL	50 mL	317119	06/01/20 18:50	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317242	06/02/20 19:13	NAM	TAL PIT
Instrument ID: HGZ										
Total/NA	Analysis	EPA 9040C		1			317151	06/02/20 09:53	MTW	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	316996	05/30/20 08:41	AVS	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			750.79 mL	1.0 g	472398	06/04/20 07:34	RBR	TAL SL
Total/NA	Analysis	9315		1			474575	06/26/20 06:01	AJD	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			750.79 mL	1.0 g	472402	06/04/20 08:27	RBR	TAL SL
Total/NA	Analysis	9320		1			474544	06/25/20 09:10	AJD	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			474652	06/26/20 10:32	SMP	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-BK-2

Lab Sample ID: 180-106382-9

Date Collected: 05/26/20 17:30

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			317665	06/06/20 10:30	MJH	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			50 mL	50 mL	317305	06/03/20 08:20	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			317672	06/05/20 19:41	RSK	TAL PIT
Instrument ID: DORY										
Total/NA	Prep	7470A			50 mL	50 mL	317119	06/01/20 18:50	NAM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			317242	06/02/20 19:14	NAM	TAL PIT
Instrument ID: HGZ										

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-BK-2

Lab Sample ID: 180-106382-9

Date Collected: 05/26/20 17:30

Matrix: Water

Date Received: 05/29/20 08:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9040C		1			317151	06/02/20 09:50	MTW	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	316996	05/30/20 08:41	AVS	TAL PIT
Total/NA	Prep	PrecSep-21			1000.92 mL	1.0 g	472398	06/04/20 07:34	RBR	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			474575	06/26/20 06:01	AJD	TAL SL
Total/NA	Prep	PrecSep_0			1000.92 mL	1.0 g	472402	06/04/20 08:27	RBR	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCORANGE		1			474544	06/25/20 09:10	AJD	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			474652	06/26/20 10:32	SMP	TAL SL

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058
 TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Analyst References:

Lab: TAL PIT

Batch Type: Prep

KEM = Kimberly Mahoney
 NAM = Nicole Marfisi

Batch Type: Analysis

AVS = Abbey Smith
 MJH = Matthew Hartman
 MTW = Michael Wesoloski
 NAM = Nicole Marfisi
 RSK = Robert Kurtz

Lab: TAL SL

Batch Type: Prep

RBR = Rachael Ratcliff

Batch Type: Analysis

AJD = Audra DeMariano
 SMP = Siobhan Perry

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-1R

Lab Sample ID: 180-106382-1

Date Collected: 05/26/20 16:20

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	39		1.0	0.32	mg/L			06/06/20 11:18	1
Fluoride	0.62		0.10	0.026	mg/L			06/06/20 11:18	1
Sulfate	280		10	3.8	mg/L			06/06/20 11:34	10

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00031	J	0.0010	0.00031	mg/L		06/03/20 08:20	06/05/20 19:44	1
Boron	3.5	B	0.080	0.039	mg/L		06/03/20 08:20	06/05/20 19:44	1
Barium	0.026		0.010	0.0016	mg/L		06/03/20 08:20	06/05/20 19:44	1
Beryllium	ND		0.0010	0.00018	mg/L		06/03/20 08:20	06/05/20 19:44	1
Calcium	47		0.50	0.13	mg/L		06/03/20 08:20	06/05/20 19:44	1
Cadmium	ND		0.0010	0.00022	mg/L		06/03/20 08:20	06/05/20 19:44	1
Cobalt	ND		0.00050	0.00013	mg/L		06/03/20 08:20	06/05/20 19:44	1
Chromium	ND		0.0020	0.0015	mg/L		06/03/20 08:20	06/05/20 19:44	1
Molybdenum	0.0042	J	0.0050	0.00061	mg/L		06/03/20 08:20	06/05/20 19:44	1
Lead	ND		0.0010	0.00013	mg/L		06/03/20 08:20	06/05/20 19:44	1
Antimony	ND		0.0020	0.00038	mg/L		06/03/20 08:20	06/05/20 19:44	1
Selenium	ND		0.0050	0.0015	mg/L		06/03/20 08:20	06/05/20 19:44	1
Thallium	ND		0.0010	0.00015	mg/L		06/03/20 08:20	06/05/20 19:44	1
Lithium	ND		5.0	3.4	ug/L		06/03/20 08:20	06/05/20 19:44	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 18:50	06/02/20 19:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1100		10	10	mg/L			05/30/20 08:41	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.2	HF	0.1	0.1	SU			06/02/20 09:23	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0878	U	0.123	0.123	1.00	0.209	pCi/L	06/04/20 07:34	06/26/20 05:59	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.4		40 - 110					06/04/20 07:34	06/26/20 05:59	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.113	U	0.259	0.259	1.00	0.443	pCi/L	06/04/20 08:27	06/25/20 09:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.4		40 - 110					06/04/20 08:27	06/25/20 09:09	1
Y Carrier	84.5		40 - 110					06/04/20 08:27	06/25/20 09:09	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-1R

Lab Sample ID: 180-106382-1

Date Collected: 05/26/20 16:20

Matrix: Water

Date Received: 05/29/20 08:45

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.200	U	0.287	0.287	5.00	0.443	pCi/L		06/26/20 10:32	1

Client Sample ID: CCR-AP-2R

Lab Sample ID: 180-106382-2

Date Collected: 05/26/20 12:30

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	580		5.0	1.6	mg/L			06/06/20 11:50	5
Fluoride	0.76		0.50	0.13	mg/L			06/06/20 11:50	5
Sulfate	2800		50	19	mg/L			06/06/20 12:06	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.010	0.0031	mg/L		06/03/20 08:20	06/05/20 18:52	10
Boron	13	B	0.80	0.39	mg/L		06/03/20 08:20	06/05/20 18:52	10
Barium	0.021	J	0.10	0.016	mg/L		06/03/20 08:20	06/05/20 18:52	10
Beryllium	ND		0.010	0.0018	mg/L		06/03/20 08:20	06/05/20 18:52	10
Calcium	340		5.0	1.3	mg/L		06/03/20 08:20	06/05/20 18:52	10
Cadmium	ND		0.010	0.0022	mg/L		06/03/20 08:20	06/05/20 18:52	10
Cobalt	0.0027	J	0.0050	0.0013	mg/L		06/03/20 08:20	06/05/20 18:52	10
Chromium	ND		0.020	0.015	mg/L		06/03/20 08:20	06/05/20 18:52	10
Molybdenum	2.0		0.050	0.0061	mg/L		06/03/20 08:20	06/05/20 18:52	10
Lead	ND		0.010	0.0013	mg/L		06/03/20 08:20	06/05/20 18:52	10
Antimony	ND		0.020	0.0038	mg/L		06/03/20 08:20	06/05/20 18:52	10
Selenium	ND		0.050	0.015	mg/L		06/03/20 08:20	06/05/20 18:52	10
Thallium	ND		0.010	0.0015	mg/L		06/03/20 08:20	06/05/20 18:52	10
Lithium	35	J	50	34	ug/L		06/03/20 08:20	06/05/20 18:52	10

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 18:50	06/02/20 19:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	5600		40	40	mg/L			05/30/20 08:41	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.1	HF	0.1	0.1	SU			06/02/20 09:26	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.213		0.146	0.148	1.00	0.194	pCi/L	06/04/20 07:34	06/26/20 05:59	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	100		40 - 110					06/04/20 07:34	06/26/20 05:59	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-2R

Lab Sample ID: 180-106382-2

Date Collected: 05/26/20 12:30

Matrix: Water

Date Received: 05/29/20 08:45

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.339		0.222	0.224	1.00	0.339	pCi/L	06/04/20 08:27	06/25/20 09:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	100		40 - 110					06/04/20 08:27	06/25/20 09:09	1
Y Carrier	83.4		40 - 110					06/04/20 08:27	06/25/20 09:09	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.552		0.266	0.268	5.00	0.339	pCi/L		06/26/20 10:32	1

Client Sample ID: CCR-AP-2I

Lab Sample ID: 180-106382-3

Date Collected: 05/26/20 13:35

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	97		1.0	0.32	mg/L			06/06/20 13:09	1
Fluoride	1.1		0.10	0.026	mg/L			06/06/20 13:09	1
Sulfate	1.9		1.0	0.38	mg/L			06/06/20 13:09	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0013		0.0010	0.00031	mg/L		06/03/20 08:20	06/05/20 17:57	1
Boron	1.9	B	0.080	0.039	mg/L		06/03/20 08:20	06/06/20 18:05	1
Barium	0.096		0.010	0.0016	mg/L		06/03/20 08:20	06/05/20 17:57	1
Beryllium	ND		0.0010	0.00018	mg/L		06/03/20 08:20	06/05/20 17:57	1
Calcium	14		0.50	0.13	mg/L		06/03/20 08:20	06/05/20 17:57	1
Cadmium	ND		0.0010	0.00022	mg/L		06/03/20 08:20	06/05/20 17:57	1
Cobalt	0.00019	J	0.00050	0.00013	mg/L		06/03/20 08:20	06/05/20 17:57	1
Chromium	ND		0.0020	0.0015	mg/L		06/03/20 08:20	06/05/20 17:57	1
Molybdenum	0.0014	J	0.0050	0.00061	mg/L		06/03/20 08:20	06/05/20 17:57	1
Lead	ND		0.0010	0.00013	mg/L		06/03/20 08:20	06/05/20 17:57	1
Antimony	ND		0.0020	0.00038	mg/L		06/03/20 08:20	06/05/20 17:57	1
Selenium	ND		0.0050	0.0015	mg/L		06/03/20 08:20	06/05/20 17:57	1
Thallium	ND		0.0010	0.00015	mg/L		06/03/20 08:20	06/05/20 17:57	1
Lithium	22		5.0	3.4	ug/L		06/03/20 08:20	06/05/20 17:57	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 18:50	06/02/20 19:05	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	740		10	10	mg/L			05/30/20 08:41	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.5	HF	0.1	0.1	SU			06/02/20 09:29	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-2I

Lab Sample ID: 180-106382-3

Date Collected: 05/26/20 13:35

Matrix: Water

Date Received: 05/29/20 08:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.329		0.194	0.196	1.00	0.259	pCi/L	06/04/20 07:34	06/26/20 05:59	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.8		40 - 110					06/04/20 07:34	06/26/20 05:59	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.362		0.223	0.226	1.00	0.336	pCi/L	06/04/20 08:27	06/25/20 09:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.8		40 - 110					06/04/20 08:27	06/25/20 09:10	1
Y Carrier	86.4		40 - 110					06/04/20 08:27	06/25/20 09:10	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.690		0.296	0.299	5.00	0.336	pCi/L		06/26/20 10:32	1

Client Sample ID: CCR-AP-3R

Lab Sample ID: 180-106382-4

Date Collected: 05/26/20 14:15

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	730		5.0	1.6	mg/L			06/06/20 13:41	5
Fluoride	1.7		0.50	0.13	mg/L			06/06/20 13:41	5
Sulfate	4200		50	19	mg/L			06/06/20 13:57	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.010	0.0031	mg/L		06/03/20 08:20	06/05/20 18:59	10
Boron	13	B	0.80	0.39	mg/L		06/03/20 08:20	06/05/20 18:59	10
Barium	0.019	J	0.10	0.016	mg/L		06/03/20 08:20	06/05/20 18:59	10
Beryllium	ND		0.010	0.0018	mg/L		06/03/20 08:20	06/05/20 18:59	10
Calcium	300		5.0	1.3	mg/L		06/03/20 08:20	06/05/20 18:59	10
Cadmium	ND		0.010	0.0022	mg/L		06/03/20 08:20	06/05/20 18:59	10
Cobalt	ND		0.0050	0.0013	mg/L		06/03/20 08:20	06/05/20 18:59	10
Chromium	ND		0.020	0.015	mg/L		06/03/20 08:20	06/05/20 18:59	10
Molybdenum	0.86		0.050	0.0061	mg/L		06/03/20 08:20	06/05/20 18:59	10
Lead	ND		0.010	0.0013	mg/L		06/03/20 08:20	06/05/20 18:59	10
Antimony	ND		0.020	0.0038	mg/L		06/03/20 08:20	06/05/20 18:59	10
Selenium	ND		0.050	0.015	mg/L		06/03/20 08:20	06/05/20 18:59	10
Thallium	ND		0.010	0.0015	mg/L		06/03/20 08:20	06/05/20 18:59	10
Lithium	74		50	34	ug/L		06/03/20 08:20	06/05/20 18:59	10

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-3R

Lab Sample ID: 180-106382-4

Date Collected: 05/26/20 14:15

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 18:50	06/02/20 19:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	6600		50	50	mg/L			05/30/20 08:41	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.4	HF	0.1	0.1	SU			06/02/20 09:32	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0218	U	0.0690	0.0691	1.00	0.171	pCi/L	06/04/20 07:34	06/26/20 06:00	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	107		40 - 110	06/04/20 07:34	06/26/20 06:00	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.636		0.240	0.247	1.00	0.328	pCi/L	06/04/20 08:27	06/25/20 09:10	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	107		40 - 110	06/04/20 08:27	06/25/20 09:10	1
Y Carrier	86.4		40 - 110	06/04/20 08:27	06/25/20 09:10	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.615		0.250	0.256	5.00	0.328	pCi/L		06/26/20 10:32	1

Client Sample ID: CCR-AP-3I

Lab Sample ID: 180-106382-5

Date Collected: 05/26/20 15:20

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	150		1.0	0.32	mg/L			06/06/20 14:12	1
Fluoride	1.4		0.10	0.026	mg/L			06/06/20 14:12	1
Sulfate	12		1.0	0.38	mg/L			06/06/20 14:12	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0021		0.0010	0.00031	mg/L		06/03/20 08:20	06/05/20 19:34	1
Boron	2.2	B	0.080	0.039	mg/L		06/03/20 08:20	06/05/20 19:34	1
Barium	0.16		0.010	0.0016	mg/L		06/03/20 08:20	06/05/20 19:34	1
Beryllium	ND		0.0010	0.00018	mg/L		06/03/20 08:20	06/05/20 19:34	1
Calcium	19		0.50	0.13	mg/L		06/03/20 08:20	06/05/20 19:34	1
Cadmium	ND		0.0010	0.00022	mg/L		06/03/20 08:20	06/05/20 19:34	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-3I

Lab Sample ID: 180-106382-5

Date Collected: 05/26/20 15:20

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	0.00014	J	0.00050	0.00013	mg/L	-	06/03/20 08:20	06/05/20 19:34	1
Chromium	ND		0.0020	0.0015	mg/L	-	06/03/20 08:20	06/05/20 19:34	1
Molybdenum	0.0023	J	0.0050	0.00061	mg/L	-	06/03/20 08:20	06/05/20 19:34	1
Lead	0.00021	J	0.0010	0.00013	mg/L	-	06/03/20 08:20	06/05/20 19:34	1
Antimony	ND		0.0020	0.00038	mg/L	-	06/03/20 08:20	06/05/20 19:34	1
Selenium	ND		0.0050	0.0015	mg/L	-	06/03/20 08:20	06/05/20 19:34	1
Thallium	0.00023	J	0.0010	0.00015	mg/L	-	06/03/20 08:20	06/05/20 19:34	1
Lithium	23		5.0	3.4	ug/L	-	06/03/20 08:20	06/05/20 19:34	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L	-	06/01/20 18:50	06/02/20 19:10	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	740		10	10	mg/L	-		05/30/20 08:41	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.0	HF	0.1	0.1	SU	-		06/02/20 09:38	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.385		0.167	0.170	1.00	0.156	pCi/L	06/04/20 07:34	06/26/20 06:00	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	102		40 - 110	06/04/20 07:34	06/26/20 06:00	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.391		0.226	0.228	1.00	0.339	pCi/L	06/04/20 08:27	06/25/20 09:10	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	102		40 - 110	06/04/20 08:27	06/25/20 09:10	1
Y Carrier	86.0		40 - 110	06/04/20 08:27	06/25/20 09:10	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.776		0.281	0.284	5.00	0.339	pCi/L		06/26/20 10:32	1

Client Sample ID: CCR-AP-5

Lab Sample ID: 180-106382-6

Date Collected: 05/26/20 11:45

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	420		5.0	1.6	mg/L	-		06/06/20 14:44	5

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-5

Lab Sample ID: 180-106382-6

Date Collected: 05/26/20 11:45

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 9056A - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.56		0.50	0.13	mg/L			06/06/20 14:44	5
Sulfate	2900		50	19	mg/L			06/06/20 15:00	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.010	0.0031	mg/L		06/03/20 08:20	06/05/20 19:06	10
Boron	12	B	0.80	0.39	mg/L		06/03/20 08:20	06/05/20 19:06	10
Barium	0.020	J	0.10	0.016	mg/L		06/03/20 08:20	06/05/20 19:06	10
Beryllium	ND		0.010	0.0018	mg/L		06/03/20 08:20	06/05/20 19:06	10
Calcium	430		5.0	1.3	mg/L		06/03/20 08:20	06/05/20 19:06	10
Cadmium	ND		0.010	0.0022	mg/L		06/03/20 08:20	06/05/20 19:06	10
Cobalt	ND		0.0050	0.0013	mg/L		06/03/20 08:20	06/05/20 19:06	10
Chromium	ND		0.020	0.015	mg/L		06/03/20 08:20	06/05/20 19:06	10
Molybdenum	0.071		0.050	0.0061	mg/L		06/03/20 08:20	06/05/20 19:06	10
Lead	ND		0.010	0.0013	mg/L		06/03/20 08:20	06/05/20 19:06	10
Antimony	ND		0.020	0.0038	mg/L		06/03/20 08:20	06/05/20 19:06	10
Selenium	ND		0.050	0.015	mg/L		06/03/20 08:20	06/05/20 19:06	10
Thallium	ND		0.010	0.0015	mg/L		06/03/20 08:20	06/05/20 19:06	10
Lithium	ND		50	34	ug/L		06/03/20 08:20	06/05/20 19:06	10

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 18:50	06/02/20 19:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	4900		40	40	mg/L			05/30/20 08:41	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.1	HF	0.1	0.1	SU			06/02/20 09:41	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0594	U	0.0907	0.0909	1.00	0.157	pCi/L	06/04/20 07:34	06/26/20 06:00	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	101		40 - 110	06/04/20 07:34	06/26/20 06:00	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.492		0.231	0.235	1.00	0.332	pCi/L	06/04/20 08:27	06/25/20 09:10	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	101		40 - 110	06/04/20 08:27	06/25/20 09:10	1
Y Carrier	87.5		40 - 110	06/04/20 08:27	06/25/20 09:10	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-5

Lab Sample ID: 180-106382-6

Date Collected: 05/26/20 11:45

Matrix: Water

Date Received: 05/29/20 08:45

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.552		0.248	0.252	5.00	0.332	pCi/L		06/26/20 10:32	1

Client Sample ID: CCR-AP-9

Lab Sample ID: 180-106382-7

Date Collected: 05/26/20 15:00

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	630		5.0	1.6	mg/L			06/06/20 15:16	5
Fluoride	0.56		0.50	0.13	mg/L			06/06/20 15:16	5
Sulfate	3700		50	19	mg/L			06/06/20 15:32	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.017		0.010	0.0031	mg/L		06/03/20 08:20	06/05/20 19:09	10
Boron	7.5	B	0.80	0.39	mg/L		06/03/20 08:20	06/05/20 19:09	10
Barium	0.083	J	0.10	0.016	mg/L		06/03/20 08:20	06/05/20 19:09	10
Beryllium	0.0022	J	0.010	0.0018	mg/L		06/03/20 08:20	06/05/20 19:09	10
Calcium	490		5.0	1.3	mg/L		06/03/20 08:20	06/05/20 19:09	10
Cadmium	ND		0.010	0.0022	mg/L		06/03/20 08:20	06/05/20 19:09	10
Cobalt	ND		0.0050	0.0013	mg/L		06/03/20 08:20	06/05/20 19:09	10
Chromium	ND		0.020	0.015	mg/L		06/03/20 08:20	06/05/20 19:09	10
Molybdenum	0.0089	J	0.050	0.0061	mg/L		06/03/20 08:20	06/05/20 19:09	10
Lead	0.0028	J	0.010	0.0013	mg/L		06/03/20 08:20	06/05/20 19:09	10
Antimony	ND		0.020	0.0038	mg/L		06/03/20 08:20	06/05/20 19:09	10
Selenium	ND		0.050	0.015	mg/L		06/03/20 08:20	06/05/20 19:09	10
Thallium	ND		0.010	0.0015	mg/L		06/03/20 08:20	06/05/20 19:09	10
Lithium	ND		50	34	ug/L		06/03/20 08:20	06/05/20 19:09	10

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 18:50	06/02/20 19:12	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	6000		50	50	mg/L			05/30/20 08:41	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.7	HF	0.1	0.1	SU			06/02/20 09:47	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.319		0.183	0.185	1.00	0.208	pCi/L	06/04/20 07:34	06/26/20 06:01	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	107		40 - 110					06/04/20 07:34	06/26/20 06:01	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-AP-9

Date Collected: 05/26/20 15:00

Date Received: 05/29/20 08:45

Lab Sample ID: 180-106382-7

Matrix: Water

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.807		0.373	0.381	1.00	0.553	pCi/L	06/04/20 08:27	06/25/20 09:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	107		40 - 110					06/04/20 08:27	06/25/20 09:10	1
Y Carrier	86.0		40 - 110					06/04/20 08:27	06/25/20 09:10	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.13		0.415	0.424	5.00	0.553	pCi/L		06/26/20 10:32	1

Client Sample ID: CCR-BK-1R

Date Collected: 05/26/20 18:30

Date Received: 05/29/20 08:45

Lab Sample ID: 180-106382-8

Matrix: Water

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.7		1.0	0.32	mg/L			06/06/20 12:21	1
Fluoride	0.37		0.10	0.026	mg/L			06/06/20 12:21	1
Sulfate	24		1.0	0.38	mg/L			06/06/20 12:21	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		06/03/20 08:20	06/05/20 19:37	1
Boron	0.11	B	0.080	0.039	mg/L		06/03/20 08:20	06/05/20 19:37	1
Barium	0.031		0.010	0.0016	mg/L		06/03/20 08:20	06/05/20 19:37	1
Beryllium	ND		0.0010	0.00018	mg/L		06/03/20 08:20	06/05/20 19:37	1
Calcium	41		0.50	0.13	mg/L		06/03/20 08:20	06/05/20 19:37	1
Cadmium	ND		0.0010	0.00022	mg/L		06/03/20 08:20	06/05/20 19:37	1
Cobalt	0.00015	J	0.00050	0.00013	mg/L		06/03/20 08:20	06/05/20 19:37	1
Chromium	ND		0.0020	0.0015	mg/L		06/03/20 08:20	06/05/20 19:37	1
Molybdenum	0.00079	J	0.0050	0.00061	mg/L		06/03/20 08:20	06/05/20 19:37	1
Lead	0.00023	J	0.0010	0.00013	mg/L		06/03/20 08:20	06/05/20 19:37	1
Antimony	ND		0.0020	0.00038	mg/L		06/03/20 08:20	06/05/20 19:37	1
Selenium	ND		0.0050	0.0015	mg/L		06/03/20 08:20	06/05/20 19:37	1
Thallium	ND		0.0010	0.00015	mg/L		06/03/20 08:20	06/05/20 19:37	1
Lithium	ND		5.0	3.4	ug/L		06/03/20 08:20	06/05/20 19:37	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 18:50	06/02/20 19:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	220		10	10	mg/L			05/30/20 08:41	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.0	HF	0.1	0.1	SU			06/02/20 09:53	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-BK-1R

Lab Sample ID: 180-106382-8

Date Collected: 05/26/20 18:30

Matrix: Water

Date Received: 05/29/20 08:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0680	U	0.124	0.124	1.00	0.223	pCi/L	06/04/20 07:34	06/26/20 06:01	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	105		40 - 110					06/04/20 07:34	06/26/20 06:01	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.141	U	0.307	0.307	1.00	0.523	pCi/L	06/04/20 08:27	06/25/20 09:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	105		40 - 110					06/04/20 08:27	06/25/20 09:10	1
Y Carrier	86.7		40 - 110					06/04/20 08:27	06/25/20 09:10	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.209	U	0.331	0.331	5.00	0.523	pCi/L		06/26/20 10:32	1

Client Sample ID: CCR-BK-2

Lab Sample ID: 180-106382-9

Date Collected: 05/26/20 17:30

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.32	mg/L			06/06/20 10:30	1
Fluoride	0.21		0.10	0.026	mg/L			06/06/20 10:30	1
Sulfate	42		1.0	0.38	mg/L			06/06/20 10:30	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		06/03/20 08:20	06/05/20 19:41	1
Boron	0.091	B	0.080	0.039	mg/L		06/03/20 08:20	06/05/20 19:41	1
Barium	0.038		0.010	0.0016	mg/L		06/03/20 08:20	06/05/20 19:41	1
Beryllium	ND		0.0010	0.00018	mg/L		06/03/20 08:20	06/05/20 19:41	1
Calcium	56		0.50	0.13	mg/L		06/03/20 08:20	06/05/20 19:41	1
Cadmium	ND		0.0010	0.00022	mg/L		06/03/20 08:20	06/05/20 19:41	1
Cobalt	ND		0.00050	0.00013	mg/L		06/03/20 08:20	06/05/20 19:41	1
Chromium	ND		0.0020	0.0015	mg/L		06/03/20 08:20	06/05/20 19:41	1
Molybdenum	0.0015	J	0.0050	0.00061	mg/L		06/03/20 08:20	06/05/20 19:41	1
Lead	ND		0.0010	0.00013	mg/L		06/03/20 08:20	06/05/20 19:41	1
Antimony	ND		0.0020	0.00038	mg/L		06/03/20 08:20	06/05/20 19:41	1
Selenium	ND		0.0050	0.0015	mg/L		06/03/20 08:20	06/05/20 19:41	1
Thallium	ND		0.0010	0.00015	mg/L		06/03/20 08:20	06/05/20 19:41	1
Lithium	3.6	J	5.0	3.4	ug/L		06/03/20 08:20	06/05/20 19:41	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Client Sample ID: CCR-BK-2

Lab Sample ID: 180-106382-9

Date Collected: 05/26/20 17:30

Matrix: Water

Date Received: 05/29/20 08:45

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00020		0.00020	0.00013	mg/L	-	06/01/20 18:50	06/02/20 19:14	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	450		10	10	mg/L	-		05/30/20 08:41	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.1	HF	0.1	0.1	SU	-		06/02/20 09:50	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0171	U	0.0660	0.0660	1.00	0.168	pCi/L	06/04/20 07:34	06/26/20 06:01	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	102		40 - 110	06/04/20 07:34	06/26/20 06:01	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0790	U	0.213	0.213	1.00	0.393	pCi/L	06/04/20 08:27	06/25/20 09:10	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	102		40 - 110	06/04/20 08:27	06/25/20 09:10	1
Y Carrier	84.9		40 - 110	06/04/20 08:27	06/25/20 09:10	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.0961	U	0.223	0.223	5.00	0.393	pCi/L		06/26/20 10:32	1

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Method: EPA 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 180-317665/6
Matrix: Water
Analysis Batch: 317665

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			06/06/20 09:55	1
Fluoride	ND		0.10	0.026	mg/L			06/06/20 09:55	1
Sulfate	ND		1.0	0.38	mg/L			06/06/20 09:55	1

Lab Sample ID: LCS 180-317665/5
Matrix: Water
Analysis Batch: 317665

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	53.6		mg/L		107	80 - 120
Fluoride	2.50	2.69		mg/L		108	80 - 120
Sulfate	50.0	48.9		mg/L		98	80 - 120

Lab Sample ID: 180-106382-9 MS
Matrix: Water
Analysis Batch: 317665

Client Sample ID: CCR-BK-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10		50.0	60.1		mg/L		100	80 - 120
Fluoride	0.21		2.50	2.58		mg/L		95	80 - 120
Sulfate	42		50.0	85.5		mg/L		87	80 - 120

Lab Sample ID: 180-106382-9 MSD
Matrix: Water
Analysis Batch: 317665

Client Sample ID: CCR-BK-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10		50.0	62.8		mg/L		106	80 - 120	4	15
Fluoride	0.21		2.50	2.72		mg/L		100	80 - 120	5	15
Sulfate	42		50.0	90.4		mg/L		97	80 - 120	6	15

Method: EPA 6020A - Metals (ICP/MS)

Lab Sample ID: MB 180-317305/1-A
Matrix: Water
Analysis Batch: 317672

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 317305

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		06/03/20 08:20	06/05/20 19:20	1
Boron	0.0550	J	0.080	0.039	mg/L		06/03/20 08:20	06/05/20 19:20	1
Barium	ND		0.010	0.0016	mg/L		06/03/20 08:20	06/05/20 19:20	1
Beryllium	ND		0.0010	0.00018	mg/L		06/03/20 08:20	06/05/20 19:20	1
Calcium	ND		0.50	0.13	mg/L		06/03/20 08:20	06/05/20 19:20	1
Cadmium	ND		0.0010	0.00022	mg/L		06/03/20 08:20	06/05/20 19:20	1
Cobalt	ND		0.00050	0.00013	mg/L		06/03/20 08:20	06/05/20 19:20	1
Chromium	ND		0.0020	0.0015	mg/L		06/03/20 08:20	06/05/20 19:20	1
Molybdenum	ND		0.0050	0.00061	mg/L		06/03/20 08:20	06/05/20 19:20	1
Lead	ND		0.0010	0.00013	mg/L		06/03/20 08:20	06/05/20 19:20	1
Antimony	ND		0.0020	0.00038	mg/L		06/03/20 08:20	06/05/20 19:20	1
Selenium	ND		0.0050	0.0015	mg/L		06/03/20 08:20	06/05/20 19:20	1

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Method: EPA 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-317305/1-A
 Matrix: Water
 Analysis Batch: 317672

Client Sample ID: Method Blank
 Prep Type: Total Recoverable
 Prep Batch: 317305

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Thallium	ND		0.0010	0.00015	mg/L		06/03/20 08:20	06/05/20 19:20	1
Lithium	ND		5.0	3.4	ug/L		06/03/20 08:20	06/05/20 19:20	1

Lab Sample ID: LCS 180-317305/2-A
 Matrix: Water
 Analysis Batch: 317672

Client Sample ID: Lab Control Sample
 Prep Type: Total Recoverable
 Prep Batch: 317305

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Arsenic	1.00	0.974		mg/L		97	80 - 120
Boron	1.25	1.21		mg/L		97	80 - 120
Barium	1.00	0.947		mg/L		95	80 - 120
Beryllium	0.500	0.490		mg/L		98	80 - 120
Calcium	25.0	26.7		mg/L		107	80 - 120
Cadmium	0.500	0.480		mg/L		96	80 - 120
Cobalt	0.500	0.479		mg/L		96	80 - 120
Chromium	0.500	0.471		mg/L		94	80 - 120
Molybdenum	0.500	0.502		mg/L		100	80 - 120
Lead	0.500	0.500		mg/L		100	80 - 120
Antimony	0.250	0.252		mg/L		101	80 - 120
Selenium	1.00	0.967		mg/L		97	80 - 120
Thallium	1.00	1.07		mg/L		107	80 - 120
Lithium	500	486		ug/L		97	80 - 120

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: MB 180-317119/1-A
 Matrix: Water
 Analysis Batch: 317242

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 317119

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		06/01/20 18:50	06/02/20 19:02	1

Lab Sample ID: LCS 180-317119/2-A
 Matrix: Water
 Analysis Batch: 317242

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 317119

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00250	0.00248		mg/L		99	80 - 120

Method: EPA 9040C - pH

Lab Sample ID: LCS 180-317151/1
 Matrix: Water
 Analysis Batch: 317151

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
pH	7.00	7.0		SU		100	99 - 101

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Method: EPA 9040C - pH (Continued)

Lab Sample ID: 180-106382-6 DU
 Matrix: Water
 Analysis Batch: 317151

Client Sample ID: CCR-AP-5
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	7.1	HF	7.1		SU		0.1	2

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-316996/2
 Matrix: Water
 Analysis Batch: 316996

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			05/30/20 08:41	1

Lab Sample ID: LCS 180-316996/1
 Matrix: Water
 Analysis Batch: 316996

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	192	188		mg/L		98	80 - 120

Lab Sample ID: 180-106382-9 DU
 Matrix: Water
 Analysis Batch: 316996

Client Sample ID: CCR-BK-2
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	450		431		mg/L		3	10

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-472398/22-A
 Matrix: Water
 Analysis Batch: 474575

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 472398

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.02403	U	0.0937	0.0938	1.00	0.186	pCi/L	06/04/20 07:34	06/26/20 07:54	1
Carrier	MB %Yield	MB Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	103		40 - 110					06/04/20 07:34	06/26/20 07:54	1

Lab Sample ID: LCS 160-472398/1-A
 Matrix: Water
 Analysis Batch: 474575

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 472398

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-226	11.3	9.927		1.19	1.00	0.163	pCi/L	87	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	102		40 - 110						

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-472402/22-A
Matrix: Water
Analysis Batch: 474544

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 472402

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.3500		0.214	0.217	1.00	0.323	pCi/L	06/04/20 08:27	06/25/20 09:11	1

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	103		40 - 110	06/04/20 08:27	06/25/20 09:11	1
Y Carrier	84.9		40 - 110	06/04/20 08:27	06/25/20 09:11	1

Lab Sample ID: LCS 160-472402/1-A
Matrix: Water
Analysis Batch: 474544

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 472402

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-228	8.72	7.257		0.879	1.00	0.374	pCi/L	83	75 - 125

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	102		40 - 110
Y Carrier	87.5		40 - 110

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

HPLC/IC

Analysis Batch: 317665

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-1	CCR-AP-1R	Total/NA	Water	EPA 9056A	
180-106382-1	CCR-AP-1R	Total/NA	Water	EPA 9056A	
180-106382-2	CCR-AP-2R	Total/NA	Water	EPA 9056A	
180-106382-2	CCR-AP-2R	Total/NA	Water	EPA 9056A	
180-106382-3	CCR-AP-2I	Total/NA	Water	EPA 9056A	
180-106382-4	CCR-AP-3R	Total/NA	Water	EPA 9056A	
180-106382-4	CCR-AP-3R	Total/NA	Water	EPA 9056A	
180-106382-5	CCR-AP-3I	Total/NA	Water	EPA 9056A	
180-106382-6	CCR-AP-5	Total/NA	Water	EPA 9056A	
180-106382-6	CCR-AP-5	Total/NA	Water	EPA 9056A	
180-106382-7	CCR-AP-9	Total/NA	Water	EPA 9056A	
180-106382-7	CCR-AP-9	Total/NA	Water	EPA 9056A	
180-106382-8	CCR-BK-1R	Total/NA	Water	EPA 9056A	
180-106382-9	CCR-BK-2	Total/NA	Water	EPA 9056A	
MB 180-317665/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-317665/5	Lab Control Sample	Total/NA	Water	EPA 9056A	
180-106382-9 MS	CCR-BK-2	Total/NA	Water	EPA 9056A	
180-106382-9 MSD	CCR-BK-2	Total/NA	Water	EPA 9056A	

Metals

Prep Batch: 317119

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-1	CCR-AP-1R	Total/NA	Water	7470A	
180-106382-2	CCR-AP-2R	Total/NA	Water	7470A	
180-106382-3	CCR-AP-2I	Total/NA	Water	7470A	
180-106382-4	CCR-AP-3R	Total/NA	Water	7470A	
180-106382-5	CCR-AP-3I	Total/NA	Water	7470A	
180-106382-6	CCR-AP-5	Total/NA	Water	7470A	
180-106382-7	CCR-AP-9	Total/NA	Water	7470A	
180-106382-8	CCR-BK-1R	Total/NA	Water	7470A	
180-106382-9	CCR-BK-2	Total/NA	Water	7470A	
MB 180-317119/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-317119/2-A	Lab Control Sample	Total/NA	Water	7470A	

Analysis Batch: 317242

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-1	CCR-AP-1R	Total/NA	Water	EPA 7470A	317119
180-106382-2	CCR-AP-2R	Total/NA	Water	EPA 7470A	317119
180-106382-3	CCR-AP-2I	Total/NA	Water	EPA 7470A	317119
180-106382-4	CCR-AP-3R	Total/NA	Water	EPA 7470A	317119
180-106382-5	CCR-AP-3I	Total/NA	Water	EPA 7470A	317119
180-106382-6	CCR-AP-5	Total/NA	Water	EPA 7470A	317119
180-106382-7	CCR-AP-9	Total/NA	Water	EPA 7470A	317119
180-106382-8	CCR-BK-1R	Total/NA	Water	EPA 7470A	317119
180-106382-9	CCR-BK-2	Total/NA	Water	EPA 7470A	317119
MB 180-317119/1-A	Method Blank	Total/NA	Water	EPA 7470A	317119
LCS 180-317119/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	317119

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

Metals

Prep Batch: 317305

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-1	CCR-AP-1R	Total Recoverable	Water	3005A	
180-106382-2	CCR-AP-2R	Total Recoverable	Water	3005A	
180-106382-3	CCR-AP-2I	Total Recoverable	Water	3005A	
180-106382-4	CCR-AP-3R	Total Recoverable	Water	3005A	
180-106382-5	CCR-AP-3I	Total Recoverable	Water	3005A	
180-106382-6	CCR-AP-5	Total Recoverable	Water	3005A	
180-106382-7	CCR-AP-9	Total Recoverable	Water	3005A	
180-106382-8	CCR-BK-1R	Total Recoverable	Water	3005A	
180-106382-9	CCR-BK-2	Total Recoverable	Water	3005A	
MB 180-317305/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-317305/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 317672

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-1	CCR-AP-1R	Total Recoverable	Water	EPA 6020A	317305
180-106382-2	CCR-AP-2R	Total Recoverable	Water	EPA 6020A	317305
180-106382-3	CCR-AP-2I	Total Recoverable	Water	EPA 6020A	317305
180-106382-4	CCR-AP-3R	Total Recoverable	Water	EPA 6020A	317305
180-106382-5	CCR-AP-3I	Total Recoverable	Water	EPA 6020A	317305
180-106382-6	CCR-AP-5	Total Recoverable	Water	EPA 6020A	317305
180-106382-7	CCR-AP-9	Total Recoverable	Water	EPA 6020A	317305
180-106382-8	CCR-BK-1R	Total Recoverable	Water	EPA 6020A	317305
180-106382-9	CCR-BK-2	Total Recoverable	Water	EPA 6020A	317305
MB 180-317305/1-A	Method Blank	Total Recoverable	Water	EPA 6020A	317305
LCS 180-317305/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020A	317305

Analysis Batch: 317940

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-3	CCR-AP-2I	Total Recoverable	Water	EPA 6020A	317305

General Chemistry

Analysis Batch: 316996

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-1	CCR-AP-1R	Total/NA	Water	SM 2540C	
180-106382-2	CCR-AP-2R	Total/NA	Water	SM 2540C	
180-106382-3	CCR-AP-2I	Total/NA	Water	SM 2540C	
180-106382-4	CCR-AP-3R	Total/NA	Water	SM 2540C	
180-106382-5	CCR-AP-3I	Total/NA	Water	SM 2540C	
180-106382-6	CCR-AP-5	Total/NA	Water	SM 2540C	
180-106382-7	CCR-AP-9	Total/NA	Water	SM 2540C	
180-106382-8	CCR-BK-1R	Total/NA	Water	SM 2540C	
180-106382-9	CCR-BK-2	Total/NA	Water	SM 2540C	
MB 180-316996/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-316996/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-106382-9 DU	CCR-BK-2	Total/NA	Water	SM 2540C	

Analysis Batch: 317151

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-1	CCR-AP-1R	Total/NA	Water	EPA 9040C	
180-106382-2	CCR-AP-2R	Total/NA	Water	EPA 9040C	

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106382-1

General Chemistry (Continued)

Analysis Batch: 317151 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-3	CCR-AP-2I	Total/NA	Water	EPA 9040C	
180-106382-4	CCR-AP-3R	Total/NA	Water	EPA 9040C	
180-106382-5	CCR-AP-3I	Total/NA	Water	EPA 9040C	
180-106382-6	CCR-AP-5	Total/NA	Water	EPA 9040C	
180-106382-7	CCR-AP-9	Total/NA	Water	EPA 9040C	
180-106382-8	CCR-BK-1R	Total/NA	Water	EPA 9040C	
180-106382-9	CCR-BK-2	Total/NA	Water	EPA 9040C	
LCS 180-317151/1	Lab Control Sample	Total/NA	Water	EPA 9040C	
180-106382-6 DU	CCR-AP-5	Total/NA	Water	EPA 9040C	

Rad

Prep Batch: 472398

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-1	CCR-AP-1R	Total/NA	Water	PrecSep-21	
180-106382-2	CCR-AP-2R	Total/NA	Water	PrecSep-21	
180-106382-3	CCR-AP-2I	Total/NA	Water	PrecSep-21	
180-106382-4	CCR-AP-3R	Total/NA	Water	PrecSep-21	
180-106382-5	CCR-AP-3I	Total/NA	Water	PrecSep-21	
180-106382-6	CCR-AP-5	Total/NA	Water	PrecSep-21	
180-106382-7	CCR-AP-9	Total/NA	Water	PrecSep-21	
180-106382-8	CCR-BK-1R	Total/NA	Water	PrecSep-21	
180-106382-9	CCR-BK-2	Total/NA	Water	PrecSep-21	
MB 160-472398/22-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-472398/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

Prep Batch: 472402

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106382-1	CCR-AP-1R	Total/NA	Water	PrecSep_0	
180-106382-2	CCR-AP-2R	Total/NA	Water	PrecSep_0	
180-106382-3	CCR-AP-2I	Total/NA	Water	PrecSep_0	
180-106382-4	CCR-AP-3R	Total/NA	Water	PrecSep_0	
180-106382-5	CCR-AP-3I	Total/NA	Water	PrecSep_0	
180-106382-6	CCR-AP-5	Total/NA	Water	PrecSep_0	
180-106382-7	CCR-AP-9	Total/NA	Water	PrecSep_0	
180-106382-8	CCR-BK-1R	Total/NA	Water	PrecSep_0	
180-106382-9	CCR-BK-2	Total/NA	Water	PrecSep_0	
MB 160-472402/22-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-472402/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Chain of Custody Record

Client Information Client Contact: Angela Casbon Scheller Company: Vectren Corporation Address: PO BOX 209 City: Evansville State, Zip: IN, 47702 Phone: 864-214-8750(Tel) Email: acscheller@Vectren.com Project Name: CCR Groundwater Monitoring - AB Brown Site: <u>AB Brown</u>		Lab PM: Bortot, Veronica E-Mail: veronica.bortot@testamericainc.com Carrier Tracking No(s): Lab No: 180-49738-8017.1 Page: Page 1 of 1 Job #: <u>170400900</u>	
Due Date Requested: TAT Requested (days): PO #: <u>Purchase Order Requested</u> WO #:		Analysis Requested Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
Sample Identification CCR-AP-1R CCR-AP-2R CCR-AP-2I CCR-AP-3R CCR-AP-3I CCR-AP-5 CCR-AP-9 CCR-AP-1R CCR-BK-1R CCR-BK-2		Matrix (W=water, S=solid, O=oil, BT=tissue, A=air) Preservation Code: Water Water Water Water Water Water f f	
Sample Date Sample Time Sample Type (C=comp, G=grab) Preservation Code: Sample Date: 5-26-20 1620 Sample Time: 1230 Sample Type: G Preservation Code: Water Sample Date: 5-26-20 1335 Sample Time: 1415 Sample Type: G Preservation Code: Water Sample Date: 5-26-20 1520 Sample Time: 1145 Sample Type: G Preservation Code: Water Sample Date: 5-27-20 1500 Sample Time: 1830 Sample Type: G Preservation Code: f Sample Date: 5-26-20 1730 Sample Time:		Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> 9315_Ra226, 9320_Ra228 9400C_9056A_ORGM_28D 6020A_7470A 2540C_Calcd - TDS Total Number of containers:	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input checked="" type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements:	
Empty Kit Relinquished by:		Method of Shipment:	
Relinquished by: <u>Jacob Wmselt</u> Date/Time: <u>5-28-20 0900</u>		Received by: <u>Debbie Watson</u> Date/Time: <u>5-29-20</u>	
Relinquished by:		Received by: <u>875</u> Date/Time:	
Relinquished by:		Received by:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks:	



ORIGIN ID:EVVA (812) 477-1176
BRIAN KLEEMAN

1149 WEDEKING AVENUE
BUILDING D, SUITE 2
EVANSVILLE, IN 47715
UNITED STATES US

SHIP DATE: 28MAY20
ACTWGT: 50.00 LB
CAD: 106997842/INET4220
DIMS: 24x16x15 IN

BILL SENDER

TO VERONICA BORTOT
TESTAMERICA
301 ALPHA DRIVE

PITTSBURGH PA 15238


(412) 963-7058
INV: 170LFC0900
PO: 170LFC0900

REF: 170LFC0900

DEPT:

56BJJ2925FE4A

anned.



180-106382 Waybill

FedEx Ship Manager - Print Your Label(s)

4 of 6

FRI - 29 MAY 3:00P

MPS#
0263

7705 6608 2780

STANDARD OVERNIGHT

Mstr# 7705 6608 2210

0201

15238

NA AGCA

PA-US

PIT



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

5/28/2020

1
2
3
4
5
6
7
8
9
10
11
12
13




ORIGIN ID: EWVA (812) 477-1176
 BRIAN KLEEMAN
 1149 WEDEKING AVENUE
 BUILDING D, SUITE 2
 EVANSVILLE, IN 47715
 UNITED STATES US

SHIP DATE: 28MAY20
 ACTWGT: 50.00 LB
 CAD: 106997842/NET4220
 DIMS: 24x16x15 IN
 BILL SENDER

TO VERONICA BORTOT
 TESTAMERICA
 301 ALPHA DRIVE

PITTSBURGH PA 15238
 (412) 963-7058 REF: 170LF00900
 INV: 170LF00900
 PO: 170LF00900 DEPT:

56BJ32925/FE4A



FRI - 29 MAY 3:00P
STANDARD OVERNIGHT

MPS# 3 of 6
 # 0263 7705 6608 2632
 Mstr# 7705 6608 2210

0201

NAAGCA

PA-US 15238
PIT

Uncorrected temp Thermometer ID
 CF 0 Initials JS
 4.4 17 °C
 PT-WI-SR-001 effective 7/26/12

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

ORIGIN ID:EVVA (812) 477-1176
 BRIAN KLEEMAN
 1149 WIEDEKING AVENUE
 BUILDING D, SUITE 2
 EVANSVILLE, IN 47715
 UNITED STATES US


SHIP DATE: 28MAY20
 ACTWGT: 50.00 LB
 CAD: 106997842/INET4220
 DIMS: 24x16x15 IN
 BILL SENDER

TO **VERONICA BORTOT**
TESTAMERICA
301 ALPHA DRIVE

PITTSBURGH PA 15238

(412) 963-7058 REF: 170LF00900
 INV: 170LF00900
 PO: 170LF00900

56BJ3/2925/F/E4A



6 of 6
 MPS# 7705 6608 2698
 0263
 Mstr# 7705 6608 2210
NA AGCA
 PA-US
15238 PIT



PT-WI-SR-001 effective 7/26/13

After printing this label:
 1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
 2. Fold the printed page along the horizontal line.
 3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
 Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.




ORIGIN ID:EVVA (812) 477-1176
BRIAN KLEEMAN
1149 WEDEKING AVENUE
BUILDING D, SUITE 2
EVANSVILLE, IN 47715
UNITED STATES US

SHIP DATE: 28MAY20
ACT/WGT: 50.00 LB
CAD: 106997842/NET4220
DIMS: 24x16x15 IN
BILL SENDER

TO VERONICA BORTOT
TESTAMERICA
301 ALPHA DRIVE

PITTSBURGH PA 15238
(412) 963-7058
INV: 170LF00900
PO: 170LF00900
REF: 170LF00900
DEPT

56B.J3/2925/FE4A



5 of 6

MP# 7705 6608 2676
Mstr# 7705 6608 2210

0201

STANDARD OVERNIGHT

FRI - 29 MAY 3:00P

NAAGCA

15238
PIT

Uncorrected temp
Thermometer ID
CF
Initials

PT-MI-SR-001 effective 7/9/13

1.9 °C

17

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

1
2
3
4
5
6
7
8
9
10
11
12
13


ORIGIN ID:EVVA (812) 477-1176
 BRIAN KLEEMAN
 1149 WEDEKING AVENUE
 BUILDING D, SUITE 2
 EVANSVILLE, IN 47715
 UNITED STATES US

SHIP DATE: 28MAY20
 ACTWGT: 50.00 LB
 CAD: 106997842/INET4220
 DIMS: 24x16x15 IN
 BILL SENDER

TO **VERONICA BORTOT**
TESTAMERICA
301 ALPHA DRIVE

56B3J2925/F4A

PITTSBURGH PA 15238
 (412) 963-7058 REF: 170LF00900
 INV: 170LF00900 DEPT:
 PO: 170LF00900



2 of 6
MPS# 7705 6608 2746
 0263
Mstr# 7705 6608 2210 0201

NA AGCA PA-US
15238 PIT



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ORIGIN ID:EVVA (812) 477-1176
BRIAN KLEEMAN
1149 WEDEKING AVENUE
BUILDING D, SUITE 2
EVANSVILLE, IN 47715
UNITED STATES US


SHIP DATE: 28MAY20
ACTWGT: 50.00 LB
CAD: 106997842/INET4220
DIMS: 24x16x15 IN
BILL SENDER

TO VERONICA BORTOT
TESTAMERICA
301 ALPHA DRIVE

PITTSBURGH PA 15238

(412) 963-7058 REF: 170LF00900
INV: 170LF00900 DEPT:
PO: 170LF00900

56B,UJ2925FE4A



FRI - 29 MAY 3:00P
STANDARD OVERNIGHT

1 of 6
TRK# 7705 6608 2210
MASTER

15238
PIT

NA AGCA

PA-US



Uncorrected temp 24 °C

Thermometer ID 17

CF O Initials B

PT-WI-SR-001 effective 7/26/13

After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including incidental, consequential, or special is limited to the greater of \$100 or the attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-106382-1

Login Number: 106382

List Source: Eurofins TestAmerica, Pittsburgh

List Number: 1

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-106382-1

Login Number: 106382

List Number: 2

Creator: Mazariegos, Leonel A

List Source: Eurofins TestAmerica, St. Louis

List Creation: 06/03/20 12:34 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-106529-1

Client Project/Site: CCR Groundwater Monitoring AB Brown

For:

Vectren Corporation
PO BOX 209
Evansville, Indiana 47702

Attn: Accounts Payable



Authorized for release by:
6/29/2020 7:48:13 PM

Veronica Bortot, Senior Project Manager
(412)963-2435
veronica.bortot@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	5
Certification Summary	6
Sample Summary	8
Method Summary	9
Lab Chronicle	10
Client Sample Results	11
QC Sample Results	13
QC Association Summary	16
Chain of Custody	18
Receipt Checklists	21

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Job ID: 180-106529-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative 180-106529-1

Comments

No additional comments.

Receipt

The sample was received on 6/3/2020 8:30 AM; the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.4° C.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

RAD

Methods 903.0, 9315: Ra-226 Prep Batch 160-472556

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative.

Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

CCR-AP-11 (180-106529-1), (LCS 160-472556/1-A), (MB 160-472556/19-A), (400-188864-A-1-A), (400-188864-A-1-B MS), (400-188864-A-1-C MSD), (400-188867-A-5-A), (400-188867-A-5-B MS) and (400-188867-A-5-C MSD)

Methods 904.0, 9320: Ra-228 Prep Batch 160-472557

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative.

Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

CCR-AP-11 (180-106529-1), (LCS 160-472557/1-A), (MB 160-472557/19-A), (400-188864-A-1-D), (400-188864-A-1-E MS) and (400-188864-A-1-F MSD)

Method PrecSep_0: Radium 228 Prep Batch 160-472557:

The following samples were prepared at a reduced aliquot: CCR-AP-11 (180-106529-1) Samples 400-188867-5, 5MS, and 5MSD were reduced due to yellow-orange discoloration and a cloudy appearance. Sample 180-106529-1 was reduced due to a slightly cloudy appearance.

Method PrecSep-21: Radium 226 Prep Batch 160-472556:

The following samples were prepared at a reduced aliquot: CCR-AP-11 (180-106529-1) Samples 400-188867-5, 5MS, and 5MSD were reduced due to yellow-orange discoloration and a cloudy appearance. Sample 180-106529-1 was reduced due to a slightly cloudy appearance.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

Method 6020A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 180-317774 and analytical batch 180-318058 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 6020A: The serial dilution performed for the following sample associated with batch 180-318058 was outside control limits: (180-106563-E-1-A)

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Job ID: 180-106529-1 (Continued)

Laboratory: Eurofins TestAmerica, Pittsburgh (Continued)

Method 6020A: The post digestion spike % recovery for multiple analytes associated with batch 180-318058 was outside of control limits. The associated sample is: (180-106563-E-1-A).

Method 6020A: The following samples were diluted due to the nature of the sample matrix: (180-106563-E-1-A ^2), (180-106563-E-1-B MS ^2) and (180-106563-E-1-A SD ^10). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Definitions/Glossary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Qualifiers

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Laboratory: Eurofins TestAmerica, Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-26-20
California	State	2891	04-30-21
Connecticut	State	PH-0688	09-30-20
Florida	NELAP	E871008	06-30-20
Georgia	State	PA 02-00416	04-30-21
Illinois	NELAP	004375	06-30-20
Kansas	NELAP	E-10350	01-31-21
Kentucky (UST)	State	162013	04-30-21
Kentucky (WW)	State	KY98043	12-31-20
Louisiana	NELAP	04041	06-30-20
Maine	State	PA00164	03-06-22
Minnesota	NELAP	042-999-482	12-31-20
Nevada	State	PA00164	07-31-20
New Hampshire	NELAP	2030	04-05-21
New Jersey	NELAP	PA005	06-30-20
New York	NELAP	11182	04-01-21
North Carolina (WW/SW)	State	434	01-01-21
North Dakota	State	R-227	04-30-21
Oregon	NELAP	PA-2151	02-06-21
Pennsylvania	NELAP	02-00416	05-23-21
Rhode Island	State	LAO00362	12-31-20
South Carolina	State	89014	04-30-21
Texas	NELAP	T104704528	03-31-21
US Fish & Wildlife	US Federal Programs	058448	07-31-20
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	05-31-20 *
Virginia	NELAP	10043	09-15-20
West Virginia DEP	State	142	02-01-21
Wisconsin	State	998027800	08-31-20

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Laboratory: Eurofins TestAmerica, St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-22
ANAB	Dept. of Defense ELAP	L2305	04-06-22
ANAB	Dept. of Energy	L2305.01	04-06-22
ANAB	ISO/IEC 17025	L2305	04-06-22
Arizona	State	AZ0813	12-08-20
California	Los Angeles County Sanitation Districts	10259	06-30-20
California	State	2886	06-30-20
Connecticut	State	PH-0241	03-31-21
Florida	NELAP	E87689	06-30-20
HI - RadChem Recognition	State	n/a	06-30-20
Illinois	NELAP	004553	11-30-20
Iowa	State	373	09-17-20
Kansas	NELAP	E-10236	10-31-20
Kentucky (DW)	State	KY90125	12-31-20
Louisiana	NELAP	04080	06-30-20
Louisiana (DW)	State	LA011	12-31-20
Maryland	State	310	09-30-20
MI - RadChem Recognition	State	9005	06-30-20
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-20
New Jersey	NELAP	MO002	06-30-20
New York	NELAP	11616	04-01-21
North Dakota	State	R-207	06-30-20
NRC	NRC	24-24817-01	12-31-22
Oklahoma	State	9997	08-31-20
Pennsylvania	NELAP	68-00540	02-28-21
South Carolina	State	85002001	06-30-20
Texas	NELAP	T104704193-19-13	07-31-20
US Fish & Wildlife	US Federal Programs	058448	07-31-20
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542019-11	07-31-20
Virginia	NELAP	10310	06-14-21
Washington	State	C592	08-30-20
West Virginia DEP	State	381	10-31-20

Sample Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-106529-1	CCR-AP-11	Water	05/29/20 11:20	06/03/20 08:30	

1

2

3

4

5

6

7

8

9

10

11

12

13

Method Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Method	Method Description	Protocol	Laboratory
EPA 9056A	Anions, Ion Chromatography	SW846	TAL PIT
EPA 6020A	Metals (ICP/MS)	SW846	TAL PIT
EPA 9040C	pH	SW846	TAL PIT
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PIT
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL PIT
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Client Sample ID: CCR-AP-11

Lab Sample ID: 180-106529-1

Date Collected: 05/29/20 11:20

Matrix: Water

Date Received: 06/03/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		1			318372	06/14/20 01:01	MJH	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	317774	06/08/20 08:48	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: DORY		1			318058	06/10/20 08:07	RJR	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	317774	06/08/20 08:48	KEM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: DORY		1			318210	06/11/20 00:23	RSK	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			317820	06/08/20 19:17	PMH	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	317461	06/04/20 09:21	AVS	TAL PIT
Total/NA	Prep	PrecSep-21			749.68 mL	1.0 g	472556	06/05/20 13:30	MNH	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			474823	06/29/20 07:25	CJQ	TAL SL
Total/NA	Prep	PrecSep_0			749.68 mL	1.0 g	472557	06/05/20 13:58	MNH	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCORANGE		1			474335	06/24/20 12:58	AJD	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			474832	06/29/20 12:44	SMP	TAL SL

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Analyst References:

Lab: TAL PIT

Batch Type: Prep

KEM = Kimberly Mahoney

Batch Type: Analysis

AVS = Abbey Smith

MJH = Matthew Hartman

PMH = Paloma Hoelzle

RJR = Ron Rosenbaum

RSK = Robert Kurtz

Lab: TAL SL

Batch Type: Prep

MNH = Molly Howard

Batch Type: Analysis

AJD = Audra DeMariano

CJQ = Caleb Quinn

SMP = Siobhan Perry

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Client Sample ID: CCR-AP-11

Lab Sample ID: 180-106529-1

Date Collected: 05/29/20 11:20

Matrix: Water

Date Received: 06/03/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	54		1.0	0.32	mg/L			06/14/20 01:01	1
Fluoride	0.19		0.10	0.026	mg/L			06/14/20 01:01	1
Sulfate	200		1.0	0.38	mg/L			06/14/20 01:01	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0011		0.0010	0.00031	mg/L		06/08/20 08:48	06/10/20 08:07	1
Boron	0.91	B	0.080	0.039	mg/L		06/08/20 08:48	06/11/20 00:23	1
Barium	0.060		0.010	0.0016	mg/L		06/08/20 08:48	06/10/20 08:07	1
Beryllium	ND		0.0010	0.00018	mg/L		06/08/20 08:48	06/10/20 08:07	1
Calcium	120		0.50	0.13	mg/L		06/08/20 08:48	06/10/20 08:07	1
Cadmium	ND		0.0010	0.00022	mg/L		06/08/20 08:48	06/10/20 08:07	1
Cobalt	0.00099		0.00050	0.00013	mg/L		06/08/20 08:48	06/10/20 08:07	1
Chromium	ND		0.0020	0.0015	mg/L		06/08/20 08:48	06/10/20 08:07	1
Molybdenum	0.00082	J	0.0050	0.00061	mg/L		06/08/20 08:48	06/10/20 08:07	1
Lead	0.00091	J	0.0010	0.00013	mg/L		06/08/20 08:48	06/10/20 08:07	1
Antimony	ND		0.0020	0.00038	mg/L		06/08/20 08:48	06/10/20 08:07	1
Selenium	0.0075		0.0050	0.0015	mg/L		06/08/20 08:48	06/10/20 08:07	1
Thallium	ND		0.0010	0.00015	mg/L		06/08/20 08:48	06/10/20 08:07	1
Lithium	14		5.0	3.4	ug/L		06/08/20 08:48	06/10/20 08:07	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	850		10	10	mg/L			06/04/20 09:21	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.0	HF	0.1	0.1	SU			06/08/20 19:17	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0569	U	0.0941	0.0942	1.00	0.164	pCi/L	06/05/20 13:30	06/29/20 07:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.9		40 - 110					06/05/20 13:30	06/29/20 07:25	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.440		0.264	0.267	1.00	0.393	pCi/L	06/05/20 13:58	06/24/20 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.9		40 - 110					06/05/20 13:58	06/24/20 12:58	1
Y Carrier	89.0		40 - 110					06/05/20 13:58	06/24/20 12:58	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Client Sample ID: CCR-AP-11

Lab Sample ID: 180-106529-1

Date Collected: 05/29/20 11:20

Matrix: Water

Date Received: 06/03/20 08:30

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.497		0.280	0.283	5.00	0.393	pCi/L		06/29/20 12:44	1



QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Method: EPA 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 180-318372/54
Matrix: Water
Analysis Batch: 318372

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			06/13/20 22:07	1
Fluoride	ND		0.10	0.026	mg/L			06/13/20 22:07	1
Sulfate	ND		1.0	0.38	mg/L			06/13/20 22:07	1

Lab Sample ID: LCS 180-318372/53
Matrix: Water
Analysis Batch: 318372

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	51.4		mg/L		103	80 - 120
Fluoride	2.50	2.55		mg/L		102	80 - 120
Sulfate	50.0	46.2		mg/L		92	80 - 120

Method: EPA 6020A - Metals (ICP/MS)

Lab Sample ID: MB 180-317774/1-A
Matrix: Water
Analysis Batch: 318058

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 317774

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		06/08/20 08:48	06/10/20 07:32	1
Barium	ND		0.010	0.0016	mg/L		06/08/20 08:48	06/10/20 07:32	1
Beryllium	ND		0.0010	0.00018	mg/L		06/08/20 08:48	06/10/20 07:32	1
Calcium	ND		0.50	0.13	mg/L		06/08/20 08:48	06/10/20 07:32	1
Cadmium	ND		0.0010	0.00022	mg/L		06/08/20 08:48	06/10/20 07:32	1
Cobalt	ND		0.00050	0.00013	mg/L		06/08/20 08:48	06/10/20 07:32	1
Chromium	ND		0.0020	0.0015	mg/L		06/08/20 08:48	06/10/20 07:32	1
Molybdenum	ND		0.0050	0.00061	mg/L		06/08/20 08:48	06/10/20 07:32	1
Lead	ND		0.0010	0.00013	mg/L		06/08/20 08:48	06/10/20 07:32	1
Antimony	ND		0.0020	0.00038	mg/L		06/08/20 08:48	06/10/20 07:32	1
Selenium	ND		0.0050	0.0015	mg/L		06/08/20 08:48	06/10/20 07:32	1
Thallium	ND		0.0010	0.00015	mg/L		06/08/20 08:48	06/10/20 07:32	1
Lithium	ND		5.0	3.4	ug/L		06/08/20 08:48	06/10/20 07:32	1

Lab Sample ID: MB 180-317774/1-A
Matrix: Water
Analysis Batch: 318327

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 317774

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	ND		0.080	0.039	mg/L		06/08/20 08:48	06/11/20 19:41	1

Lab Sample ID: LCS 180-317774/2-A
Matrix: Water
Analysis Batch: 318058

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 317774

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	1.00	1.00		mg/L		100	80 - 120
Barium	1.00	0.979		mg/L		98	80 - 120
Beryllium	0.500	0.509		mg/L		102	80 - 120
Calcium	25.0	26.6		mg/L		107	80 - 120

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Method: EPA 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 180-317774/2-A
 Matrix: Water
 Analysis Batch: 318058

Client Sample ID: Lab Control Sample
 Prep Type: Total Recoverable
 Prep Batch: 317774

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cadmium	0.500	0.495		mg/L		99	80 - 120
Cobalt	0.500	0.483		mg/L		97	80 - 120
Chromium	0.500	0.490		mg/L		98	80 - 120
Molybdenum	0.500	0.495		mg/L		99	80 - 120
Lead	0.500	0.493		mg/L		99	80 - 120
Antimony	0.250	0.250		mg/L		100	80 - 120
Selenium	1.00	0.973		mg/L		97	80 - 120
Thallium	1.00	1.07		mg/L		107	80 - 120
Lithium	500	494		ug/L		99	80 - 120

Lab Sample ID: LCS 180-317774/2-A
 Matrix: Water
 Analysis Batch: 318210

Client Sample ID: Lab Control Sample
 Prep Type: Total Recoverable
 Prep Batch: 317774

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	1.25	1.10		mg/L		88	80 - 120

Method: EPA 9040C - pH

Lab Sample ID: LCS 180-317820/1
 Matrix: Water
 Analysis Batch: 317820

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
pH	7.00	7.0		SU		100	99 - 101

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-317461/2
 Matrix: Water
 Analysis Batch: 317461

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			06/04/20 09:21	1

Lab Sample ID: LCS 180-317461/1
 Matrix: Water
 Analysis Batch: 317461

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	192	158		mg/L		82	80 - 120

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-472556/19-A
 Matrix: Water
 Analysis Batch: 474823

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 472556

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.01148	U	0.0443	0.0443	1.00	0.113	pCi/L	06/05/20 13:30	06/29/20 09:25	1

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

Method: 9315 - Radium-226 (GFPC) (Continued)

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	106		40 - 110	06/05/20 13:30	06/29/20 09:25	1

Lab Sample ID: LCS 160-472556/1-A
 Matrix: Water
 Analysis Batch: 474823

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 472556

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-226	15.1	12.84		1.38	1.00	0.119	pCi/L	85	75 - 125

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	100		40 - 110

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-472557/19-A
 Matrix: Water
 Analysis Batch: 474335

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 472557

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.01013	U	0.224	0.224	1.00	0.408	pCi/L	06/05/20 13:58	06/24/20 12:58	1

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	106		40 - 110	06/05/20 13:58	06/24/20 12:58	1
Y Carrier	87.9		40 - 110	06/05/20 13:58	06/24/20 12:58	1

Lab Sample ID: LCS 160-472557/1-A
 Matrix: Water
 Analysis Batch: 474470

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 472557

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-228	11.6	11.30		1.35	1.00	0.593	pCi/L	97	75 - 125

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	100		40 - 110
Y Carrier	85.6		40 - 110

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1

HPLC/IC

Analysis Batch: 318372

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106529-1	CCR-AP-11	Total/NA	Water	EPA 9056A	
MB 180-318372/54	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-318372/53	Lab Control Sample	Total/NA	Water	EPA 9056A	

Metals

Prep Batch: 317774

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106529-1	CCR-AP-11	Total Recoverable	Water	3005A	
MB 180-317774/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-317774/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 318058

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106529-1	CCR-AP-11	Total Recoverable	Water	EPA 6020A	317774
MB 180-317774/1-A	Method Blank	Total Recoverable	Water	EPA 6020A	317774
LCS 180-317774/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020A	317774

Analysis Batch: 318210

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106529-1	CCR-AP-11	Total Recoverable	Water	EPA 6020A	317774
LCS 180-317774/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020A	317774

Analysis Batch: 318327

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 180-317774/1-A	Method Blank	Total Recoverable	Water	EPA 6020A	317774

General Chemistry

Analysis Batch: 317461

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106529-1	CCR-AP-11	Total/NA	Water	SM 2540C	
MB 180-317461/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-317461/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 317820

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106529-1	CCR-AP-11	Total/NA	Water	EPA 9040C	
LCS 180-317820/1	Lab Control Sample	Total/NA	Water	EPA 9040C	

Rad

Prep Batch: 472556

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106529-1	CCR-AP-11	Total/NA	Water	PrecSep-21	
MB 160-472556/19-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-472556/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

Prep Batch: 472557

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-106529-1	CCR-AP-11	Total/NA	Water	PrecSep_0	
MB 160-472557/19-A	Method Blank	Total/NA	Water	PrecSep_0	

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-106529-1


Rad (Continued)

Prep Batch: 472557 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 160-472557/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Chain of Custody Record



Client Information Client Contact: Lisa Messenger Company: Vectren Corporation Address: PO BOX 209 City: Evansville State, Zip: IN, 47702 Phone: 864-214-8750(Tel) Email: lmessenger@vectren.com Project Name: CCR Groundwater Monitoring Site: Ab Brown		Lab PM: Bortot, Veronica E-Mail: veronica.bortot@testamericainc.com Carrier Tracking No(s): Lab No: 180-60646-8018.1 Page: Page 1 of 2 Job #: 170LF00900	
Due Date Requested: TAT Requested (days): PO #: Purchase Order Requested WO #:		Analysis Requested Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - Di Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - NaZOAS Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Project #: 10016014 SSOW#:		Total Number of containers	
Sample Identification CCR-AP-11		Barcode: 180-106529 Chain of Custody	
Sample Date: 5-29-20	Sample Time: 1120	Sample Type (C=comp, G=grab): G	Matrix (W=water, S=solid, O=water/oil): Water
Perform MS/MSD (Yes or No)		Field Filtered Sample (Yes or No)	
9315_Ra226_9320_Ra228	9040C_9056A_ORGFM_28D	6020A_7470A	2540C_Calcd - TDS
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input checked="" type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/OC Requirements:	
Empty Kit Relinquished by:		Method of Shipment:	
Relinquished by: Jacob Winstet		Received by: Stellie Watson	
Relinquished by: Jacob Winstet		Received by: Feder	
Relinquished by:		Received by:	
Date/Time: 5-29-20 1500		Date/Time: 6-3-20 8:30	
Date/Time:		Date/Time:	
Date/Time:		Date/Time:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Cooler Temperature(s) °C and Other Remarks:	



ORIGIN ID:EVVA (812) 477-1176
BRIAN KLEEMAN
1149 WEDEKING AVENUE
BUILDING D, SUITE 2
EVANSVILLE, IN 47715
UNITED STATES US


SHIP DATE: 02 JUN 20
ACTWGT: 45.00 LB
CAD: 106997842/NET4220
DIMS: 24x15x16 IN
BILL SENDER

TO **VERONICA BORTOT**
TESTAMERICA
301 ALPHA DRIVE

PITTSBURGH PA 15238

(412) 963-7058 REF: 170LFC0900
INV: 170LFC0900
PO: 170LFC0900 DEPT:

56BJ1C7DDJFE4A



TRK# 7706 0918 4667

WED - 03 JUN 10:30A
PRIORITY OVERNIGHT

NA AGCA

Uncorrected temp
Thermometer ID

24 17 °C

PA-US

CF Initials B

PT-WI-SR-001 effective 7/26/13



After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the actual declared value of the package. Recovery cannot exceed actual documented loss. Maximum for items of extraor-
dinary value, such as jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within 90 days of the date of loss. For more information, visit fedex.com.
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the actual declared value of the package. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value, such as jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within 90 days of the date of loss. For more information, visit fedex.com.



180-106529 Waybill

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Bortol, Veronica	Carrier Tracking No(s):	COC No: 180-396442.1
Client Contact: TestAmerica Laboratories, Inc.		E-Mail: veronica.bortol@testamericainc.com	State of Origin: Indiana	Page: Page 1 of 1
Address: 13715 Rider Trail North, Earth City, MO, 63045		Phone: 314-298-8566(Tel) 314-298-8757(Fax)	Job #: 180-106529-1	Preservation Codes: A - HCL M - Hexane B - NaOH N - None O - AshNaO2 C - Zn Acetate D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor H - Ascorbic Acid I - Ice U - Acetone J - DI Water V - MCAA K - EDTA L - EDA W - pH 4-5 Z - other (specify) Other:
Due Date Requested: 6/15/2020		Analysis Requested		
TAT Requested (days):		Total Number of containers		
PO #:		9315_Ra226/PreSep_21 Standard Target List		
WO #:		9320_Ra228/PreSep_0 Standard Target List		
Project #: 18016014		Perform MS/MSD (Yes or No)		
Site: CCR Groundwater Monitoring		Field Filtered Sample (Yes or No)		
Sample Date		Preservation Code		
Sample Time		Matrix (W=water, S=solid, O=water/soil, BT=Tissue, A=Ab)		
Sample Type (C=Comp, G=grab)		Sample Time		
Sample Identification - Client ID (Lab ID)		Sample Time		
CCR-AP-11 (180-106529-1)		11:20 Eastern		
Special Instructions/Note:		Special Instructions/Note:		
2		2		

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements:

Relinquished by:	Date/Time:	Company:	Method of Shipment:
Relinquished by: <i>[Signature]</i>	6/30/20 1700	Company	Received by: FED EX
Relinquished by: FED EX	Date/Time:	Company	Received by:
Relinquished by:	Date/Time:	Company	Received by: <i>[Signature]</i>
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:	

Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-106529-1

Login Number: 106529

List Source: Eurofins TestAmerica, Pittsburgh

List Number: 1

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	False	

Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-106529-1

Login Number: 106529

List Number: 2

Creator: Mazariegos, Leonel A

List Source: Eurofins TestAmerica, St. Louis

List Creation: 06/04/20 11:33 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-113224-1

Client Project/Site: CCR Groundwater Monitoring AB Brown

For:

Vectren Corporation
PO BOX 209
Evansville, Indiana 47702

Attn: Accounts Payable



Authorized for release by:
12/28/2020 2:38:46 PM

Veronica Bortot, Senior Project Manager
(412)963-2435

Veronica.Bortot@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	7
Certification Summary	9
Sample Summary	11
Method Summary	12
Lab Chronicle	13
Client Sample Results	26
QC Sample Results	48
QC Association Summary	56
Chain of Custody	62
Receipt Checklists	69

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Job ID: 180-113224-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

**Job Narrative
180-113224-1**

Comments

No additional comments.

Receipt

The samples were received on 11/5/2020 8:30 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 2.8° C, 3.4° C, 3.9° C and 3.9° C.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

RAD

Methods 903.0, 9315: Radium-226 prep batch 160-489954:

The following samples have Ba carrier recoveries above the 110% QC limit. The LCS (laboratory control sample) have acceptable spike recoveries demonstrating acceptable sample preparation and instrument performance. The samples have been truncated to 100% to reduce any potential bias a high carrier recovery may have. The data have been reported with this narrative.

(MB 160-489954/24-A)

Methods 903.0, 9315: Radium-226 prep batch 160-489954:

The following sample has a barium carrier recovery above the 110% QC limit: CCR-BK-1R (180-113224-1), CCR-BK-2 (180-113224-2), CCR-LF-1 (180-113224-3), CCR-LF-2 (180-113224-4), CCR-LF-2 (180-113224-4[DU]), CCR-LF-3 (180-113224-5), CCR-LF-4 (180-113224-6), CCR-LF-5 (180-113224-7), CCR-LF-6 (180-113224-8), BLIND DUPLICATE 2 (180-113224-9), FIELD BLANK 2 (180-113224-10), CCR-AP-3I (180-113224-11), CCR-AP-3R (180-113224-12), CCR-AP-6 (180-113224-13), CCR-AP-7R (180-113224-14), CCR-AP-8 (180-113224-15), CCR-AP-9 (180-113224-16), BLIND DUPLICATE 1 (180-113224-17) and FIELD BLANK 1 (180-113224-18). Affected samples had a barium correction applied, however, there are possible concentrations of salt-like compounds (i.e. calcium, magnesium, sodium, and strontium) that can interfere with a barium sulfate recovery. The LCS (laboratory control sample) has an acceptable spike recovery demonstrating acceptable sample preparation and instrument performance. The samples have been truncated to 100% to reduce any potential bias a high carrier recovery may have. The data have been qualified and reported.

Methods 903.0, 9315: Radium-226 prep batch 160-489954:

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. CCR-BK-1R (180-113224-1), CCR-BK-2 (180-113224-2), CCR-LF-1 (180-113224-3), CCR-LF-2 (180-113224-4), CCR-LF-2 (180-113224-4[DU]), CCR-LF-3 (180-113224-5), CCR-LF-4 (180-113224-6), CCR-LF-5 (180-113224-7), CCR-LF-6 (180-113224-8), BLIND DUPLICATE 2 (180-113224-9), FIELD BLANK 2 (180-113224-10), CCR-AP-3I (180-113224-11), CCR-AP-3R (180-113224-12), CCR-AP-6 (180-113224-13), CCR-AP-7R (180-113224-14), CCR-AP-8 (180-113224-15), CCR-AP-9 (180-113224-16), BLIND DUPLICATE 1 (180-113224-17), FIELD BLANK 1 (180-113224-18), (LCS 160-489954/1-A) and (MB 160-489954/24-A)

Methods 904.0, 9320: Radium-228 prep batch 160-489958:

The following samples have Ba and/or Yttrium carrier recoveries above the 110% QC limit. The LCS (laboratory control sample) have acceptable spike recoveries demonstrating acceptable sample preparation and instrument performance. All other QC is within limits (method blank and duplicate precision). The samples have been truncated to 100% to reduce any potential bias a high carrier recovery may have. The data have been reported with this narrative. CCR-LF-3 (180-113224-5), CCR-LF-4 (180-113224-6), BLIND DUPLICATE 2 (180-113224-9), CCR-AP-3I (180-113224-11), CCR-AP-6 (180-113224-13), CCR-AP-7R (180-113224-14), CCR-AP-8 (180-113224-15), CCR-AP-9 (180-113224-16), FIELD BLANK 1 (180-113224-18) and (MB 160-489958/24-A)

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Job ID: 180-113224-1 (Continued)

Laboratory: Eurofins TestAmerica, Pittsburgh (Continued)

Methods 904.0, 9320: Radium-228 prep batch 160-489958:

The following sample has a barium carrier recovery above the 110% QC limit: CCR-BK-1R (180-113224-1), CCR-BK-2 (180-113224-2), CCR-LF-1 (180-113224-3), CCR-LF-2 (180-113224-4), CCR-LF-2 (180-113224-4[DU]), CCR-LF-3 (180-113224-5), CCR-LF-4 (180-113224-6), CCR-LF-5 (180-113224-7), CCR-LF-6 (180-113224-8), BLIND DUPLICATE 2 (180-113224-9), FIELD BLANK 2 (180-113224-10), CCR-AP-3I (180-113224-11), CCR-AP-3R (180-113224-12), CCR-AP-6 (180-113224-13), CCR-AP-7R (180-113224-14), CCR-AP-8 (180-113224-15), CCR-AP-9 (180-113224-16), BLIND DUPLICATE 1 (180-113224-17) and FIELD BLANK 1 (180-113224-18). Affected samples had a barium correction applied, however, there are possible concentrations of salt-like compounds (i.e. calcium, magnesium, sodium, and strontium) that can interfere with a barium sulfate recovery. The LCS (laboratory control sample) has an acceptable spike recovery demonstrating acceptable sample preparation and instrument performance. The samples have been truncated to 100% to reduce any potential bias a high carrier recovery may have. The data have been qualified and reported.

Methods 904.0, 9320: Radium-228 prep batch 160-489958:

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. CCR-BK-1R (180-113224-1), CCR-BK-2 (180-113224-2), CCR-LF-1 (180-113224-3), CCR-LF-2 (180-113224-4), CCR-LF-2 (180-113224-4[DU]), CCR-LF-3 (180-113224-5), CCR-LF-4 (180-113224-6), CCR-LF-5 (180-113224-7), CCR-LF-6 (180-113224-8), BLIND DUPLICATE 2 (180-113224-9), FIELD BLANK 2 (180-113224-10), CCR-AP-3I (180-113224-11), CCR-AP-3R (180-113224-12), CCR-AP-6 (180-113224-13), CCR-AP-7R (180-113224-14), CCR-AP-8 (180-113224-15), CCR-AP-9 (180-113224-16), BLIND DUPLICATE 1 (180-113224-17), FIELD BLANK 1 (180-113224-18), LCS 160-489958/1-A) and (MB 160-489958/24-A)

Method PrecSep_0: Radium 228 Prep Batch 160-489958:

The following samples contained a slight yellow discoloration: CCR-LF-2 (180-113224-4), CCR-LF-2 (180-113224-4[DU]) and CCR-AP-9 (180-113224-16).

Method PrecSep_0: Radium 228 Prep Batch 489958

The Yttrium carrier recovery is outside the upper control limit (110%) for the following samples: CCR-LF-3 (180-113224-5), CCR-LF-4 (180-113224-6), BLIND DUPLICATE 2 (180-113224-9), CCR-AP-3I (180-113224-11), CCR-AP-6 (180-113224-13), CCR-AP-7R (180-113224-14), CCR-AP-8 (180-113224-15), CCR-AP-9 (180-113224-16) and FIELD BLANK 1 (180-113224-18). Samples weighed above the 110% recovery threshold.

Method PrecSep_0: Radium 228 Prep Batch 489958

The Barium carrier recovery is outside the upper control limit (110%) for the following sample: CCR-LF-2 (180-113224-4[DU]). Samples appear gray in color after 45 minutes on the hot plate drying and weigh above the 110% recovery threshold.

Method PrecSep-21: Radium 226 Prep Batch 160-489954:

The following samples contained a slight yellow discoloration: CCR-LF-2 (180-113224-4), CCR-LF-2 (180-113224-4[DU]) and CCR-AP-7R (180-113224-14).

Method PrecSep-21: Radium 226 Prep Batch 489954

The Barium carrier recovery is outside the upper control limit (110%) for the following samples: CCR-BK-1R (180-113224-1), CCR-BK-2 (180-113224-2), CCR-LF-1 (180-113224-3), CCR-LF-2 (180-113224-4), CCR-LF-3 (180-113224-5), CCR-LF-4 (180-113224-6), CCR-LF-5 (180-113224-7), CCR-LF-6 (180-113224-8), BLIND DUPLICATE 2 (180-113224-9), FIELD BLANK 2 (180-113224-10), CCR-AP-3I (180-113224-11), CCR-AP-3R (180-113224-12), CCR-AP-6 (180-113224-13), CCR-AP-7R (180-113224-14), CCR-AP-8 (180-113224-15), CCR-AP-9 (180-113224-16), BLIND DUPLICATE 1 (180-113224-17) and FIELD BLANK 1 (180-113224-18). Samples appear gray in color after 45 minutes on the hot plate drying and weigh above the 110% recovery threshold.

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Job ID: 180-113224-1 (Continued)

Laboratory: Eurofins TestAmerica, Pittsburgh (Continued)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

Method 7470A: The laboratory control sample (LCS) for preparation batch 180-336413 and analytical batch 180-336710 recovered outside control limits for the following analytes: mercury. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 7470A: The continuing calibration verification (CCV) associated with batch 180-336710 recovered above the upper control limit for mercury. The samples associated with this CCV were non-detects for mercury or were below the reporting limit (RL); therefore, the data have been reported.

Method 7470A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 180-336413 and analytical batch 180-336710 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 7470A: The closing low level continuing calibration verification (CCVL) associated with batch 180-336710 recovered above the upper control limit for mercury. The samples associated with this CCVL were non-detects for mercury or were below the reporting limit (RL); therefore, the data have been reported.

Methods 6020A, 6020B: The continuing calibration blank (CCB) associated with batch 180-336996 recovered above the upper control limit for arsenic and zinc. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: (CCV 180-336996/118) and (MB 180-336521/1-A).

Methods 6020A, 6020B: The continuing calibration verification (CCV) associated with batch 180-336996 recovered above the upper control limit for beryllium. The samples associated with this CCV were non-detects -or- less than the RL for the affected analytes; therefore, the data have been reported.

Method 6020A: The continuing calibration verification (CCV) associated with batch 180-336996 recovered above the upper control limit for beryllium. The samples associated with this CCV were non-detects -or- less than the RL for the affected analytes; therefore, the data have been reported. The associated samples are impacted: CCR-LF-4 (180-113224-6), CCR-LF-5 (180-113224-7), CCR-LF-6 (180-113224-8), BLIND DUPLICATE 2 (180-113224-9), FIELD BLANK 2 (180-113224-10), CCR-AP-3I (180-113224-11), CCR-AP-3R (180-113224-12), CCR-AP-6 (180-113224-13), CCR-AP-7R (180-113224-14), CCR-AP-8 (180-113224-15), CCR-AP-9 (180-113224-16), BLIND DUPLICATE 1 (180-113224-17), FIELD BLANK 1 (180-113224-18) and (CCV 180-336996/163).

Method 6020A: The continuing calibration verification (CCV) associated with batch 180-336996 recovered above the upper control limit for beryllium. The samples associated with this CCV were non-detects -or- less than the RL for the affected analytes; therefore, the data have been reported. The associated sample is impacted: (CCV 180-336996/174).

Methods 6020A, 6020B: The continuing calibration blank (CCB) associated with batch 180-336996 recovered above the upper control limit for sodium. The samples associated with this CCB were 10X the RL for the affected analytes; therefore, the data have been reported. The associated samples are impacted: (CCB 180-336996/142) and (LCS 180-336521/2-A).

Methods 6020A, 6020B: The following samples were diluted due to the nature of the sample matrix: CCR-LF-2 (180-113224-4), CCR-LF-2 (180-113224-4[MS]), CCR-LF-2 (180-113224-4[MSD]), CCR-LF-4 (180-113224-6), CCR-AP-3R (180-113224-12), CCR-AP-6 (180-113224-13), CCR-AP-9 (180-113224-16), (180-113224-E-4-D PDS ^25) and (180-113224-E-4-D SD ^125). Elevated reporting limits (RLs) are provided.

Method 6020A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 180-336521 and analytical batch 180-337118 were outside control limits for boron. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Job ID: 180-113224-1 (Continued)

Laboratory: Eurofins TestAmerica, Pittsburgh (Continued)

Method 6020A: The post digestion spike % recovery for barium associated with batch 180-337118 was outside of control limits. The associated sample is: CCR-LF-2 (180-113224-4).

Method 6020A: The following samples were diluted due to the nature of the sample matrix: CCR-LF-4 (180-113224-6), CCR-AP-3R (180-113224-12), CCR-AP-6 (180-113224-13) and (180-113224-E-4-D PDS ^25). Elevated reporting limits (RLs) are provided.

Methods 6020A, 6020B: The post digestion spike % recovery for barium associated with batch 180-337356 was outside of control limits. The associated sample is: (180-113224-E-4-D PDS ^25).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Definitions/Glossary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
*	LCS or LCS _D is outside acceptance limits.
^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC is outside acceptance limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.
X	Carrier is outside acceptance limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Eurofins TestAmerica, Pittsburgh

Definitions/Glossary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
TNTC	Too Numerous To Count

1

2

3

4

5

6

7

8

9

10

11

12

13

Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Laboratory: Eurofins TestAmerica, Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-21
California	State	2891	04-30-21
Connecticut	State	PH-0688	09-30-20 *
Florida	NELAP	E871008	06-30-21
Georgia	State	PA 02-00416	04-30-21
Illinois	NELAP	004375	06-30-21
Kansas	NELAP	E-10350	01-31-21
Kentucky (UST)	State	162013	04-30-21
Kentucky (WW)	State	KY98043	12-31-20
Louisiana	NELAP	04041	06-30-21
Maine	State	PA00164	03-06-22
Minnesota	NELAP	042-999-482	12-31-20
Nevada	State	PA00164	07-31-21
New Hampshire	NELAP	2030	04-05-21
New Jersey	NELAP	PA005	06-30-21
New York	NELAP	11182	04-01-21
North Carolina (WW/SW)	State	434	12-31-21
North Dakota	State	R-227	04-30-21
Oregon	NELAP	PA-2151	02-06-21
Pennsylvania	NELAP	02-00416	04-30-21
Rhode Island	State	LAO00362	12-31-20
South Carolina	State	89014	04-30-21
Texas	NELAP	T104704528	03-31-21
US Fish & Wildlife	US Federal Programs	058448	07-31-21
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	05-31-21
Virginia	NELAP	10043	09-14-21
West Virginia DEP	State	142	02-01-21
Wisconsin	State	998027800	08-31-21

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Laboratory: Eurofins TestAmerica, St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-22
ANAB	Dept. of Defense ELAP	L2305	04-06-22
ANAB	Dept. of Energy	L2305.01	04-06-22
ANAB	ISO/IEC 17025	L2305	04-06-22
Arizona	State	AZ0813	12-08-21
California	Los Angeles County Sanitation Districts	10259	06-30-21
California	State	2886	06-30-21
Connecticut	State	PH-0241	03-31-21
Florida	NELAP	E87689	06-30-21
HI - RadChem Recognition	State	n/a	06-30-21
Illinois	NELAP	004553	11-30-21
Iowa	State	373	12-01-22
Kansas	NELAP	E-10236	10-31-21
Kentucky (DW)	State	KY90125	12-31-20
Louisiana	NELAP	04080	06-30-21
Louisiana (DW)	State	LA011	12-31-20
Maryland	State	310	09-30-21
MI - RadChem Recognition	State	9005	06-30-21
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-21
New Jersey	NELAP	MO002	06-30-21
New York	NELAP	11616	04-01-21
North Dakota	State	R-207	06-30-21
NRC	NRC	24-24817-01	12-31-22
Oklahoma	State	9997	08-31-21
Oregon	NELAP	4157	09-01-21
Pennsylvania	NELAP	68-00540	02-28-21
South Carolina	State	85002001	06-30-21
Texas	NELAP	T104704193-19-13	07-31-21
US Fish & Wildlife	US Federal Programs	058448	07-31-21
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542019-11	07-31-21
Virginia	NELAP	10310	06-14-21
Washington	State	C592	08-30-21
West Virginia DEP	State	381	10-31-21

Sample Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-113224-1	CCR-BK-1R	Water	11/03/20 14:10	11/05/20 08:30	
180-113224-2	CCR-BK-2	Water	11/03/20 12:45	11/05/20 08:30	
180-113224-3	CCR-LF-1	Water	11/04/20 13:30	11/05/20 08:30	
180-113224-4	CCR-LF-2	Water	11/04/20 14:55	11/05/20 08:30	
180-113224-5	CCR-LF-3	Water	11/04/20 15:50	11/05/20 08:30	
180-113224-6	CCR-LF-4	Water	11/04/20 12:10	11/05/20 08:30	
180-113224-7	CCR-LF-5	Water	11/04/20 12:15	11/05/20 08:30	
180-113224-8	CCR-LF-6	Water	11/04/20 13:05	11/05/20 08:30	
180-113224-9	BLIND DUPLICATE 2	Water	11/04/20 00:00	11/05/20 08:30	
180-113224-10	FIELD BLANK 2	Water	11/04/20 13:00	11/05/20 08:30	
180-113224-11	CCR-AP-3I	Water	11/04/20 16:35	11/05/20 08:30	
180-113224-12	CCR-AP-3R	Water	11/04/20 15:25	11/05/20 08:30	
180-113224-13	CCR-AP-6	Water	11/04/20 10:40	11/05/20 08:30	
180-113224-14	CCR-AP-7R	Water	11/03/20 17:30	11/05/20 08:30	
180-113224-15	CCR-AP-8	Water	11/04/20 17:00	11/05/20 08:30	
180-113224-16	CCR-AP-9	Water	11/04/20 14:25	11/05/20 08:30	
180-113224-17	BLIND DUPLICATE 1	Water	11/04/20 00:00	11/05/20 08:30	
180-113224-18	FIELD BLANK 1	Water	11/03/20 14:00	11/05/20 08:30	

Method Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Method	Method Description	Protocol	Laboratory
EPA 9056A	Anions, Ion Chromatography	SW846	TAL PIT
EPA 6020A	Metals (ICP/MS)	SW846	TAL PIT
EPA 7470A	Mercury (CVAA)	SW846	TAL PIT
EPA 9040C	pH	SW846	TAL PIT
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PIT
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL PIT
7470A	Preparation, Mercury	SW846	TAL PIT
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-BK-1R

Lab Sample ID: 180-113224-1

Date Collected: 11/03/20 14:10

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			337126	11/14/20 22:49	SAT	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337118	11/13/20 13:41	RSK	TAL PIT
Instrument ID: A										
Total/NA	Prep	7470A			50 mL	50 mL	336413	11/09/20 11:19	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:40	KEM	TAL PIT
Instrument ID: HGZ										
Total/NA	Analysis	EPA 9040C		1			337985	11/20/20 09:52	AVS	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	336449	11/09/20 17:04	GRB	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			999.35 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492288	12/17/20 18:40	SCB	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			999.35 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:50	SCB	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-BK-2

Lab Sample ID: 180-113224-2

Date Collected: 11/03/20 12:45

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			337126	11/14/20 23:05	SAT	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337118	11/13/20 13:44	RSK	TAL PIT
Instrument ID: A										
Total/NA	Prep	7470A			50 mL	50 mL	336413	11/09/20 11:19	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:43	KEM	TAL PIT
Instrument ID: HGZ										
Total/NA	Analysis	EPA 9040C		1			338411	11/24/20 22:28	PMH	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	336449	11/09/20 17:04	GRB	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			1000.46 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492288	12/17/20 18:41	SCB	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			1000.46 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:50	SCB	TAL SL
Instrument ID: GFPCPURPLE										

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-BK-2

Lab Sample ID: 180-113224-2

Date Collected: 11/03/20 12:45

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL

Client Sample ID: CCR-LF-1

Lab Sample ID: 180-113224-3

Date Collected: 11/04/20 13:30

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		1			337126	11/14/20 20:42	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		10			337126	11/14/20 20:58	SAT	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			337118	11/13/20 13:47	RSK	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			336710	11/10/20 17:21	KEM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			337985	11/20/20 09:52	AVS	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	336756	11/11/20 13:03	GRB	TAL PIT
Total/NA	Prep	PrecSep-21			1000.54 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCBLUE		1			492288	12/17/20 18:41	SCB	TAL SL
Total/NA	Prep	PrecSep_0			1000.54 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCPURPLE		1			492312	12/17/20 08:50	SCB	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			492820	12/22/20 21:23	GRW	TAL SL

Client Sample ID: CCR-LF-2

Lab Sample ID: 180-113224-4

Date Collected: 11/04/20 14:55

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		10			337126	11/14/20 12:47	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		100			337126	11/14/20 13:03	SAT	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		25			337118	11/13/20 13:50	RSK	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			336710	11/10/20 17:21	KEM	TAL PIT

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-2

Lab Sample ID: 180-113224-4

Date Collected: 11/04/20 14:55

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9040C		1			337985	11/20/20 09:52	AVS	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	5 mL	100 mL	336756	11/11/20 13:03	GRB	TAL PIT
Total/NA	Prep	PrecSep-21			1000.17 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCBLUE		1			492288	12/17/20 18:42	SCB	TAL SL
Total/NA	Prep	PrecSep_0			1000.17 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCPURPLE		1			492312	12/17/20 08:51	SCB	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			492820	12/22/20 21:23	GRW	TAL SL

Client Sample ID: CCR-LF-3

Lab Sample ID: 180-113224-5

Date Collected: 11/04/20 15:50

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		2.5			337126	11/14/20 19:39	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		25			337126	11/14/20 19:55	SAT	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			337356	11/14/20 13:24	TAM	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			336710	11/10/20 17:24	KEM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			337985	11/20/20 09:52	AVS	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	50 mL	100 mL	336756	11/11/20 13:03	GRB	TAL PIT
Total/NA	Prep	PrecSep-21			1000.82 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			492301	12/17/20 19:11	CMM	TAL SL
Total/NA	Prep	PrecSep_0			1000.82 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCPURPLE		1			492312	12/17/20 08:51	SCB	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			492820	12/22/20 21:23	GRW	TAL SL

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-4

Lab Sample ID: 180-113224-6

Date Collected: 11/04/20 12:10

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		10			337126	11/14/20 13:51	SAT	TAL PIT
	Instrument ID: CHIC2100A									
Total/NA	Analysis	EPA 9056A		100			337126	11/14/20 14:06	SAT	TAL PIT
	Instrument ID: CHIC2100A									
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			336996	11/12/20 20:25	RSK	TAL PIT
	Instrument ID: A									
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		10			337118	11/13/20 14:14	RSK	TAL PIT
	Instrument ID: A									
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		10			337356	11/14/20 13:28	TAM	TAL PIT
	Instrument ID: A									
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:27	KEM	TAL PIT
	Instrument ID: HGZ									
Total/NA	Analysis	EPA 9040C		1			337985	11/20/20 09:52	AVS	TAL PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM 2540C		1	10 mL	100 mL	336760	11/11/20 13:31	GRB	TAL PIT
	Instrument ID: NOEQUIP									
Total/NA	Prep	PrecSep-21			999.57 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 19:11	CMM	TAL SL
	Instrument ID: GFPCRED									
Total/NA	Prep	PrecSep_0			999.57 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:51	SCB	TAL SL
	Instrument ID: GFPCPURPLE									
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
	Instrument ID: NOEQUIP									

Client Sample ID: CCR-LF-5

Lab Sample ID: 180-113224-7

Date Collected: 11/04/20 12:15

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		5			337126	11/14/20 17:01	SAT	TAL PIT
	Instrument ID: CHIC2100A									
Total/NA	Analysis	EPA 9056A		50			337126	11/14/20 17:17	SAT	TAL PIT
	Instrument ID: CHIC2100A									
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			336996	11/12/20 20:31	RSK	TAL PIT
	Instrument ID: A									
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337356	11/14/20 13:31	TAM	TAL PIT
	Instrument ID: A									

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-5

Lab Sample ID: 180-113224-7

Date Collected: 11/04/20 12:15

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:28	KEM	TAL PIT
Instrument ID: HGZ										
Total/NA	Analysis	EPA 9040C		1			337985	11/20/20 09:52	AVS	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	25 mL	100 mL	336759	11/11/20 13:21	GRB	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			1000.20 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 19:13	CMM	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.20 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:51	SCB	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-LF-6

Lab Sample ID: 180-113224-8

Date Collected: 11/04/20 13:05

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		2.5			337126	11/14/20 22:17	SAT	TAL PIT
Instrument ID: CHIC2100A										
Total/NA	Analysis	EPA 9056A		25			337126	11/14/20 22:33	SAT	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			336996	11/12/20 20:34	RSK	TAL PIT
Instrument ID: A										
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337356	11/14/20 13:35	TAM	TAL PIT
Instrument ID: A										
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:29	KEM	TAL PIT
Instrument ID: HGZ										
Total/NA	Analysis	EPA 9040C		1			337985	11/20/20 09:52	AVS	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	50 mL	100 mL	336759	11/11/20 13:21	GRB	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			1000.13 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 19:13	CMM	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.13 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:52	SCB	TAL SL
Instrument ID: GFPCPURPLE										

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-6

Lab Sample ID: 180-113224-8

Date Collected: 11/04/20 13:05

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL

Client Sample ID: BLIND DUPLICATE 2

Lab Sample ID: 180-113224-9

Date Collected: 11/04/20 00:00

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		2.5			337126	11/14/20 20:11	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		25			337126	11/14/20 20:27	SAT	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			336996	11/12/20 20:37	RSK	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			337356	11/14/20 13:38	TAM	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			336710	11/10/20 17:30	KEM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			337985	11/20/20 09:52	AVS	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	50 mL	100 mL	336759	11/11/20 13:21	GRB	TAL PIT
Total/NA	Prep	PrecSep-21			999.78 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			492301	12/17/20 19:13	CMM	TAL SL
Total/NA	Prep	PrecSep_0			999.78 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCPURPLE		1			492312	12/17/20 08:52	SCB	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			492820	12/22/20 21:23	GRW	TAL SL

Client Sample ID: FIELD BLANK 2

Lab Sample ID: 180-113224-10

Date Collected: 11/04/20 13:00

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		1			337126	11/14/20 21:46	SAT	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			336996	11/12/20 20:40	RSK	TAL PIT

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: FIELD BLANK 2

Lab Sample ID: 180-113224-10

Date Collected: 11/04/20 13:00

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337356	11/14/20 13:42	TAM	TAL PIT
		Instrument ID: A								
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:31	KEM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			337985	11/20/20 09:52	AVS	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	336759	11/11/20 13:21	GRB	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			999.30 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 19:14	CMM	TAL SL
		Instrument ID: GFPCRED								
Total/NA	Prep	PrecSep_0			999.30 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:52	SCB	TAL SL
		Instrument ID: GFPCPURPLE								
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
		Instrument ID: NOEQUIP								

Client Sample ID: CCR-AP-3I

Lab Sample ID: 180-113224-11

Date Collected: 11/04/20 16:35

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			337126	11/14/20 14:22	SAT	TAL PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			336996	11/12/20 20:43	RSK	TAL PIT
		Instrument ID: A								
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337356	11/14/20 13:45	TAM	TAL PIT
		Instrument ID: A								
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:32	KEM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			337985	11/20/20 09:52	AVS	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	336759	11/11/20 13:21	GRB	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			1000.14 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 19:14	CMM	TAL SL
		Instrument ID: GFPCRED								
Total/NA	Prep	PrecSep_0			1000.14 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:52	SCB	TAL SL
		Instrument ID: GFPCPURPLE								

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-3I
Date Collected: 11/04/20 16:35
Date Received: 11/05/20 08:30

Lab Sample ID: 180-113224-11
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL

Client Sample ID: CCR-AP-3R
Date Collected: 11/04/20 15:25
Date Received: 11/05/20 08:30

Lab Sample ID: 180-113224-12
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		5			337126	11/14/20 15:57	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		50			337126	11/14/20 16:13	SAT	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			336996	11/12/20 20:46	RSK	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		10			337356	11/14/20 13:49	TAM	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			336710	11/10/20 17:33	KEM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			338411	11/24/20 22:30	PMH	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	25 mL	100 mL	336759	11/11/20 13:21	GRB	TAL PIT
Total/NA	Prep	PrecSep-21			999.74 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCRED		1			492301	12/17/20 19:14	CMM	TAL SL
Total/NA	Prep	PrecSep_0			999.74 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCPURPLE		1			492312	12/17/20 08:52	SCB	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			492820	12/22/20 21:23	GRW	TAL SL

Client Sample ID: CCR-AP-6
Date Collected: 11/04/20 10:40
Date Received: 11/05/20 08:30

Lab Sample ID: 180-113224-13
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		2.5			337126	11/14/20 18:36	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		25			337126	11/14/20 18:52	SAT	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			336996	11/12/20 20:59	RSK	TAL PIT

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-6

Lab Sample ID: 180-113224-13

Date Collected: 11/04/20 10:40

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		2			337356	11/14/20 14:11	TAM	TAL PIT
		Instrument ID: A								
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:34	KEM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			338411	11/24/20 22:31	PMH	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	50 mL	100 mL	336759	11/11/20 13:21	GRB	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			1000.05 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 19:14	CMM	TAL SL
		Instrument ID: GFPCRED								
Total/NA	Prep	PrecSep_0			1000.05 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:52	SCB	TAL SL
		Instrument ID: GFPCPURPLE								
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
		Instrument ID: NOEQUIP								

Client Sample ID: CCR-AP-7R

Lab Sample ID: 180-113224-14

Date Collected: 11/03/20 17:30

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		5			337126	11/14/20 16:29	SAT	TAL PIT
		Instrument ID: CHIC2100A								
Total/NA	Analysis	EPA 9056A		50			337126	11/14/20 16:45	SAT	TAL PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			336996	11/12/20 21:11	RSK	TAL PIT
		Instrument ID: A								
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337356	11/14/20 14:14	TAM	TAL PIT
		Instrument ID: A								
Total/NA	Prep	7470A			50 mL	50 mL	336413	11/09/20 11:19	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:44	KEM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			338411	11/24/20 22:31	PMH	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	25 mL	100 mL	336450	11/09/20 17:11	GRB	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			999.76 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 19:14	CMM	TAL SL
		Instrument ID: GFPCRED								

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-7R

Lab Sample ID: 180-113224-14

Date Collected: 11/03/20 17:30

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			999.76 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:52	SCB	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-AP-8

Lab Sample ID: 180-113224-15

Date Collected: 11/04/20 17:00

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		2.5			337126	11/14/20 19:07	SAT	TAL PIT
Instrument ID: CHIC2100A										
Total/NA	Analysis	EPA 9056A		25			337126	11/14/20 19:23	SAT	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			336996	11/12/20 21:23	RSK	TAL PIT
Instrument ID: A										
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337356	11/14/20 14:18	TAM	TAL PIT
Instrument ID: A										
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:35	KEM	TAL PIT
Instrument ID: HGZ										
Total/NA	Analysis	EPA 9040C		1			338411	11/24/20 22:32	PMH	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	50 mL	100 mL	336759	11/11/20 13:21	GRB	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			999.94 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 19:17	CMM	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			999.94 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:53	SCB	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-AP-9

Lab Sample ID: 180-113224-16

Date Collected: 11/04/20 14:25

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		10			337126	11/14/20 15:26	SAT	TAL PIT
Instrument ID: CHIC2100A										

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-9

Lab Sample ID: 180-113224-16

Date Collected: 11/04/20 14:25

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		100			337126	11/14/20 15:42	SAT	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			336996	11/12/20 21:32	RSK	TAL PIT
		Instrument ID: A								
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		2			337118	11/13/20 15:00	RSK	TAL PIT
		Instrument ID: A								
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:12	KEM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			338411	11/24/20 22:37	PMH	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	20 mL	100 mL	336759	11/11/20 13:21	GRB	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			999.74 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 21:03	CMM	TAL SL
		Instrument ID: GFPCRED								
Total/NA	Prep	PrecSep_0			999.74 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:53	SCB	TAL SL
		Instrument ID: GFPCPURPLE								
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
		Instrument ID: NOEQUIP								

Client Sample ID: BLIND DUPLICATE 1

Lab Sample ID: 180-113224-17

Date Collected: 11/04/20 00:00

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			337126	11/14/20 17:32	SAT	TAL PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			336996	11/12/20 21:45	RSK	TAL PIT
		Instrument ID: A								
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337118	11/13/20 15:12	RSK	TAL PIT
		Instrument ID: A								
Total/NA	Prep	7470A			50 mL	50 mL	336408	11/09/20 10:40	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:13	KEM	TAL PIT
		Instrument ID: HGZ								
Total/NA	Analysis	EPA 9040C		1			338411	11/24/20 22:33	PMH	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	336760	11/11/20 13:31	GRB	TAL PIT
		Instrument ID: NOEQUIP								

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: BLIND DUPLICATE 1

Lab Sample ID: 180-113224-17

Date Collected: 11/04/20 00:00

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			999.68 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 21:04	CMM	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			999.68 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492312	12/17/20 08:53	SCB	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: FIELD BLANK 1

Lab Sample ID: 180-113224-18

Date Collected: 11/03/20 14:00

Matrix: Water

Date Received: 11/05/20 08:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			337126	11/14/20 22:02	SAT	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			336996	11/12/20 21:48	RSK	TAL PIT
Instrument ID: A										
Total Recoverable	Prep	3005A			50 mL	50 mL	336521	11/10/20 08:10	KHM	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337118	11/13/20 15:15	RSK	TAL PIT
Instrument ID: A										
Total/NA	Prep	7470A			50 mL	50 mL	336413	11/09/20 11:19	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336710	11/10/20 17:45	KEM	TAL PIT
Instrument ID: HGZ										
Total/NA	Analysis	EPA 9040C		1			338411	11/24/20 22:34	PMH	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	336449	11/09/20 17:04	GRB	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			999.14 mL	1.0 g	489954	11/23/20 08:44	KMP	TAL SL
Total/NA	Analysis	9315		1			492301	12/17/20 21:04	CMM	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			999.14 mL	1.0 g	489958	11/23/20 09:42	KMP	TAL SL
Total/NA	Analysis	9320		1			492288	12/17/20 08:54	SCB	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			492820	12/22/20 21:23	GRW	TAL SL
Instrument ID: NOEQUIP										

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Analyst References:

Lab: TAL PIT

Batch Type: Prep

KHM = Kyle Mucroski

MM1 = Mary Beth Miller

Batch Type: Analysis

AVS = Abbey Smith

GRB = Gabriel Berghe

KEM = Kimberly Mahoney

PMH = Paloma Hoelzle

RSK = Robert Kurtz

SAT = Stephen Tallam

TAM = Tessa Mastalski

Lab: TAL SL

Batch Type: Prep

KMP = Karen Phillips

Batch Type: Analysis

CMM = Chelsea Mazariegos

GRW = George Witt

SCB = Sarah Bernsen

1

2

3

4

5

6

7

8

9

10

11

12

13

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-BK-1R

Lab Sample ID: 180-113224-1

Date Collected: 11/03/20 14:10

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.2		1.0	0.32	mg/L			11/14/20 22:49	1
Fluoride	0.36		0.10	0.044	mg/L			11/14/20 22:49	1
Sulfate	30		1.0	0.38	mg/L			11/14/20 22:49	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		11/10/20 08:10	11/13/20 13:41	1
Boron	ND		0.080	0.039	mg/L		11/10/20 08:10	11/13/20 13:41	1
Barium	0.037		0.010	0.0016	mg/L		11/10/20 08:10	11/13/20 13:41	1
Beryllium	ND		0.0010	0.00018	mg/L		11/10/20 08:10	11/13/20 13:41	1
Calcium	59		0.50	0.13	mg/L		11/10/20 08:10	11/13/20 13:41	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/13/20 13:41	1
Cobalt	0.00013	J	0.00050	0.00013	mg/L		11/10/20 08:10	11/13/20 13:41	1
Chromium	0.0019	J	0.0020	0.0015	mg/L		11/10/20 08:10	11/13/20 13:41	1
Molybdenum	0.00096	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/13/20 13:41	1
Lead	0.00020	J	0.0010	0.00013	mg/L		11/10/20 08:10	11/13/20 13:41	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/13/20 13:41	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/13/20 13:41	1
Thallium	0.00027	J	0.0010	0.00015	mg/L		11/10/20 08:10	11/13/20 13:41	1
Lithium	ND		0.0050	0.0034	mg/L		11/10/20 08:10	11/13/20 13:41	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	F1 ^ *	0.00020	0.00013	mg/L		11/09/20 11:19	11/10/20 17:40	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	310		10	10	mg/L			11/09/20 17:04	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.4	HF	0.1	0.1	SU			11/20/20 09:52	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0680	U	0.156	0.156	1.00	0.286	pCi/L	11/23/20 08:44	12/17/20 18:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	119	X	40 - 110					11/23/20 08:44	12/17/20 18:40	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.287	U	0.210	0.211	1.00	0.329	pCi/L	11/23/20 09:42	12/17/20 08:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	119	X	40 - 110					11/23/20 09:42	12/17/20 08:50	1
Y Carrier	107		40 - 110					11/23/20 09:42	12/17/20 08:50	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-BK-1R

Lab Sample ID: 180-113224-1

Date Collected: 11/03/20 14:10

Matrix: Water

Date Received: 11/05/20 08:30

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.355		0.262	0.262	5.00	0.329	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-BK-2

Lab Sample ID: 180-113224-2

Date Collected: 11/03/20 12:45

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19		1.0	0.32	mg/L			11/14/20 23:05	1
Fluoride	0.15		0.10	0.044	mg/L			11/14/20 23:05	1
Sulfate	23		1.0	0.38	mg/L			11/14/20 23:05	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		11/10/20 08:10	11/13/20 13:44	1
Boron	ND		0.080	0.039	mg/L		11/10/20 08:10	11/13/20 13:44	1
Barium	0.033		0.010	0.0016	mg/L		11/10/20 08:10	11/13/20 13:44	1
Beryllium	ND		0.0010	0.00018	mg/L		11/10/20 08:10	11/13/20 13:44	1
Calcium	42		0.50	0.13	mg/L		11/10/20 08:10	11/13/20 13:44	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/13/20 13:44	1
Cobalt	ND		0.00050	0.00013	mg/L		11/10/20 08:10	11/13/20 13:44	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/13/20 13:44	1
Molybdenum	ND		0.0050	0.00061	mg/L		11/10/20 08:10	11/13/20 13:44	1
Lead	0.00017	J	0.0010	0.00013	mg/L		11/10/20 08:10	11/13/20 13:44	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/13/20 13:44	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/13/20 13:44	1
Thallium	0.00018	J	0.0010	0.00015	mg/L		11/10/20 08:10	11/13/20 13:44	1
Lithium	ND		0.0050	0.0034	mg/L		11/10/20 08:10	11/13/20 13:44	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^ *	0.00020	0.00013	mg/L		11/09/20 11:19	11/10/20 17:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	240		10	10	mg/L			11/09/20 17:04	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.2	HF	0.1	0.1	SU			11/24/20 22:28	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.125	U	0.190	0.190	1.00	0.424	pCi/L	11/23/20 08:44	12/17/20 18:41	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	153	X	40 - 110	11/23/20 08:44	12/17/20 18:41	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-BK-2

Lab Sample ID: 180-113224-2

Date Collected: 11/03/20 12:45

Matrix: Water

Date Received: 11/05/20 08:30

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.185	U	0.216	0.217	1.00	0.356	pCi/L	11/23/20 09:42	12/17/20 08:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	153	X	40 - 110					11/23/20 09:42	12/17/20 08:50	1
Y Carrier	107		40 - 110					11/23/20 09:42	12/17/20 08:50	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0601	U	0.288	0.288	5.00	0.424	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-LF-1

Lab Sample ID: 180-113224-3

Date Collected: 11/04/20 13:30

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22		1.0	0.32	mg/L			11/14/20 20:42	1
Fluoride	0.27		0.10	0.044	mg/L			11/14/20 20:42	1
Sulfate	1100		10	3.8	mg/L			11/14/20 20:58	10

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00039	J	0.0010	0.00031	mg/L		11/10/20 08:10	11/13/20 13:47	1
Boron	0.049	J	0.080	0.039	mg/L		11/10/20 08:10	11/13/20 13:47	1
Barium	0.033		0.010	0.0016	mg/L		11/10/20 08:10	11/13/20 13:47	1
Beryllium	ND		0.0010	0.00018	mg/L		11/10/20 08:10	11/13/20 13:47	1
Calcium	300		0.50	0.13	mg/L		11/10/20 08:10	11/13/20 13:47	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/13/20 13:47	1
Cobalt	ND		0.00050	0.00013	mg/L		11/10/20 08:10	11/13/20 13:47	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/13/20 13:47	1
Molybdenum	0.00079	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/13/20 13:47	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/13/20 13:47	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/13/20 13:47	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/13/20 13:47	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/13/20 13:47	1
Lithium	0.0056		0.0050	0.0034	mg/L		11/10/20 08:10	11/13/20 13:47	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:21	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1800		10	10	mg/L			11/11/20 13:03	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.1	HF	0.1	0.1	SU			11/20/20 09:52	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-1

Lab Sample ID: 180-113224-3

Date Collected: 11/04/20 13:30

Matrix: Water

Date Received: 11/05/20 08:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.386		0.220	0.222	1.00	0.288	pCi/L	11/23/20 08:44	12/17/20 18:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	104		40 - 110					11/23/20 08:44	12/17/20 18:41	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0196	U	0.209	0.209	1.00	0.371	pCi/L	11/23/20 09:42	12/17/20 08:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	104		40 - 110					11/23/20 09:42	12/17/20 08:50	1
Y Carrier	87.5		40 - 110					11/23/20 09:42	12/17/20 08:50	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.406		0.303	0.305	5.00	0.371	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-LF-2

Lab Sample ID: 180-113224-4

Date Collected: 11/04/20 14:55

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	360		10	3.2	mg/L			11/14/20 12:47	10
Fluoride	ND		1.0	0.44	mg/L			11/14/20 12:47	10
Sulfate	14000		100	38	mg/L			11/14/20 13:03	100

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.025	0.0078	mg/L		11/10/20 08:10	11/13/20 13:50	25
Boron	4.7	F1	2.0	0.97	mg/L		11/10/20 08:10	11/13/20 13:50	25
Barium	ND	F1	0.25	0.040	mg/L		11/10/20 08:10	11/13/20 13:50	25
Beryllium	ND		0.025	0.0046	mg/L		11/10/20 08:10	11/13/20 13:50	25
Calcium	400		13	3.2	mg/L		11/10/20 08:10	11/13/20 13:50	25
Cadmium	ND		0.025	0.0054	mg/L		11/10/20 08:10	11/13/20 13:50	25
Cobalt	0.012	J	0.013	0.0034	mg/L		11/10/20 08:10	11/13/20 13:50	25
Chromium	ND		0.050	0.038	mg/L		11/10/20 08:10	11/13/20 13:50	25
Molybdenum	ND		0.13	0.015	mg/L		11/10/20 08:10	11/13/20 13:50	25
Lead	ND		0.025	0.0032	mg/L		11/10/20 08:10	11/13/20 13:50	25
Antimony	ND		0.050	0.0095	mg/L		11/10/20 08:10	11/13/20 13:50	25
Selenium	ND		0.13	0.038	mg/L		11/10/20 08:10	11/13/20 13:50	25
Thallium	ND		0.025	0.0037	mg/L		11/10/20 08:10	11/13/20 13:50	25
Lithium	ND		0.13	0.085	mg/L		11/10/20 08:10	11/13/20 13:50	25

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-2

Lab Sample ID: 180-113224-4

Date Collected: 11/04/20 14:55

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:21	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	23000		200	200	mg/L			11/11/20 13:03	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.7	HF	0.1	0.1	SU			11/20/20 09:52	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.461		0.279	0.282	1.00	0.392	pCi/L	11/23/20 08:44	12/17/20 18:42	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	117	X	40 - 110					11/23/20 08:44	12/17/20 18:42	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.74		0.302	0.342	1.00	0.312	pCi/L	11/23/20 09:42	12/17/20 08:51	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	117	X	40 - 110					11/23/20 09:42	12/17/20 08:51	1
Y Carrier	106		40 - 110					11/23/20 09:42	12/17/20 08:51	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.20		0.411	0.443	5.00	0.392	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-LF-3

Lab Sample ID: 180-113224-5

Date Collected: 11/04/20 15:50

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	32		2.5	0.80	mg/L			11/14/20 19:39	2.5
Fluoride	0.14	J	0.25	0.11	mg/L			11/14/20 19:39	2.5
Sulfate	1500		25	9.5	mg/L			11/14/20 19:55	25

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		11/10/20 08:10	11/14/20 13:24	1
Boron	0.17		0.080	0.039	mg/L		11/10/20 08:10	11/14/20 13:24	1
Barium	0.019		0.010	0.0016	mg/L		11/10/20 08:10	11/14/20 13:24	1
Beryllium	ND		0.0010	0.00018	mg/L		11/10/20 08:10	11/14/20 13:24	1
Calcium	370		0.50	0.13	mg/L		11/10/20 08:10	11/14/20 13:24	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/14/20 13:24	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-3

Lab Sample ID: 180-113224-5

Date Collected: 11/04/20 15:50

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	ND		0.00050	0.00013	mg/L		11/10/20 08:10	11/14/20 13:24	1
Chromium	0.0020		0.0020	0.0015	mg/L		11/10/20 08:10	11/14/20 13:24	1
Molybdenum	0.0014	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/14/20 13:24	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/14/20 13:24	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/14/20 13:24	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/14/20 13:24	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/14/20 13:24	1
Lithium	ND		0.0050	0.0034	mg/L		11/10/20 08:10	11/14/20 13:24	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:24	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	2600		20	20	mg/L			11/11/20 13:03	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.3	HF	0.1	0.1	SU			11/20/20 09:52	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.00814	U	0.141	0.141	1.00	0.290	pCi/L	11/23/20 08:44	12/17/20 19:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	163	X	40 - 110					11/23/20 08:44	12/17/20 19:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.214	U	0.199	0.200	1.00	0.321	pCi/L	11/23/20 09:42	12/17/20 08:51	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	163	X	40 - 110					11/23/20 09:42	12/17/20 08:51	1
Y Carrier	111	X	40 - 110					11/23/20 09:42	12/17/20 08:51	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.222	U	0.244	0.245	5.00	0.321	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-LF-4

Lab Sample ID: 180-113224-6

Date Collected: 11/04/20 12:10

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	130		10	3.2	mg/L			11/14/20 13:51	10

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-4

Lab Sample ID: 180-113224-6

Date Collected: 11/04/20 12:10

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		1.0	0.44	mg/L			11/14/20 13:51	10
Sulfate	7800		100	38	mg/L			11/14/20 14:06	100

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.020		0.010	0.0031	mg/L		11/10/20 08:10	11/13/20 14:14	10
Boron	ND		0.80	0.39	mg/L		11/10/20 08:10	11/14/20 13:28	10
Barium	0.013		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 20:25	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 20:25	1
Calcium	370		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 20:25	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 20:25	1
Cobalt	0.00089		0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 20:25	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 20:25	1
Molybdenum	0.023		0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 20:25	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 20:25	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 20:25	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 20:25	1
Thallium	0.00020	J	0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 20:25	1
Lithium	0.069		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 20:25	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	9300		100	100	mg/L			11/11/20 13:31	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.9	HF	0.1	0.1	SU			11/20/20 09:52	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.13		0.368	0.381	1.00	0.386	pCi/L	11/23/20 08:44	12/17/20 19:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	207	X	40 - 110					11/23/20 08:44	12/17/20 19:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.976		0.273	0.287	1.00	0.355	pCi/L	11/23/20 09:42	12/17/20 08:51	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	207	X	40 - 110					11/23/20 09:42	12/17/20 08:51	1
Y Carrier	115	X	40 - 110					11/23/20 09:42	12/17/20 08:51	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-4

Lab Sample ID: 180-113224-6

Date Collected: 11/04/20 12:10

Matrix: Water

Date Received: 11/05/20 08:30

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.10		0.458	0.477	5.00	0.386	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-LF-5

Lab Sample ID: 180-113224-7

Date Collected: 11/04/20 12:15

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	350		5.0	1.6	mg/L			11/14/20 17:01	5
Fluoride	ND		0.50	0.22	mg/L			11/14/20 17:01	5
Sulfate	2700		50	19	mg/L			11/14/20 17:17	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00043	J	0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 20:31	1
Boron	1.4		0.080	0.039	mg/L		11/10/20 08:10	11/14/20 13:31	1
Barium	0.025		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 20:31	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 20:31	1
Calcium	460		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 20:31	1
Cadmium	0.00028	J	0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 20:31	1
Cobalt	0.00018	J	0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 20:31	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 20:31	1
Molybdenum	0.00081	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 20:31	1
Lead	0.00017	J	0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 20:31	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 20:31	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 20:31	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 20:31	1
Lithium	0.022		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 20:31	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00013	J ^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:28	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	4800		40	40	mg/L			11/11/20 13:21	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.2	HF	0.1	0.1	SU			11/20/20 09:52	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0351	U	0.157	0.157	1.00	0.314	pCi/L	11/23/20 08:44	12/17/20 19:13	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	182	X	40 - 110	11/23/20 08:44	12/17/20 19:13	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-5

Lab Sample ID: 180-113224-7

Date Collected: 11/04/20 12:15

Matrix: Water

Date Received: 11/05/20 08:30

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0122	U	0.198	0.198	1.00	0.349	pCi/L	11/23/20 09:42	12/17/20 08:51	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	182	X	40 - 110					11/23/20 09:42	12/17/20 08:51	1
Y Carrier	109		40 - 110					11/23/20 09:42	12/17/20 08:51	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0473	U	0.253	0.253	5.00	0.349	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-LF-6

Lab Sample ID: 180-113224-8

Date Collected: 11/04/20 13:05

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	59		2.5	0.80	mg/L			11/14/20 22:17	2.5
Fluoride	0.20	J	0.25	0.11	mg/L			11/14/20 22:17	2.5
Sulfate	1000		25	9.5	mg/L			11/14/20 22:33	25

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00044	J	0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 20:34	1
Boron	0.93		0.080	0.039	mg/L		11/10/20 08:10	11/14/20 13:35	1
Barium	0.024		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 20:34	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 20:34	1
Calcium	340		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 20:34	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 20:34	1
Cobalt	0.00033	J	0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 20:34	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 20:34	1
Molybdenum	0.00079	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 20:34	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 20:34	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 20:34	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 20:34	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 20:34	1
Lithium	0.023		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 20:34	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:29	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	2000		20	20	mg/L			11/11/20 13:21	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.2	HF	0.1	0.1	SU			11/20/20 09:52	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-LF-6

Lab Sample ID: 180-113224-8

Date Collected: 11/04/20 13:05

Matrix: Water

Date Received: 11/05/20 08:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0304	U	0.148	0.148	1.00	0.288	pCi/L	11/23/20 08:44	12/17/20 19:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	131	X	40 - 110					11/23/20 08:44	12/17/20 19:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.161	U	0.195	0.195	1.00	0.321	pCi/L	11/23/20 09:42	12/17/20 08:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	131	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1
Y Carrier	108		40 - 110					11/23/20 09:42	12/17/20 08:52	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.191	U	0.245	0.245	5.00	0.321	pCi/L		12/22/20 21:23	1

Client Sample ID: BLIND DUPLICATE 2

Lab Sample ID: 180-113224-9

Date Collected: 11/04/20 00:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	59		2.5	0.80	mg/L			11/14/20 20:11	2.5
Fluoride	0.33		0.25	0.11	mg/L			11/14/20 20:11	2.5
Sulfate	1100		25	9.5	mg/L			11/14/20 20:27	25

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00044	J	0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 20:37	1
Boron	0.97		0.080	0.039	mg/L		11/10/20 08:10	11/14/20 13:38	1
Barium	0.024		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 20:37	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 20:37	1
Calcium	340		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 20:37	1
Cadmium	0.00024	J	0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 20:37	1
Cobalt	0.00038	J	0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 20:37	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 20:37	1
Molybdenum	0.00093	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 20:37	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 20:37	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 20:37	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 20:37	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 20:37	1
Lithium	0.024		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 20:37	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: BLIND DUPLICATE 2

Lab Sample ID: 180-113224-9

Date Collected: 11/04/20 00:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:30	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	2000		20	20	mg/L			11/11/20 13:21	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.2	HF	0.1	0.1	SU			11/20/20 09:52	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.198	U	0.169	0.170	1.00	0.250	pCi/L	11/23/20 08:44	12/17/20 19:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	122	X	40 - 110					11/23/20 08:44	12/17/20 19:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0646	U	0.174	0.174	1.00	0.302	pCi/L	11/23/20 09:42	12/17/20 08:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	122	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1
Y Carrier	112	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.262	U	0.243	0.243	5.00	0.302	pCi/L		12/22/20 21:23	1

Client Sample ID: FIELD BLANK 2

Lab Sample ID: 180-113224-10

Date Collected: 11/04/20 13:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			11/14/20 21:46	1
Fluoride	ND		0.10	0.044	mg/L			11/14/20 21:46	1
Sulfate	ND		1.0	0.38	mg/L			11/14/20 21:46	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 20:40	1
Boron	0.041	J	0.080	0.039	mg/L		11/10/20 08:10	11/14/20 13:42	1
Barium	ND		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 20:40	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 20:40	1
Calcium	ND		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 20:40	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 20:40	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: FIELD BLANK 2

Lab Sample ID: 180-113224-10

Date Collected: 11/04/20 13:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	ND		0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 20:40	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 20:40	1
Molybdenum	ND		0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 20:40	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 20:40	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 20:40	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 20:40	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 20:40	1
Lithium	ND		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 20:40	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:31	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			11/11/20 13:21	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.9	HF	0.1	0.1	SU			11/20/20 09:52	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0139	U	0.118	0.118	1.00	0.262	pCi/L	11/23/20 08:44	12/17/20 19:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	163	X	40 - 110					11/23/20 08:44	12/17/20 19:14	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.268	U	0.204	0.205	1.00	0.321	pCi/L	11/23/20 09:42	12/17/20 08:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	163	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1
Y Carrier	106		40 - 110					11/23/20 09:42	12/17/20 08:52	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.254	U	0.236	0.237	5.00	0.321	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-AP-3I

Lab Sample ID: 180-113224-11

Date Collected: 11/04/20 16:35

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	160		1.0	0.32	mg/L			11/14/20 14:22	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-3I

Lab Sample ID: 180-113224-11

Date Collected: 11/04/20 16:35

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	1.4		0.10	0.044	mg/L			11/14/20 14:22	1
Sulfate	11		1.0	0.38	mg/L			11/14/20 14:22	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0018		0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 20:43	1
Boron	2.3		0.080	0.039	mg/L		11/10/20 08:10	11/14/20 13:45	1
Barium	0.17		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 20:43	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 20:43	1
Calcium	21		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 20:43	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 20:43	1
Cobalt	0.00014	J	0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 20:43	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 20:43	1
Molybdenum	0.0025	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 20:43	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 20:43	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 20:43	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 20:43	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 20:43	1
Lithium	0.026		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 20:43	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:32	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	770		10	10	mg/L			11/11/20 13:21	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.1	HF	0.1	0.1	SU			11/20/20 09:52	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.349		0.222	0.224	1.00	0.291	pCi/L	11/23/20 08:44	12/17/20 19:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	204	X	40 - 110					11/23/20 08:44	12/17/20 19:14	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.518		0.225	0.230	1.00	0.323	pCi/L	11/23/20 09:42	12/17/20 08:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	204	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1
Y Carrier	111	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-3I

Lab Sample ID: 180-113224-11

Date Collected: 11/04/20 16:35

Matrix: Water

Date Received: 11/05/20 08:30

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Combined Radium 226 + 228	0.867		0.316	0.321	5.00	0.323	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-AP-3R

Lab Sample ID: 180-113224-12

Date Collected: 11/04/20 15:25

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	540		5.0	1.6	mg/L			11/14/20 15:57	5
Fluoride	1.3		0.50	0.22	mg/L			11/14/20 15:57	5
Sulfate	2800		50	19	mg/L			11/14/20 16:13	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 20:46	1
Boron	12		0.80	0.39	mg/L		11/10/20 08:10	11/14/20 13:49	10
Barium	0.014		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 20:46	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 20:46	1
Calcium	210		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 20:46	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 20:46	1
Cobalt	0.00088		0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 20:46	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 20:46	1
Molybdenum	0.89		0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 20:46	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 20:46	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 20:46	1
Selenium	0.040		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 20:46	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 20:46	1
Lithium	0.063		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 20:46	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:33	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	5300		40	40	mg/L			11/11/20 13:21	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.5	HF	0.1	0.1	SU			11/24/20 22:30	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Radium-226	0.0380	U	0.139	0.139	1.00	0.272	pCi/L	11/23/20 08:44	12/17/20 19:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	193	X	40 - 110					11/23/20 08:44	12/17/20 19:14	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-3R

Lab Sample ID: 180-113224-12

Date Collected: 11/04/20 15:25

Matrix: Water

Date Received: 11/05/20 08:30

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.252	U	0.201	0.203	1.00	0.318	pCi/L	11/23/20 09:42	12/17/20 08:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	193	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1
Y Carrier	108		40 - 110					11/23/20 09:42	12/17/20 08:52	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.290	U	0.244	0.246	5.00	0.318	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-AP-6

Lab Sample ID: 180-113224-13

Date Collected: 11/04/20 10:40

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	280		2.5	0.80	mg/L			11/14/20 18:36	2.5
Fluoride	0.16	J	0.25	0.11	mg/L			11/14/20 18:36	2.5
Sulfate	1400		25	9.5	mg/L			11/14/20 18:52	25

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0011		0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 20:59	1
Boron	5.9		0.16	0.077	mg/L		11/10/20 08:10	11/14/20 14:11	2
Barium	0.011		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 20:59	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 20:59	1
Calcium	270		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 20:59	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 20:59	1
Cobalt	0.00044	J	0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 20:59	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 20:59	1
Molybdenum	0.0043	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 20:59	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 20:59	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 20:59	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 20:59	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 20:59	1
Lithium	0.027		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 20:59	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	2700		20	20	mg/L			11/11/20 13:21	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.2	HF	0.1	0.1	SU			11/24/20 22:31	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-6

Lab Sample ID: 180-113224-13

Date Collected: 11/04/20 10:40

Matrix: Water

Date Received: 11/05/20 08:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0144	U	0.142	0.142	1.00	0.289	pCi/L	11/23/20 08:44	12/17/20 19:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	170	X	40 - 110					11/23/20 08:44	12/17/20 19:14	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0765	U	0.175	0.175	1.00	0.302	pCi/L	11/23/20 09:42	12/17/20 08:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	170	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1
Y Carrier	119	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0909	U	0.225	0.225	5.00	0.302	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-AP-7R

Lab Sample ID: 180-113224-14

Date Collected: 11/03/20 17:30

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	330		5.0	1.6	mg/L			11/14/20 16:29	5
Fluoride	ND		0.50	0.22	mg/L			11/14/20 16:29	5
Sulfate	3100		50	19	mg/L			11/14/20 16:45	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00087	J	0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 21:11	1
Boron	3.8		0.080	0.039	mg/L		11/10/20 08:10	11/14/20 14:14	1
Barium	0.032		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 21:11	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 21:11	1
Calcium	410		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 21:11	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 21:11	1
Cobalt	0.00053		0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 21:11	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 21:11	1
Molybdenum	ND		0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 21:11	1
Lead	0.00040	J	0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 21:11	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 21:11	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 21:11	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 21:11	1
Lithium	0.021		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 21:11	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-7R

Lab Sample ID: 180-113224-14

Date Collected: 11/03/20 17:30

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^ *	0.00020	0.00013	mg/L		11/09/20 11:19	11/10/20 17:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	4800		40	40	mg/L			11/09/20 17:11	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.7	HF	0.1	0.1	SU			11/24/20 22:31	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.00614	U	0.121	0.121	1.00	0.257	pCi/L	11/23/20 08:44	12/17/20 19:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	164	X	40 - 110					11/23/20 08:44	12/17/20 19:14	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.389		0.227	0.230	1.00	0.346	pCi/L	11/23/20 09:42	12/17/20 08:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	164	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1
Y Carrier	115	X	40 - 110					11/23/20 09:42	12/17/20 08:52	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.395		0.257	0.260	5.00	0.346	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-AP-8

Lab Sample ID: 180-113224-15

Date Collected: 11/04/20 17:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	100		2.5	0.80	mg/L			11/14/20 19:07	2.5
Fluoride	0.25		0.25	0.11	mg/L			11/14/20 19:07	2.5
Sulfate	1000		25	9.5	mg/L			11/14/20 19:23	25

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0015		0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 21:23	1
Boron	0.69		0.080	0.039	mg/L		11/10/20 08:10	11/14/20 14:18	1
Barium	0.065		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 21:23	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 21:23	1
Calcium	310		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 21:23	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 21:23	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-8

Lab Sample ID: 180-113224-15

Date Collected: 11/04/20 17:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	0.00046	J	0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 21:23	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 21:23	1
Molybdenum	0.00085	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 21:23	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 21:23	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 21:23	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 21:23	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 21:23	1
Lithium	0.016		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 21:23	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:35	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	2000		20	20	mg/L			11/11/20 13:21	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.0	HF	0.1	0.1	SU			11/24/20 22:32	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0798	U	0.151	0.151	1.00	0.270	pCi/L	11/23/20 08:44	12/17/20 19:17	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	139	X	40 - 110					11/23/20 08:44	12/17/20 19:17	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.256	U	0.207	0.208	1.00	0.329	pCi/L	11/23/20 09:42	12/17/20 08:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	139	X	40 - 110					11/23/20 09:42	12/17/20 08:53	1
Y Carrier	116	X	40 - 110					11/23/20 09:42	12/17/20 08:53	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.336		0.256	0.257	5.00	0.329	pCi/L		12/22/20 21:23	1

Client Sample ID: CCR-AP-9

Lab Sample ID: 180-113224-16

Date Collected: 11/04/20 14:25

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	670		10	3.2	mg/L			11/14/20 15:26	10

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-9

Lab Sample ID: 180-113224-16

Date Collected: 11/04/20 14:25

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		1.0	0.44	mg/L			11/14/20 15:26	10
Sulfate	3800		100	38	mg/L			11/14/20 15:42	100

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.027		0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 21:32	1
Boron	5.5		0.080	0.039	mg/L		11/10/20 08:10	11/12/20 21:32	1
Barium	0.090		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 21:32	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 21:32	1
Calcium	480		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 21:32	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 21:32	1
Cobalt	0.00022	J	0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 21:32	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 21:32	1
Molybdenum	0.0078		0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 21:32	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 21:32	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 21:32	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 21:32	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 21:32	1
Lithium	0.031		0.010	0.0068	mg/L		11/10/20 08:10	11/13/20 15:00	2

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:12	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	6800		50	50	mg/L			11/11/20 13:21	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.7	HF	0.1	0.1	SU			11/24/20 22:37	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.444		0.218	0.221	1.00	0.255	pCi/L	11/23/20 08:44	12/17/20 21:03	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	123	X	40 - 110					11/23/20 08:44	12/17/20 21:03	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.245	U	0.170	0.171	1.00	0.260	pCi/L	11/23/20 09:42	12/17/20 08:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	123	X	40 - 110					11/23/20 09:42	12/17/20 08:53	1
Y Carrier	114	X	40 - 110					11/23/20 09:42	12/17/20 08:53	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: CCR-AP-9

Lab Sample ID: 180-113224-16

Date Collected: 11/04/20 14:25

Matrix: Water

Date Received: 11/05/20 08:30

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Combined Radium 226 + 228	0.689		0.276	0.279	5.00	0.260	pCi/L		12/22/20 21:23	1

Client Sample ID: BLIND DUPLICATE 1

Lab Sample ID: 180-113224-17

Date Collected: 11/04/20 00:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	150		1.0	0.32	mg/L			11/14/20 17:32	1
Fluoride	1.4		0.10	0.044	mg/L			11/14/20 17:32	1
Sulfate	11		1.0	0.38	mg/L			11/14/20 17:32	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0020		0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 21:45	1
Boron	1.8		0.080	0.039	mg/L		11/10/20 08:10	11/12/20 21:45	1
Barium	0.17		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 21:45	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 21:45	1
Calcium	21		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 21:45	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 21:45	1
Cobalt	ND		0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 21:45	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 21:45	1
Molybdenum	0.0023	J	0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 21:45	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 21:45	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 21:45	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 21:45	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 21:45	1
Lithium	0.025		0.0050	0.0034	mg/L		11/10/20 08:10	11/13/20 15:12	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	760		10	10	mg/L			11/11/20 13:31	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.0	HF	0.1	0.1	SU			11/24/20 22:33	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Radium-226	-0.00679	U	0.171	0.171	1.00	0.353	pCi/L	11/23/20 08:44	12/17/20 21:04	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	265	X	40 - 110					11/23/20 08:44	12/17/20 21:04	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: BLIND DUPLICATE 1

Lab Sample ID: 180-113224-17

Date Collected: 11/04/20 00:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0532	U	0.155	0.156	1.00	0.272	pCi/L	11/23/20 09:42	12/17/20 08:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	265	X	40 - 110					11/23/20 09:42	12/17/20 08:53	1
Y Carrier	110		40 - 110					11/23/20 09:42	12/17/20 08:53	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0464	U	0.231	0.231	5.00	0.353	pCi/L		12/22/20 21:23	1

Client Sample ID: FIELD BLANK 1

Lab Sample ID: 180-113224-18

Date Collected: 11/03/20 14:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			11/14/20 22:02	1
Fluoride	ND		0.10	0.044	mg/L			11/14/20 22:02	1
Sulfate	ND		1.0	0.38	mg/L			11/14/20 22:02	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 21:48	1
Boron	0.13		0.080	0.039	mg/L		11/10/20 08:10	11/12/20 21:48	1
Barium	ND		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 21:48	1
Beryllium	ND	^	0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 21:48	1
Calcium	ND		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 21:48	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 21:48	1
Cobalt	ND		0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 21:48	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 21:48	1
Molybdenum	ND		0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 21:48	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 21:48	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 21:48	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 21:48	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 21:48	1
Lithium	ND		0.0050	0.0034	mg/L		11/10/20 08:10	11/13/20 15:15	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^ *	0.00020	0.00013	mg/L		11/09/20 11:19	11/10/20 17:45	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			11/09/20 17:04	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.8	HF	0.1	0.1	SU			11/24/20 22:34	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Client Sample ID: FIELD BLANK 1

Lab Sample ID: 180-113224-18

Date Collected: 11/03/20 14:00

Matrix: Water

Date Received: 11/05/20 08:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0518	U	0.149	0.149	1.00	0.283	pCi/L	11/23/20 08:44	12/17/20 21:04	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	218	X	40 - 110					11/23/20 08:44	12/17/20 21:04	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.117	U	0.183	0.183	1.00	0.308	pCi/L	11/23/20 09:42	12/17/20 08:54	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	218	X	40 - 110					11/23/20 09:42	12/17/20 08:54	1
Y Carrier	112	X	40 - 110					11/23/20 09:42	12/17/20 08:54	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.169	U	0.236	0.236	5.00	0.308	pCi/L		12/22/20 21:23	1

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Method: EPA 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 180-337126/6
Matrix: Water
Analysis Batch: 337126

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			11/14/20 09:17	1
Fluoride	ND		0.10	0.044	mg/L			11/14/20 09:17	1
Sulfate	ND		1.0	0.38	mg/L			11/14/20 09:17	1

Lab Sample ID: LCS 180-337126/5
Matrix: Water
Analysis Batch: 337126

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	49.5		mg/L		99	80 - 120
Fluoride	2.50	2.44		mg/L		98	80 - 120
Sulfate	50.0	49.5		mg/L		99	80 - 120

Lab Sample ID: 180-113224-4 MS
Matrix: Water
Analysis Batch: 337126

Client Sample ID: CCR-LF-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	360		5000	5250		mg/L		98	80 - 120
Fluoride	ND		250	243		mg/L		97	80 - 120
Sulfate	14000		5000	18600		mg/L		89	80 - 120

Lab Sample ID: 180-113224-4 MSD
Matrix: Water
Analysis Batch: 337126

Client Sample ID: CCR-LF-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	360		5000	5320		mg/L		99	80 - 120	1	15
Fluoride	ND		250	246		mg/L		98	80 - 120	1	15
Sulfate	14000		5000	18800		mg/L		93	80 - 120	1	15

Method: EPA 6020A - Metals (ICP/MS)

Lab Sample ID: MB 180-336521/1-A
Matrix: Water
Analysis Batch: 336996

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 336521

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND	^	0.0010	0.00031	mg/L		11/10/20 08:10	11/12/20 18:58	1
Barium	ND		0.010	0.0016	mg/L		11/10/20 08:10	11/12/20 18:58	1
Beryllium	ND		0.0010	0.00018	mg/L		11/10/20 08:10	11/12/20 18:58	1
Calcium	ND		0.50	0.13	mg/L		11/10/20 08:10	11/12/20 18:58	1
Cadmium	ND		0.0010	0.00022	mg/L		11/10/20 08:10	11/12/20 18:58	1
Cobalt	ND		0.00050	0.00013	mg/L		11/10/20 08:10	11/12/20 18:58	1
Chromium	ND		0.0020	0.0015	mg/L		11/10/20 08:10	11/12/20 18:58	1
Molybdenum	ND		0.0050	0.00061	mg/L		11/10/20 08:10	11/12/20 18:58	1
Lead	ND		0.0010	0.00013	mg/L		11/10/20 08:10	11/12/20 18:58	1
Antimony	ND		0.0020	0.00038	mg/L		11/10/20 08:10	11/12/20 18:58	1
Selenium	ND		0.0050	0.0015	mg/L		11/10/20 08:10	11/12/20 18:58	1
Thallium	ND		0.0010	0.00015	mg/L		11/10/20 08:10	11/12/20 18:58	1

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Method: EPA 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-336521/1-A
Matrix: Water
Analysis Batch: 336996

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 336521

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	ND		0.0050	0.0034	mg/L		11/10/20 08:10	11/12/20 18:58	1

Lab Sample ID: MB 180-336521/1-A
Matrix: Water
Analysis Batch: 337118

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 336521

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	ND		0.080	0.039	mg/L		11/10/20 08:10	11/13/20 13:16	1

Lab Sample ID: LCS 180-336521/2-A
Matrix: Water
Analysis Batch: 337118

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 336521

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Arsenic	1.00	1.04		mg/L		104	80 - 120
Boron	1.25	1.21		mg/L		97	80 - 120

Lab Sample ID: 180-113224-4 MS
Matrix: Water
Analysis Batch: 337118

Client Sample ID: CCR-LF-2
Prep Type: Total Recoverable
Prep Batch: 336521

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Arsenic	ND		1.00	1.09		mg/L		109	75 - 125
Boron	4.7	F1	1.25	6.03		mg/L		105	75 - 125
Barium	ND	F1	1.00	0.470	F1	mg/L		47	75 - 125
Beryllium	ND		0.500	0.519		mg/L		104	75 - 125
Calcium	400		25.0	436	4	mg/L		149	75 - 125
Cadmium	ND		0.500	0.496		mg/L		99	75 - 125
Cobalt	0.012	J	0.500	0.540		mg/L		105	75 - 125
Chromium	ND		0.500	0.493		mg/L		99	75 - 125
Molybdenum	ND		0.500	0.522		mg/L		104	75 - 125
Lead	ND		0.500	0.465		mg/L		93	75 - 125
Antimony	ND		0.250	0.249		mg/L		100	75 - 125
Selenium	ND		1.00	0.989		mg/L		99	75 - 125
Thallium	ND		1.00	1.02		mg/L		102	75 - 125
Lithium	ND		0.500	0.565		mg/L		113	75 - 125

Lab Sample ID: 180-113224-4 MSD
Matrix: Water
Analysis Batch: 337118

Client Sample ID: CCR-LF-2
Prep Type: Total Recoverable
Prep Batch: 336521

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Arsenic	ND		1.00	1.10		mg/L		110	75 - 125	1	20
Boron	4.7	F1	1.25	6.32	F1	mg/L		128	75 - 125	5	20
Barium	ND	F1	1.00	0.530	F1	mg/L		53	75 - 125	12	20
Beryllium	ND		0.500	0.516		mg/L		103	75 - 125	1	20
Calcium	400		25.0	437	4	mg/L		153	75 - 125	0	20
Cadmium	ND		0.500	0.517		mg/L		103	75 - 125	4	20
Cobalt	0.012	J	0.500	0.546		mg/L		107	75 - 125	1	20
Chromium	ND		0.500	0.501		mg/L		100	75 - 125	2	20

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Method: EPA 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: 180-113224-4 MSD
Matrix: Water
Analysis Batch: 337118

Client Sample ID: CCR-LF-2
Prep Type: Total Recoverable
Prep Batch: 336521

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Molybdenum	ND		0.500	0.517		mg/L		103	75 - 125	1	20
Lead	ND		0.500	0.476		mg/L		95	75 - 125	2	20
Antimony	ND		0.250	0.249		mg/L		100	75 - 125	0	20
Selenium	ND		1.00	1.02		mg/L		102	75 - 125	3	20
Thallium	ND		1.00	1.02		mg/L		102	75 - 125	0	20
Lithium	ND		0.500	0.570		mg/L		114	75 - 125	1	20

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: MB 180-336408/1-A
Matrix: Water
Analysis Batch: 336710

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 336408

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 10:40	11/10/20 17:09	1

Lab Sample ID: LCS 180-336408/2-A
Matrix: Water
Analysis Batch: 336710

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 336408

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00250	0.00278	^	mg/L		111	80 - 120

Lab Sample ID: 180-113224-4 MS
Matrix: Water
Analysis Batch: 336710

Client Sample ID: CCR-LF-2
Prep Type: Total/NA
Prep Batch: 336408

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	ND	^	0.00100	0.000870	^	mg/L		87	75 - 125

Lab Sample ID: 180-113224-4 MSD
Matrix: Water
Analysis Batch: 336710

Client Sample ID: CCR-LF-2
Prep Type: Total/NA
Prep Batch: 336408

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	ND	^	0.00100	0.000936	^	mg/L		94	75 - 125	7	20

Lab Sample ID: MB 180-336413/1-A
Matrix: Water
Analysis Batch: 336710

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 336413

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND	^	0.00020	0.00013	mg/L		11/09/20 11:19	11/10/20 17:38	1

Lab Sample ID: LCS 180-336413/2-A
Matrix: Water
Analysis Batch: 336710

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 336413

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00250	0.00337	^ *	mg/L		135	80 - 120

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Method: EPA 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 180-113224-1 MS
Matrix: Water
Analysis Batch: 336710

Client Sample ID: CCR-BK-1R
Prep Type: Total/NA
Prep Batch: 336413
 %Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Mercury	ND	F1 ^ *	0.00100	0.00146	F1 ^	mg/L		146	75 - 125

Lab Sample ID: 180-113224-1 MSD
Matrix: Water
Analysis Batch: 336710

Client Sample ID: CCR-BK-1R
Prep Type: Total/NA
Prep Batch: 336413
 %Rec. RPD

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Mercury	ND	F1 ^ *	0.00100	0.00152	F1 ^	mg/L		152	75 - 125	4	20

Method: EPA 9040C - pH

Lab Sample ID: LCS 180-337985/1
Matrix: Water
Analysis Batch: 337985

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
pH	7.00	7.0		SU		100	99 - 101

Lab Sample ID: 180-113224-1 DU
Matrix: Water
Analysis Batch: 337985

Client Sample ID: CCR-BK-1R
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
pH	7.4	HF	7.4		SU		0.1	2

Lab Sample ID: 180-113224-4 DU
Matrix: Water
Analysis Batch: 337985

Client Sample ID: CCR-LF-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
pH	6.7	HF	6.7	HF	SU		0.1	2

Lab Sample ID: LCS 180-338411/1
Matrix: Water
Analysis Batch: 338411

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
pH	7.00	7.0		SU		100	99 - 101

Lab Sample ID: 180-113224-2 DU
Matrix: Water
Analysis Batch: 338411

Client Sample ID: CCR-BK-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
pH	7.2	HF	7.2		SU		0.4	2

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Method: EPA 9040C - pH (Continued)

Lab Sample ID: 180-113224-16 DU
 Matrix: Water
 Analysis Batch: 338411

Client Sample ID: CCR-AP-9
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	6.7	HF	6.7		SU		0.4	2

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-336449/2
 Matrix: Water
 Analysis Batch: 336449

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			11/09/20 17:04	1

Lab Sample ID: LCS 180-336449/1
 Matrix: Water
 Analysis Batch: 336449

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	714	744		mg/L		104	80 - 120

Lab Sample ID: MB 180-336450/2
 Matrix: Water
 Analysis Batch: 336450

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			11/09/20 17:11	1

Lab Sample ID: LCS 180-336450/1
 Matrix: Water
 Analysis Batch: 336450

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	714	726		mg/L		102	80 - 120

Lab Sample ID: MB 180-336756/2
 Matrix: Water
 Analysis Batch: 336756

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			11/11/20 13:03	1

Lab Sample ID: LCS 180-336756/1
 Matrix: Water
 Analysis Batch: 336756

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	714	698		mg/L		98	80 - 120

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: 180-113224-4 DU
Matrix: Water
Analysis Batch: 336756

Client Sample ID: CCR-LF-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	23000		22500		mg/L		0.09	10

Lab Sample ID: MB 180-336759/2
Matrix: Water
Analysis Batch: 336759

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			11/11/20 13:21	1

Lab Sample ID: LCS 180-336759/1
Matrix: Water
Analysis Batch: 336759

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	714	698		mg/L		98	80 - 120

Lab Sample ID: 180-113224-15 DU
Matrix: Water
Analysis Batch: 336759

Client Sample ID: CCR-AP-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	2000		2040		mg/L		0.3	10

Lab Sample ID: MB 180-336760/2
Matrix: Water
Analysis Batch: 336760

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			11/11/20 13:31	1

Lab Sample ID: LCS 180-336760/1
Matrix: Water
Analysis Batch: 336760

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	714	668		mg/L		94	80 - 120

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-489954/24-A
Matrix: Water
Analysis Batch: 492301

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 489954

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.1342	U	0.194	0.195	1.00	0.330	pCi/L	11/23/20 08:44	12/17/20 21:04	1
Carrier	MB %Yield	MB Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	129	X	40 - 110					11/23/20 08:44	12/17/20 21:04	1

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Method: 9315 - Radium-226 (GFPC) (Continued)

Lab Sample ID: LCS 160-489954/1-A
Matrix: Water
Analysis Batch: 492288

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 489954

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits		
									75 - 125		
Radium-226	11.3	9.889		1.28	1.00	0.308	pCi/L	87	75 - 125		
Carrier		LCS %Yield	LCS Qualifier	Limits							
Ba Carrier		88.8		40 - 110							

Lab Sample ID: 180-113224-4 DU
Matrix: Water
Analysis Batch: 492288

Client Sample ID: CCR-LF-2
Prep Type: Total/NA
Prep Batch: 489954

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit	
										0.44 1	
Radium-226	0.461		0.2341	U	0.237	1.00	0.375	pCi/L	0.44	1	
Carrier		DU %Yield	DU Qualifier	Limits							
Ba Carrier		109		40 - 110							

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-489958/24-A
Matrix: Water
Analysis Batch: 492288

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 489958

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Carrier		MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac			
Ba Carrier		129	X	40 - 110	11/23/20 09:42	12/17/20 08:55	1			
Y Carrier		108		40 - 110	11/23/20 09:42	12/17/20 08:55	1			

Lab Sample ID: LCS 160-489958/1-A
Matrix: Water
Analysis Batch: 492312

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 489958

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits		
									75 - 125		
Radium-228	7.57	7.076		0.863	1.00	0.375	pCi/L	93	75 - 125		
Carrier		LCS %Yield	LCS Qualifier	Limits							
Ba Carrier		88.8		40 - 110							
Y Carrier		110		40 - 110							

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: 180-113224-4 DU
 Matrix: Water
 Analysis Batch: 492312

Client Sample ID: CCR-LF-2
 Prep Type: Total/NA
 Prep Batch: 489958

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
Radium-228	1.74		1.321		0.310	1.00	0.332	pCi/L	0.64	1
DU DU										
Carrier	%Yield	Qualifier	Limits							
Ba Carrier	109		40 - 110							
Y Carrier	109		40 - 110							

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Lab Sample ID: 180-113224-4 DU
 Matrix: Water
 Analysis Batch: 492820

Client Sample ID: CCR-LF-2
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
Combined Radium 226 + 228	2.20		1.555		0.390	5.00	0.375	pCi/L	0.77	



QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

HPLC/IC

Analysis Batch: 337126

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-1	CCR-BK-1R	Total/NA	Water	EPA 9056A	
180-113224-2	CCR-BK-2	Total/NA	Water	EPA 9056A	
180-113224-3	CCR-LF-1	Total/NA	Water	EPA 9056A	
180-113224-3	CCR-LF-1	Total/NA	Water	EPA 9056A	
180-113224-4	CCR-LF-2	Total/NA	Water	EPA 9056A	
180-113224-4	CCR-LF-2	Total/NA	Water	EPA 9056A	
180-113224-5	CCR-LF-3	Total/NA	Water	EPA 9056A	
180-113224-5	CCR-LF-3	Total/NA	Water	EPA 9056A	
180-113224-6	CCR-LF-4	Total/NA	Water	EPA 9056A	
180-113224-6	CCR-LF-4	Total/NA	Water	EPA 9056A	
180-113224-7	CCR-LF-5	Total/NA	Water	EPA 9056A	
180-113224-7	CCR-LF-5	Total/NA	Water	EPA 9056A	
180-113224-8	CCR-LF-6	Total/NA	Water	EPA 9056A	
180-113224-8	CCR-LF-6	Total/NA	Water	EPA 9056A	
180-113224-9	BLIND DUPLICATE 2	Total/NA	Water	EPA 9056A	
180-113224-9	BLIND DUPLICATE 2	Total/NA	Water	EPA 9056A	
180-113224-10	FIELD BLANK 2	Total/NA	Water	EPA 9056A	
180-113224-11	CCR-AP-3I	Total/NA	Water	EPA 9056A	
180-113224-12	CCR-AP-3R	Total/NA	Water	EPA 9056A	
180-113224-12	CCR-AP-3R	Total/NA	Water	EPA 9056A	
180-113224-13	CCR-AP-6	Total/NA	Water	EPA 9056A	
180-113224-13	CCR-AP-6	Total/NA	Water	EPA 9056A	
180-113224-14	CCR-AP-7R	Total/NA	Water	EPA 9056A	
180-113224-14	CCR-AP-7R	Total/NA	Water	EPA 9056A	
180-113224-15	CCR-AP-8	Total/NA	Water	EPA 9056A	
180-113224-15	CCR-AP-8	Total/NA	Water	EPA 9056A	
180-113224-16	CCR-AP-9	Total/NA	Water	EPA 9056A	
180-113224-16	CCR-AP-9	Total/NA	Water	EPA 9056A	
180-113224-17	BLIND DUPLICATE 1	Total/NA	Water	EPA 9056A	
180-113224-18	FIELD BLANK 1	Total/NA	Water	EPA 9056A	
MB 180-337126/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-337126/5	Lab Control Sample	Total/NA	Water	EPA 9056A	
180-113224-4 MS	CCR-LF-2	Total/NA	Water	EPA 9056A	
180-113224-4 MSD	CCR-LF-2	Total/NA	Water	EPA 9056A	

Metals

Prep Batch: 336408

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-3	CCR-LF-1	Total/NA	Water	7470A	
180-113224-4	CCR-LF-2	Total/NA	Water	7470A	
180-113224-5	CCR-LF-3	Total/NA	Water	7470A	
180-113224-6	CCR-LF-4	Total/NA	Water	7470A	
180-113224-7	CCR-LF-5	Total/NA	Water	7470A	
180-113224-8	CCR-LF-6	Total/NA	Water	7470A	
180-113224-9	BLIND DUPLICATE 2	Total/NA	Water	7470A	
180-113224-10	FIELD BLANK 2	Total/NA	Water	7470A	
180-113224-11	CCR-AP-3I	Total/NA	Water	7470A	
180-113224-12	CCR-AP-3R	Total/NA	Water	7470A	
180-113224-13	CCR-AP-6	Total/NA	Water	7470A	
180-113224-15	CCR-AP-8	Total/NA	Water	7470A	

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Metals (Continued)

Prep Batch: 336408 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-16	CCR-AP-9	Total/NA	Water	7470A	
180-113224-17	BLIND DUPLICATE 1	Total/NA	Water	7470A	
MB 180-336408/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-336408/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-113224-4 MS	CCR-LF-2	Total/NA	Water	7470A	
180-113224-4 MSD	CCR-LF-2	Total/NA	Water	7470A	

Prep Batch: 336413

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-1	CCR-BK-1R	Total/NA	Water	7470A	
180-113224-2	CCR-BK-2	Total/NA	Water	7470A	
180-113224-14	CCR-AP-7R	Total/NA	Water	7470A	
180-113224-18	FIELD BLANK 1	Total/NA	Water	7470A	
MB 180-336413/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-336413/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-113224-1 MS	CCR-BK-1R	Total/NA	Water	7470A	
180-113224-1 MSD	CCR-BK-1R	Total/NA	Water	7470A	

Prep Batch: 336521

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-1	CCR-BK-1R	Total Recoverable	Water	3005A	
180-113224-2	CCR-BK-2	Total Recoverable	Water	3005A	
180-113224-3	CCR-LF-1	Total Recoverable	Water	3005A	
180-113224-4	CCR-LF-2	Total Recoverable	Water	3005A	
180-113224-5	CCR-LF-3	Total Recoverable	Water	3005A	
180-113224-6	CCR-LF-4	Total Recoverable	Water	3005A	
180-113224-7	CCR-LF-5	Total Recoverable	Water	3005A	
180-113224-8	CCR-LF-6	Total Recoverable	Water	3005A	
180-113224-9	BLIND DUPLICATE 2	Total Recoverable	Water	3005A	
180-113224-10	FIELD BLANK 2	Total Recoverable	Water	3005A	
180-113224-11	CCR-AP-3I	Total Recoverable	Water	3005A	
180-113224-12	CCR-AP-3R	Total Recoverable	Water	3005A	
180-113224-13	CCR-AP-6	Total Recoverable	Water	3005A	
180-113224-14	CCR-AP-7R	Total Recoverable	Water	3005A	
180-113224-15	CCR-AP-8	Total Recoverable	Water	3005A	
180-113224-16	CCR-AP-9	Total Recoverable	Water	3005A	
180-113224-17	BLIND DUPLICATE 1	Total Recoverable	Water	3005A	
180-113224-18	FIELD BLANK 1	Total Recoverable	Water	3005A	
MB 180-336521/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-336521/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
180-113224-4 MS	CCR-LF-2	Total Recoverable	Water	3005A	
180-113224-4 MSD	CCR-LF-2	Total Recoverable	Water	3005A	

Analysis Batch: 336710

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-1	CCR-BK-1R	Total/NA	Water	EPA 7470A	336413
180-113224-2	CCR-BK-2	Total/NA	Water	EPA 7470A	336413
180-113224-3	CCR-LF-1	Total/NA	Water	EPA 7470A	336408
180-113224-4	CCR-LF-2	Total/NA	Water	EPA 7470A	336408
180-113224-5	CCR-LF-3	Total/NA	Water	EPA 7470A	336408
180-113224-6	CCR-LF-4	Total/NA	Water	EPA 7470A	336408

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Metals (Continued)

Analysis Batch: 336710 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-7	CCR-LF-5	Total/NA	Water	EPA 7470A	336408
180-113224-8	CCR-LF-6	Total/NA	Water	EPA 7470A	336408
180-113224-9	BLIND DUPLICATE 2	Total/NA	Water	EPA 7470A	336408
180-113224-10	FIELD BLANK 2	Total/NA	Water	EPA 7470A	336408
180-113224-11	CCR-AP-3I	Total/NA	Water	EPA 7470A	336408
180-113224-12	CCR-AP-3R	Total/NA	Water	EPA 7470A	336408
180-113224-13	CCR-AP-6	Total/NA	Water	EPA 7470A	336408
180-113224-14	CCR-AP-7R	Total/NA	Water	EPA 7470A	336413
180-113224-15	CCR-AP-8	Total/NA	Water	EPA 7470A	336408
180-113224-16	CCR-AP-9	Total/NA	Water	EPA 7470A	336408
180-113224-17	BLIND DUPLICATE 1	Total/NA	Water	EPA 7470A	336408
180-113224-18	FIELD BLANK 1	Total/NA	Water	EPA 7470A	336413
MB 180-336408/1-A	Method Blank	Total/NA	Water	EPA 7470A	336408
MB 180-336413/1-A	Method Blank	Total/NA	Water	EPA 7470A	336413
LCS 180-336408/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	336408
LCS 180-336413/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	336413
180-113224-1 MS	CCR-BK-1R	Total/NA	Water	EPA 7470A	336413
180-113224-1 MSD	CCR-BK-1R	Total/NA	Water	EPA 7470A	336413
180-113224-4 MS	CCR-LF-2	Total/NA	Water	EPA 7470A	336408
180-113224-4 MSD	CCR-LF-2	Total/NA	Water	EPA 7470A	336408

Analysis Batch: 336996

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-6	CCR-LF-4	Total Recoverable	Water	EPA 6020A	336521
180-113224-7	CCR-LF-5	Total Recoverable	Water	EPA 6020A	336521
180-113224-8	CCR-LF-6	Total Recoverable	Water	EPA 6020A	336521
180-113224-9	BLIND DUPLICATE 2	Total Recoverable	Water	EPA 6020A	336521
180-113224-10	FIELD BLANK 2	Total Recoverable	Water	EPA 6020A	336521
180-113224-11	CCR-AP-3I	Total Recoverable	Water	EPA 6020A	336521
180-113224-12	CCR-AP-3R	Total Recoverable	Water	EPA 6020A	336521
180-113224-13	CCR-AP-6	Total Recoverable	Water	EPA 6020A	336521
180-113224-14	CCR-AP-7R	Total Recoverable	Water	EPA 6020A	336521
180-113224-15	CCR-AP-8	Total Recoverable	Water	EPA 6020A	336521
180-113224-16	CCR-AP-9	Total Recoverable	Water	EPA 6020A	336521
180-113224-17	BLIND DUPLICATE 1	Total Recoverable	Water	EPA 6020A	336521
180-113224-18	FIELD BLANK 1	Total Recoverable	Water	EPA 6020A	336521
MB 180-336521/1-A	Method Blank	Total Recoverable	Water	EPA 6020A	336521

Analysis Batch: 337118

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-1	CCR-BK-1R	Total Recoverable	Water	EPA 6020A	336521
180-113224-2	CCR-BK-2	Total Recoverable	Water	EPA 6020A	336521
180-113224-3	CCR-LF-1	Total Recoverable	Water	EPA 6020A	336521
180-113224-4	CCR-LF-2	Total Recoverable	Water	EPA 6020A	336521
180-113224-6	CCR-LF-4	Total Recoverable	Water	EPA 6020A	336521
180-113224-16	CCR-AP-9	Total Recoverable	Water	EPA 6020A	336521
180-113224-17	BLIND DUPLICATE 1	Total Recoverable	Water	EPA 6020A	336521
180-113224-18	FIELD BLANK 1	Total Recoverable	Water	EPA 6020A	336521
MB 180-336521/1-A	Method Blank	Total Recoverable	Water	EPA 6020A	336521
LCS 180-336521/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020A	336521
180-113224-4 MS	CCR-LF-2	Total Recoverable	Water	EPA 6020A	336521

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Metals (Continued)

Analysis Batch: 337118 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-4 MSD	CCR-LF-2	Total Recoverable	Water	EPA 6020A	336521

Analysis Batch: 337356

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-5	CCR-LF-3	Total Recoverable	Water	EPA 6020A	336521
180-113224-6	CCR-LF-4	Total Recoverable	Water	EPA 6020A	336521
180-113224-7	CCR-LF-5	Total Recoverable	Water	EPA 6020A	336521
180-113224-8	CCR-LF-6	Total Recoverable	Water	EPA 6020A	336521
180-113224-9	BLIND DUPLICATE 2	Total Recoverable	Water	EPA 6020A	336521
180-113224-10	FIELD BLANK 2	Total Recoverable	Water	EPA 6020A	336521
180-113224-11	CCR-AP-3I	Total Recoverable	Water	EPA 6020A	336521
180-113224-12	CCR-AP-3R	Total Recoverable	Water	EPA 6020A	336521
180-113224-13	CCR-AP-6	Total Recoverable	Water	EPA 6020A	336521
180-113224-14	CCR-AP-7R	Total Recoverable	Water	EPA 6020A	336521
180-113224-15	CCR-AP-8	Total Recoverable	Water	EPA 6020A	336521

General Chemistry

Analysis Batch: 336449

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-1	CCR-BK-1R	Total/NA	Water	SM 2540C	
180-113224-2	CCR-BK-2	Total/NA	Water	SM 2540C	
180-113224-18	FIELD BLANK 1	Total/NA	Water	SM 2540C	
MB 180-336449/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-336449/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 336450

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-14	CCR-AP-7R	Total/NA	Water	SM 2540C	
MB 180-336450/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-336450/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 336756

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-3	CCR-LF-1	Total/NA	Water	SM 2540C	
180-113224-4	CCR-LF-2	Total/NA	Water	SM 2540C	
180-113224-5	CCR-LF-3	Total/NA	Water	SM 2540C	
MB 180-336756/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-336756/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-113224-4 DU	CCR-LF-2	Total/NA	Water	SM 2540C	

Analysis Batch: 336759

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-7	CCR-LF-5	Total/NA	Water	SM 2540C	
180-113224-8	CCR-LF-6	Total/NA	Water	SM 2540C	
180-113224-9	BLIND DUPLICATE 2	Total/NA	Water	SM 2540C	
180-113224-10	FIELD BLANK 2	Total/NA	Water	SM 2540C	
180-113224-11	CCR-AP-3I	Total/NA	Water	SM 2540C	
180-113224-12	CCR-AP-3R	Total/NA	Water	SM 2540C	
180-113224-13	CCR-AP-6	Total/NA	Water	SM 2540C	
180-113224-15	CCR-AP-8	Total/NA	Water	SM 2540C	

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

General Chemistry (Continued)

Analysis Batch: 336759 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-16	CCR-AP-9	Total/NA	Water	SM 2540C	
MB 180-336759/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-336759/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-113224-15 DU	CCR-AP-8	Total/NA	Water	SM 2540C	

Analysis Batch: 336760

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-6	CCR-LF-4	Total/NA	Water	SM 2540C	
180-113224-17	BLIND DUPLICATE 1	Total/NA	Water	SM 2540C	
MB 180-336760/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-336760/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 337985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-1	CCR-BK-1R	Total/NA	Water	EPA 9040C	
180-113224-3	CCR-LF-1	Total/NA	Water	EPA 9040C	
180-113224-4	CCR-LF-2	Total/NA	Water	EPA 9040C	
180-113224-5	CCR-LF-3	Total/NA	Water	EPA 9040C	
180-113224-6	CCR-LF-4	Total/NA	Water	EPA 9040C	
180-113224-7	CCR-LF-5	Total/NA	Water	EPA 9040C	
180-113224-8	CCR-LF-6	Total/NA	Water	EPA 9040C	
180-113224-9	BLIND DUPLICATE 2	Total/NA	Water	EPA 9040C	
180-113224-10	FIELD BLANK 2	Total/NA	Water	EPA 9040C	
180-113224-11	CCR-AP-3I	Total/NA	Water	EPA 9040C	
LCS 180-337985/1	Lab Control Sample	Total/NA	Water	EPA 9040C	
180-113224-1 DU	CCR-BK-1R	Total/NA	Water	EPA 9040C	
180-113224-4 DU	CCR-LF-2	Total/NA	Water	EPA 9040C	

Analysis Batch: 338411

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-2	CCR-BK-2	Total/NA	Water	EPA 9040C	
180-113224-12	CCR-AP-3R	Total/NA	Water	EPA 9040C	
180-113224-13	CCR-AP-6	Total/NA	Water	EPA 9040C	
180-113224-14	CCR-AP-7R	Total/NA	Water	EPA 9040C	
180-113224-15	CCR-AP-8	Total/NA	Water	EPA 9040C	
180-113224-16	CCR-AP-9	Total/NA	Water	EPA 9040C	
180-113224-17	BLIND DUPLICATE 1	Total/NA	Water	EPA 9040C	
180-113224-18	FIELD BLANK 1	Total/NA	Water	EPA 9040C	
LCS 180-338411/1	Lab Control Sample	Total/NA	Water	EPA 9040C	
180-113224-2 DU	CCR-BK-2	Total/NA	Water	EPA 9040C	
180-113224-16 DU	CCR-AP-9	Total/NA	Water	EPA 9040C	

Rad

Prep Batch: 489954

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-1	CCR-BK-1R	Total/NA	Water	PrecSep-21	
180-113224-2	CCR-BK-2	Total/NA	Water	PrecSep-21	
180-113224-3	CCR-LF-1	Total/NA	Water	PrecSep-21	
180-113224-4	CCR-LF-2	Total/NA	Water	PrecSep-21	
180-113224-5	CCR-LF-3	Total/NA	Water	PrecSep-21	

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113224-1

Rad (Continued)

Prep Batch: 489954 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-6	CCR-LF-4	Total/NA	Water	PrecSep-21	
180-113224-7	CCR-LF-5	Total/NA	Water	PrecSep-21	
180-113224-8	CCR-LF-6	Total/NA	Water	PrecSep-21	
180-113224-9	BLIND DUPLICATE 2	Total/NA	Water	PrecSep-21	
180-113224-10	FIELD BLANK 2	Total/NA	Water	PrecSep-21	
180-113224-11	CCR-AP-3I	Total/NA	Water	PrecSep-21	
180-113224-12	CCR-AP-3R	Total/NA	Water	PrecSep-21	
180-113224-13	CCR-AP-6	Total/NA	Water	PrecSep-21	
180-113224-14	CCR-AP-7R	Total/NA	Water	PrecSep-21	
180-113224-15	CCR-AP-8	Total/NA	Water	PrecSep-21	
180-113224-16	CCR-AP-9	Total/NA	Water	PrecSep-21	
180-113224-17	BLIND DUPLICATE 1	Total/NA	Water	PrecSep-21	
180-113224-18	FIELD BLANK 1	Total/NA	Water	PrecSep-21	
MB 160-489954/24-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-489954/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
180-113224-4 DU	CCR-LF-2	Total/NA	Water	PrecSep-21	

Prep Batch: 489958

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113224-1	CCR-BK-1R	Total/NA	Water	PrecSep_0	
180-113224-2	CCR-BK-2	Total/NA	Water	PrecSep_0	
180-113224-3	CCR-LF-1	Total/NA	Water	PrecSep_0	
180-113224-4	CCR-LF-2	Total/NA	Water	PrecSep_0	
180-113224-5	CCR-LF-3	Total/NA	Water	PrecSep_0	
180-113224-6	CCR-LF-4	Total/NA	Water	PrecSep_0	
180-113224-7	CCR-LF-5	Total/NA	Water	PrecSep_0	
180-113224-8	CCR-LF-6	Total/NA	Water	PrecSep_0	
180-113224-9	BLIND DUPLICATE 2	Total/NA	Water	PrecSep_0	
180-113224-10	FIELD BLANK 2	Total/NA	Water	PrecSep_0	
180-113224-11	CCR-AP-3I	Total/NA	Water	PrecSep_0	
180-113224-12	CCR-AP-3R	Total/NA	Water	PrecSep_0	
180-113224-13	CCR-AP-6	Total/NA	Water	PrecSep_0	
180-113224-14	CCR-AP-7R	Total/NA	Water	PrecSep_0	
180-113224-15	CCR-AP-8	Total/NA	Water	PrecSep_0	
180-113224-16	CCR-AP-9	Total/NA	Water	PrecSep_0	
180-113224-17	BLIND DUPLICATE 1	Total/NA	Water	PrecSep_0	
180-113224-18	FIELD BLANK 1	Total/NA	Water	PrecSep_0	
MB 160-489958/24-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-489958/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
180-113224-4 DU	CCR-LF-2	Total/NA	Water	PrecSep_0	

Address:

Regulatory Program: DW NPDES RCRA Other:

Client Contact: Veeten
 Company Name: 8511 Wilbur Road
 Address: 8511 Wilbur Road
 City/State/Zip: MT Vernon IN 47620
 Phone: 317 573 4082
 Fax:
 Project Name: CCR groundwater monitoring
 Site: AB Brown
 PO #

Project Manager: Merk Messtfeldt
 Tel/Email:
 Analysis Turnaround Time
 CALENDAR DAYS WORKING DAYS
 TAT if different from Below
 2 weeks
 1 week
 2 days
 1 day

Site Contact: Angela Scheller Date: 11-4-20
 Lab Contact: Veronica Butler Carrier: Fidelity
 Perform MS / MSD (Y / N)
 Filtered Sample (Y / N)
 COC No: 2 of 3 COCs
 Sampler: Jacob Wansett
 For Lab Use Only:
 Walk-in Client:
 Lab Sampling:
 Job / SDG No.:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Sample Specific Notes:
CCR-LF-1	11-4-20	1330	G	WT	5	
CCR-LF-2		1455				
CCR-LF-3		1550				
CCR-LF-4		1210				
CCR-LF-5		1215				
CCR-LF-6		1305				
MSMSD		1455			10	
Blind Duplicate 2					5	
Field Blank 2		1300			1	

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other
 Possible Hazard Identification: Flammable Skin Irritant Poison B Unknown
 Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.
 Non-Hazard Flammable Skin Irritant Poison B Unknown
 Return to Client Disposal by Lab Archive for _____ Months

Special Instructions/QC Requirements & Comments:
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Cooler Temp. (°C): Obs'd: _____ Cor'd: _____ Therm ID No.: _____
 Custody Seal No.:
 Relinquished by: Jacob Wansett Company: ATC Date/Time: 11-4-20/1900
 Relinquished by: _____ Company: _____ Date/Time: _____
 Relinquished by: _____ Company: _____ Date/Time: _____
 Received by: Willie Watson Company: ATC Date/Time: 11-5-20
 Received by: _____ Company: _____ Date/Time: 8:30
 Received in Laboratory by: _____ Company: _____ Date/Time: _____





TAL-8210

Address: _____

Regulatory Program: DW NPDES RCRA Other: _____

Company Name: <u>Vectran</u>	Client Contact: <u>Vectran</u>	Project Manager: <u>Matt Meisfeldt</u>	Site Contact: <u>Angela Sweller</u>	Date: <u>11-4-20</u>	COC No: <u>3</u> of <u>3</u> COCs
Address: <u>8511 W. Hillman Road</u>	City/State/Zip: <u>Waukegan, IL 60087</u>	Tel/Email: <u>mmeisfeldt@vectran.com</u>	Lab Contact: <u>Veronica DeTrot</u>	Carrier: <u>Seal Fix</u>	Sampler: <u>Jacob Wissett</u>
Phone: <u>IN 47620</u>	Project Name: <u>CCR (600) GW Monitor</u>	Analysis Turnaround Time: _____	Filtered Sample (Y/N): _____	Performs MS/MSD (Y/N): _____	For Lab Use Only: _____
Fax: <u>317 573 4082</u>	Site: <u>AB Brown</u>	CALENDAR DAYS <input type="checkbox"/> WORKING DAYS <input type="checkbox"/>	Sample Date: _____	Sample Time: _____	Walk-in Client: _____
PO # <u>1701500900</u>	Sample Identification: _____	TAT if different from Below: _____	Sample Type (C=Comp, G=Grab): _____	Matrix: _____	Lab Sampling: _____
		2 weeks <input type="checkbox"/>	# of Cont: _____		Job / SDG No.: _____
		1 week <input type="checkbox"/>			
		2 days <input type="checkbox"/>			
		1 day <input type="checkbox"/>			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Performs MS/MSD (Y/N)	Fluoride (9056 A)	EPA App IV Total	Metals (6020 F)	Mercury (Total)	EA 7470 A	Radium 226/228	EA 903.0/904.0	Carrier: Seal Fix
CCR-AP-3 I	11-4-20	1635	G	WT	5			X	X		X				
CCR-AP-3 R		1525													
CCR-AP-6		1040													
CCR-AP-7 R	11-3-20	1730													
CCR-AP-8	11-4-20	1700													
CCR-AP-9	11-4-20	1425													
Blind Duplicate 1	11-4-20	-													
Field Blank 1	11-3-20	1400													

Preservation Used: 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other

Possible Hazard Identification: _____

Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments: _____

Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Cooler Temp. (°C): _____	Therm ID No.: _____
Relinquished by: <u>Jacob Wissett</u>	Received by: <u>Debra Robinson</u>	Company: <u>EAAPT</u>
Relinquished by: _____	Received by: _____	Company: _____
Relinquished by: _____	Received by: _____	Company: _____
Date/Time: <u>11-4-20/1900</u>	Date/Time: <u>11-5-20 8:30</u>	Date/Time: _____



ORIGIN ID:EVVA (812) 477-1176
 BRIAN KLEEMAN
 1149 WEDEKING AVENUE
 BUILDING D, SUITE 2
 EVANSVILLE, IN 47715
 UNITED STATES US

TO VERONICA BORTOT
 TESTAMERICA
 301 ALPHA DRIVE


SHIP DATE: 04NOV20
 ACTWGT: 50.00 LB
 CAD: 106997842/NET4280
 DIMS: 22x15x14 IN
 BILL SENDER

56BJ3/51 D8/B766

PITTSBURGH PA 15238

(412) 963-7058 REF: 170LF00900
 INV: 170LF00900
 PO: 170LF00900

DEPT:



180-113224 Waybill



THU - 05 NOV 4:30P
 STANDARD OVERNIGHT

1 of 4
 TRK# 7719 9599 7699
 0201
 ## MASTER ##

NA AGCA 15238
 PA-US PIT



After printing this label:
 1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
 2. Fold the printed page along the horizontal line.
 3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
 Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

ORIGIN ID:EVVA (812) 477-1176
 BRIAN KLEEMAN
 1149 WEDEKING AVENUE
 BUILDING D, SUITE 2
 EVANSVILLE, IN 47715
 UNITED STATES US

TO VERONICA BORTOT
 TESTAMERICA
 301 ALPHA DRIVE

PITTSBURGH PA 15238
 (412) 963-7058 REF: 170LF00900
 INV: 170LF00900 DEPT:
 PO: 170LF00900

56BJ361D8/B766



MPS# 7719 9599 7910
 0263
 Mstr# 7719 9599 7699

3 of 4

THU - 05 NOV 4:30P
 STANDARD OVERNIGHT

NA **15238**
 Uncorrected temp 28 °C 1-US
 Thermometer ID 14
 CF Initials JS
 PT-WI-SR-001 effective 7/26/13

A large barcode is located at the bottom of this section.

After printing this label:
 1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
 2. Fold the printed page along the horizontal line.
 3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
 Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

ORIGIN ID: EVVA (812) 477-1176
 BRIAN KLEEMAN
 1149 WEDEKING AVENUE
 BUILDING D, SUITE 2
 EVANSVILLE, IN 47715
 UNITED STATES US


SHIP DATE: 04NOV20
 ACTWGT: 50.00 LB
 CAD: 106997842/INET4280
 DIMS: 22x15x14 IN
 BILL SENDER

TO VERONICA BORTOT
 TESTAMERICA
 301 ALPHA DRIVE

PITTSBURGH PA 15238


(412) 963-7058 REF: 170LF00900
 INV: 170LF00900
 PO: 170LF00900

568J3/51D8/B766



MPS# 7719 9599 8055
 0263
 Mstr# 7719 9599 7699
 NA AGCA
 PA-US
 15238
 PIT
 0201

THU - 05 NOV 4:30P
 STANDARD OVERNIGHT



Uncorrected temp 3.4 °C
 Thermometer ID M
 CF 0 Initials B

PT-WI-SR-001 effective 7/26/13

After printing this label:
 1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
 2. Fold the printed page along the horizontal line.
 3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
 Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ORIGIN ID:EWVA (812) 477-1176
BRIAN KLEEMAN
1149 WEDEKING AVENUE
BUILDING D, SUITE 2
EVANSVILLE, IN 47715
UNITED STATES US

SHIP DATE: 04NOV20
ACTWGT: 50.00 LB
CAD: 106997842/INET4280
DIMS: 22x15x14 IN
BILL SENDER


TO VERONICA BORTOT
TESTAMERICA
301 ALPHA DRIVE

56BJ351D8/B766

PITTSBURGH PA 15238

(412) 963-7058 REF: 170LF00900
INV: 170LF00900
PO: 170LF00900

DEPT:



THU - 05 NOV 4:30P
STANDARD OVERNIGHT

MPS# 4 of 4
0263 7719 9599 7986
Mstr# 7719 9599 7699

0201

NA 15238
Uncorrected temp
Thermometer ID PA-US
CF 0 Initials P

3.9 °C
14



PT-WI-SR-001 effective 7/26/13

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including incidental, consequential, or special is limited to the greater of \$100 or the attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-113224-1

Login Number: 113224

List Source: Eurofins TestAmerica, Pittsburgh

List Number: 1

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-113224-1

Login Number: 113224

List Number: 2

Creator: Boyd, Jacob C

List Source: Eurofins TestAmerica, St. Louis

List Creation: 11/07/20 02:03 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-113376-1

Client Project/Site: CCR Groundwater Monitoring AB Brown

For:

Vectren Corporation
PO BOX 209
Evansville, Indiana 47702

Attn: Accounts Payable



Authorized for release by:
1/12/2021 10:44:47 PM

Veronica Bortot, Senior Project Manager
(412)963-2435

Veronica.Bortot@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	5
Certification Summary	6
Sample Summary	8
Method Summary	9
Lab Chronicle	10
Client Sample Results	15
QC Sample Results	23
QC Association Summary	30
Chain of Custody	33
Receipt Checklists	35

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Job ID: 180-113376-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative 180-113376-1

Comments

No additional comments.

Receipt

The samples were received on 11/7/2020 10:00 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.0° C and 3.4° C.

Receipt Exceptions

The containers received for each of the following samples did not match the information listed on the Chain-of-Custody (COC): CCR-AP-1R (180-113376-1), CCR-AP-2I (180-113376-2), CCR-AP-2R (180-113376-3), CCR-AP-4R (180-113376-4), CCR-AP-4R (180-113376-4[DUJ]), CCR-AP-10 (180-113376-5) and CCR-AP-11 (180-113376-6). The COC does not list the TDS or PH analysis; however a 500 ml and 250 ml container was received with the tests written on the labels. The tests were added and the PM will confirm.

One out of two plastic liters does not have the red nitric acid label: however it has a ph of <2.

CCR-AP-1R (180-113376-1)

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

RAD

Methods 903.0, 9315: 903/9315 prep batch 160-490023

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

CCR-AP-1R (180-113376-1), CCR-AP-2I (180-113376-2), CCR-AP-2R (180-113376-3), CCR-AP-4R (180-113376-4), CCR-AP-4R (180-113376-4[DUJ]), CCR-AP-10 (180-113376-5) and CCR-AP-11 (180-113376-6)

Methods 904.0, 9320: Radium-228 prep batch 160-493728:

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. CCR-AP-1R (180-113376-1), CCR-AP-2I (180-113376-2), CCR-AP-2R (180-113376-3), CCR-AP-4R (180-113376-4), CCR-AP-4R (180-113376-4[DUJ]), CCR-AP-10 (180-113376-5), CCR-AP-11 (180-113376-6), (LCS 160-493728/1-A) and (MB 160-493728/19-A)

Method PrecSep_0: Radium 228 Prep Batch 160-490029:

The following samples were prepared at a reduced aliquot due to cloudy appearance: CCR-AP-10 (180-113376-5).

Method PrecSep_0: Radium 228 Prep Batch 160-493728:

The following samples were prepared at a reduced aliquot due to re extract of the samples: CCR-AP-1R (180-113376-1), CCR-AP-2I (180-113376-2), CCR-AP-2R (180-113376-3), CCR-AP-4R (180-113376-4), CCR-AP-4R (180-113376-4[DUJ]), CCR-AP-10 (180-113376-5) and CCR-AP-11 (180-113376-6).

Method PrecSep_0: Radium 228 Prep Batch 160-493728:

Sample 480-177308-14 was prepared at a reduced aliquot due to brown discoloration, a cloudy appearance, and heavy sediment levels:

Case Narrative

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Job ID: 180-113376-1 (Continued)

Laboratory: Eurofins TestAmerica, Pittsburgh (Continued)

Samples 108-113376-5, 240-140114-1, 240-140114-2, and 240-140114-3 contained a cloudy appearance, but were not reduced:

Method PrecSep-21: Radium 226 Prep Batch 160-490023:

The following samples were prepared at a reduced aliquot due to a cloudy appearance: CCR-AP-10 (180-113376-5).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

Method 6020A: The following sample was diluted to bring the concentration of target analytes within the calibration range: CCR-AP-2R (180-113376-3). Elevated reporting limits (RLs) are provided.

Method 6020A: The following sample was diluted due to the nature of the sample matrix: CCR-AP-10 (180-113376-5). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Definitions/Glossary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Laboratory: Eurofins TestAmerica, Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-21
California	State	2891	04-30-21
Connecticut	State	PH-0688	09-30-20 *
Florida	NELAP	E871008	06-30-21
Georgia	State	PA 02-00416	12-21-20
Illinois	NELAP	004375	12-21-20
Kansas	NELAP	E-10350	01-31-21
Kentucky (UST)	State	162013	04-30-21
Kentucky (WW)	State	KY98043	12-31-20
Louisiana	NELAP	04041	12-21-20
Maine	State	PA00164	03-06-22
Minnesota	NELAP	042-999-482	12-31-20
Nevada	State	PA00164	07-31-21
New Hampshire	NELAP	2030	12-21-20
New Jersey	NELAP	PA005	12-21-20
New York	NELAP	11182	12-21-20
North Carolina (WW/SW)	State	434	12-31-21
North Dakota	State	R-227	04-30-21
Oregon	NELAP	PA-2151	12-21-20
Pennsylvania	NELAP	02-00416	12-21-20
Rhode Island	State	LAO00362	12-31-20
South Carolina	State	89014	11-23-20
Texas	NELAP	T104704528	12-21-20
US Fish & Wildlife	US Federal Programs	058448	07-31-21
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	12-21-20
Virginia	NELAP	10043	12-21-20
West Virginia DEP	State	142	02-01-21
Wisconsin	State	998027800	08-31-21

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Accreditation/Certification Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Laboratory: Eurofins TestAmerica, St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-22
ANAB	Dept. of Defense ELAP	L2305	04-06-22
ANAB	Dept. of Energy	L2305.01	04-06-22
ANAB	ISO/IEC 17025	L2305	04-06-22
Arizona	State	AZ0813	12-08-21
California	Los Angeles County Sanitation Districts	10259	06-30-21
California	State	2886	06-30-21
Connecticut	State	PH-0241	03-31-21
Florida	NELAP	E87689	06-30-21
HI - RadChem Recognition	State	n/a	06-30-21
Illinois	NELAP	004553	11-30-21
Iowa	State	373	12-01-22
Kansas	NELAP	E-10236	10-31-21
Kentucky (DW)	State	KY90125	12-31-20 *
Louisiana	NELAP	04080	06-30-21
Louisiana (DW)	State	LA011	12-31-21
Maryland	State	310	09-30-21
MI - RadChem Recognition	State	9005	06-30-21
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-21
New Jersey	NELAP	MO002	06-30-21
New York	NELAP	11616	04-01-21
North Dakota	State	R-207	06-30-21
NRC	NRC	24-24817-01	12-31-22
Oklahoma	State	9997	08-31-21
Oregon	NELAP	4157	09-01-21
Pennsylvania	NELAP	68-00540	02-28-21
South Carolina	State	85002001	06-30-21
Texas	NELAP	T104704193-19-13	07-31-21
US Fish & Wildlife	US Federal Programs	058448	07-31-21
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542019-11	07-31-21
Virginia	NELAP	10310	06-14-21
Washington	State	C592	08-30-21
West Virginia DEP	State	381	10-31-21

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Sample Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-113376-1	CCR-AP-1R	Water	11/05/20 11:35	11/07/20 10:00	
180-113376-2	CCR-AP-2I	Water	11/05/20 13:25	11/07/20 10:00	
180-113376-3	CCR-AP-2R	Water	11/05/20 15:00	11/07/20 10:00	
180-113376-4	CCR-AP-4R	Water	11/05/20 10:30	11/07/20 10:00	
180-113376-5	CCR-AP-10	Water	11/05/20 14:00	11/07/20 10:00	
180-113376-6	CCR-AP-11	Water	11/05/20 16:00	11/07/20 10:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Method Summary

Client: Vectren Corporation
Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Method	Method Description	Protocol	Laboratory
EPA 9056A	Anions, Ion Chromatography	SW846	TAL PIT
EPA 6020A	Metals (ICP/MS)	SW846	TAL PIT
EPA 7470A	Mercury (CVAA)	SW846	TAL PIT
EPA 9040C	pH	SW846	TAL PIT
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PIT
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL PIT
7470A	Preparation, Mercury	SW846	TAL PIT
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-1R

Lab Sample ID: 180-113376-1

Date Collected: 11/05/20 11:35

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		1			337754	11/19/20 19:00	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: INTEGRION		1			337505	11/18/20 17:13	EPS	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: INTEGRION		10			337505	11/18/20 17:34	EPS	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			337943	11/19/20 18:20	TAM	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			338070	11/20/20 16:25	RSK	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	336708	11/11/20 09:42	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			336987	11/12/20 16:00	KEM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			337983	11/20/20 09:50	AVS	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	336974	11/12/20 18:22	GRB	TAL PIT
Total/NA	Prep	PrecSep-21			999.67 mL	1.0 g	490023	11/24/20 09:30	KMP	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCBLUE		1			493325	12/29/20 17:27	FLC	TAL SL
Total/NA	Prep	PrecSep_0			750.65 mL	1.0 g	493728	01/04/21 09:54	AVB	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCORANGE		1			494240	01/07/21 13:11	GRW	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			494577	01/11/21 13:59	GRW	TAL SL

Client Sample ID: CCR-AP-2I

Lab Sample ID: 180-113376-2

Date Collected: 11/05/20 13:25

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		1			337754	11/19/20 19:16	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: INTEGRION		1			337505	11/18/20 17:55	EPS	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			337943	11/19/20 18:23	TAM	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			338070	11/20/20 16:29	RSK	TAL PIT

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-2I

Lab Sample ID: 180-113376-2

Date Collected: 11/05/20 13:25

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			50 mL	50 mL	336708	11/11/20 09:42	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336987	11/12/20 16:01	KEM	TAL PIT
		Instrument ID: HGY								
Total/NA	Analysis	EPA 9040C		1			337983	11/20/20 09:50	AVS	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	336974	11/12/20 18:22	GRB	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			999.25 mL	1.0 g	490023	11/24/20 09:30	KMP	TAL SL
Total/NA	Analysis	9315		1			493325	12/29/20 17:27	FLC	TAL SL
		Instrument ID: GFPCBLUE								
Total/NA	Prep	PrecSep_0			749.19 mL	1.0 g	493728	01/04/21 09:54	AVB	TAL SL
Total/NA	Analysis	9320		1			494240	01/07/21 13:11	GRW	TAL SL
		Instrument ID: GFPCORANGE								
Total/NA	Analysis	Ra226_Ra228		1			494577	01/11/21 13:59	GRW	TAL SL
		Instrument ID: NOEQUIP								

Client Sample ID: CCR-AP-2R

Lab Sample ID: 180-113376-3

Date Collected: 11/05/20 15:00

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		5			337754	11/19/20 22:25	SAT	TAL PIT
		Instrument ID: CHIC2100A								
Total/NA	Analysis	EPA 9056A		50			337505	11/18/20 18:58	EPS	TAL PIT
		Instrument ID: INTEGRION								
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337943	11/19/20 18:26	TAM	TAL PIT
		Instrument ID: A								
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A		10			338070	11/20/20 16:32	RSK	TAL PIT
		Instrument ID: A								
Total/NA	Prep	7470A			50 mL	50 mL	336708	11/11/20 09:42	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336987	11/12/20 16:02	KEM	TAL PIT
		Instrument ID: HGY								
Total/NA	Analysis	EPA 9040C		1			337983	11/20/20 09:50	AVS	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	25 mL	100 mL	336974	11/12/20 18:22	GRB	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Prep	PrecSep-21			999.33 mL	1.0 g	490023	11/24/20 09:30	KMP	TAL SL
Total/NA	Analysis	9315		1			493325	12/29/20 17:27	FLC	TAL SL
		Instrument ID: GFPCBLUE								
Total/NA	Prep	PrecSep_0			749.30 mL	1.0 g	493728	01/04/21 09:54	AVB	TAL SL
Total/NA	Analysis	9320		1			494240	01/07/21 13:11	GRW	TAL SL
		Instrument ID: GFPCORANGE								

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-2R

Lab Sample ID: 180-113376-3

Date Collected: 11/05/20 15:00

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			494577	01/11/21 13:59	GRW	TAL SL

Client Sample ID: CCR-AP-4R

Lab Sample ID: 180-113376-4

Date Collected: 11/05/20 10:30

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		1			337754	11/19/20 21:05	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: INTEGRION		1			338103	11/22/20 02:17	SAT	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			337943	11/19/20 18:40	TAM	TAL PIT
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A Instrument ID: A		1			338070	11/20/20 16:36	RSK	TAL PIT
Total/NA	Prep	7470A			50 mL	50 mL	336708	11/11/20 09:42	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			336987	11/12/20 16:03	KEM	TAL PIT
Total/NA	Analysis	EPA 9040C Instrument ID: NOEQUIP		1			337983	11/20/20 09:50	AVS	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	336974	11/12/20 18:22	GRB	TAL PIT
Total/NA	Prep	PrecSep-21			999.33 mL	1.0 g	490023	11/24/20 09:30	KMP	TAL SL
Total/NA	Analysis	9315 Instrument ID: GFPCBLUE		1			493325	12/29/20 17:28	FLC	TAL SL
Total/NA	Prep	PrecSep_0			750.21 mL	1.0 g	493728	01/04/21 09:54	AVB	TAL SL
Total/NA	Analysis	9320 Instrument ID: GFPCORANGE		1			494240	01/07/21 13:11	GRW	TAL SL
Total/NA	Analysis	Ra226_Ra228 Instrument ID: NOEQUIP		1			494577	01/11/21 13:59	GRW	TAL SL

Client Sample ID: CCR-AP-10

Lab Sample ID: 180-113376-5

Date Collected: 11/05/20 14:00

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		5			337754	11/19/20 21:53	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: CHIC2100A		50			337754	11/19/20 22:09	SAT	TAL PIT
Total/NA	Analysis	EPA 9056A Instrument ID: INTEGRION		5			338103	11/22/20 03:20	SAT	TAL PIT

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-10

Lab Sample ID: 180-113376-5

Date Collected: 11/05/20 14:00

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337943	11/19/20 19:04	TAM	TAL PIT
Instrument ID: A										
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A		5			338070	11/20/20 17:09	RSK	TAL PIT
Instrument ID: A										
Total/NA	Prep	7470A			50 mL	50 mL	336708	11/11/20 09:42	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336987	11/12/20 16:09	KEM	TAL PIT
Instrument ID: HGY										
Total/NA	Analysis	EPA 9040C		1			337983	11/20/20 09:50	AVS	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	25 mL	100 mL	336974	11/12/20 18:22	GRB	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Prep	PrecSep-21			750.45 mL	1.0 g	490023	11/24/20 09:30	KMP	TAL SL
Total/NA	Analysis	9315		1			493325	12/29/20 17:28	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			749.23 mL	1.0 g	493728	01/04/21 09:54	AVB	TAL SL
Total/NA	Analysis	9320		1			494240	01/07/21 13:11	GRW	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			494577	01/11/21 13:59	GRW	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: CCR-AP-11

Lab Sample ID: 180-113376-6

Date Collected: 11/05/20 16:00

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 9056A		1			337504	11/18/20 11:33	EPS	TAL PIT
Instrument ID: CHIC2100A										
Total/NA	Analysis	EPA 9056A		10			337504	11/18/20 11:49	EPS	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			337943	11/19/20 19:17	TAM	TAL PIT
Instrument ID: A										
Total Recoverable	Prep	3005A			50 mL	50 mL	337076	11/13/20 14:59	TJO	TAL PIT
Total Recoverable	Analysis	EPA 6020A		1			338070	11/20/20 17:13	RSK	TAL PIT
Instrument ID: A										
Total/NA	Prep	7470A			50 mL	50 mL	336708	11/11/20 09:42	MM1	TAL PIT
Total/NA	Analysis	EPA 7470A		1			336987	11/12/20 16:11	KEM	TAL PIT
Instrument ID: HGY										
Total/NA	Analysis	EPA 9040C		1			337983	11/20/20 09:50	AVS	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	336974	11/12/20 18:22	GRB	TAL PIT
Instrument ID: NOEQUIP										

Eurofins TestAmerica, Pittsburgh

Lab Chronicle

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-11

Lab Sample ID: 180-113376-6

Date Collected: 11/05/20 16:00

Matrix: Water

Date Received: 11/07/20 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000.52 mL	1.0 g	490023	11/24/20 09:30	KMP	TAL SL
Total/NA	Analysis	9315		1			493325	12/29/20 17:28	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			750.13 mL	1.0 g	493728	01/04/21 09:54	AVB	TAL SL
Total/NA	Analysis	9320		1			494240	01/07/21 13:12	GRW	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			494577	01/11/21 13:59	GRW	TAL SL
Instrument ID: NOEQUIP										

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058
 TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Analyst References:

Lab: TAL PIT

Batch Type: Prep

MM1 = Mary Beth Miller

TJO = Tyler Oliver

Batch Type: Analysis

AVS = Abbey Smith

EPS = Evan Scheuer

GRB = Gabriel Berghe

KEM = Kimberly Mahoney

RSK = Robert Kurtz

SAT = Stephen Tallam

TAM = Tessa Mastalski

Lab: TAL SL

Batch Type: Prep

AVB = Amber Bleem

KMP = Karen Phillips

Batch Type: Analysis

FLC = Fernando Cruz

GRW = George Witt

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-1R

Lab Sample ID: 180-113376-1

Date Collected: 11/05/20 11:35

Matrix: Water

Date Received: 11/07/20 10:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	29		1.0	0.32	mg/L			11/18/20 17:13	1
Fluoride	0.65		0.10	0.044	mg/L			11/19/20 19:00	1
Sulfate	240		10	3.8	mg/L			11/18/20 17:34	10

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00050	J	0.0010	0.00031	mg/L		11/13/20 14:59	11/19/20 18:20	1
Boron	2.7		0.080	0.039	mg/L		11/13/20 14:59	11/20/20 16:25	1
Barium	0.031	B	0.010	0.0016	mg/L		11/13/20 14:59	11/19/20 18:20	1
Beryllium	ND		0.0010	0.00018	mg/L		11/13/20 14:59	11/19/20 18:20	1
Calcium	40		0.50	0.13	mg/L		11/13/20 14:59	11/19/20 18:20	1
Cadmium	ND		0.0010	0.00022	mg/L		11/13/20 14:59	11/19/20 18:20	1
Cobalt	0.00044	J	0.00050	0.00013	mg/L		11/13/20 14:59	11/19/20 18:20	1
Chromium	0.020		0.0020	0.0015	mg/L		11/13/20 14:59	11/19/20 18:20	1
Molybdenum	0.0049	J	0.0050	0.00061	mg/L		11/13/20 14:59	11/19/20 18:20	1
Lead	0.00016	J	0.0010	0.00013	mg/L		11/13/20 14:59	11/19/20 18:20	1
Antimony	ND		0.0020	0.00038	mg/L		11/13/20 14:59	11/19/20 18:20	1
Selenium	ND		0.0050	0.0015	mg/L		11/13/20 14:59	11/19/20 18:20	1
Thallium	ND		0.0010	0.00015	mg/L		11/13/20 14:59	11/19/20 18:20	1
Lithium	ND		0.0050	0.0034	mg/L		11/13/20 14:59	11/19/20 18:20	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		11/11/20 09:42	11/12/20 16:00	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	850		10	10	mg/L			11/12/20 18:22	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.4	HF	0.1	0.1	SU			11/20/20 09:50	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.152	U	0.226	0.226	1.00	0.385	pCi/L	11/24/20 09:30	12/29/20 17:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.7		40 - 110					11/24/20 09:30	12/29/20 17:27	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.500		0.329	0.332	1.00	0.499	pCi/L	01/04/21 09:54	01/07/21 13:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.7		40 - 110					01/04/21 09:54	01/07/21 13:11	1
Y Carrier	80.0		40 - 110					01/04/21 09:54	01/07/21 13:11	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-1R

Lab Sample ID: 180-113376-1

Date Collected: 11/05/20 11:35

Matrix: Water

Date Received: 11/07/20 10:00

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.652		0.399	0.402	5.00	0.499	pCi/L		01/11/21 13:59	1

Client Sample ID: CCR-AP-2I

Lab Sample ID: 180-113376-2

Date Collected: 11/05/20 13:25

Matrix: Water

Date Received: 11/07/20 10:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	99		1.0	0.32	mg/L			11/18/20 17:55	1
Fluoride	1.1		0.10	0.044	mg/L			11/19/20 19:16	1
Sulfate	0.57	J	1.0	0.38	mg/L			11/18/20 17:55	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0010		0.0010	0.00031	mg/L		11/13/20 14:59	11/19/20 18:23	1
Boron	1.7		0.080	0.039	mg/L		11/13/20 14:59	11/20/20 16:29	1
Barium	0.12	B	0.010	0.0016	mg/L		11/13/20 14:59	11/19/20 18:23	1
Beryllium	ND		0.0010	0.00018	mg/L		11/13/20 14:59	11/19/20 18:23	1
Calcium	12		0.50	0.13	mg/L		11/13/20 14:59	11/19/20 18:23	1
Cadmium	ND		0.0010	0.00022	mg/L		11/13/20 14:59	11/19/20 18:23	1
Cobalt	0.00017	J	0.00050	0.00013	mg/L		11/13/20 14:59	11/19/20 18:23	1
Chromium	ND		0.0020	0.0015	mg/L		11/13/20 14:59	11/19/20 18:23	1
Molybdenum	0.00090	J	0.0050	0.00061	mg/L		11/13/20 14:59	11/19/20 18:23	1
Lead	ND		0.0010	0.00013	mg/L		11/13/20 14:59	11/19/20 18:23	1
Antimony	ND		0.0020	0.00038	mg/L		11/13/20 14:59	11/19/20 18:23	1
Selenium	ND		0.0050	0.0015	mg/L		11/13/20 14:59	11/19/20 18:23	1
Thallium	ND		0.0010	0.00015	mg/L		11/13/20 14:59	11/19/20 18:23	1
Lithium	0.022		0.0050	0.0034	mg/L		11/13/20 14:59	11/19/20 18:23	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		11/11/20 09:42	11/12/20 16:01	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	690		10	10	mg/L			11/12/20 18:22	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.8	HF	0.1	0.1	SU			11/20/20 09:50	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.279	U	0.276	0.277	1.00	0.438	pCi/L	11/24/20 09:30	12/29/20 17:27	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	84.8		40 - 110	11/24/20 09:30	12/29/20 17:27	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-2I

Lab Sample ID: 180-113376-2

Date Collected: 11/05/20 13:25

Matrix: Water

Date Received: 11/07/20 10:00

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.00932	U	0.347	0.347	1.00	0.619	pCi/L	01/04/21 09:54	01/07/21 13:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.0		40 - 110					01/04/21 09:54	01/07/21 13:11	1
Y Carrier	81.1		40 - 110					01/04/21 09:54	01/07/21 13:11	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.270	U	0.443	0.444	5.00	0.619	pCi/L		01/11/21 13:59	1

Client Sample ID: CCR-AP-2R

Lab Sample ID: 180-113376-3

Date Collected: 11/05/20 15:00

Matrix: Water

Date Received: 11/07/20 10:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1300		50	16	mg/L			11/18/20 18:58	50
Fluoride	1.1		0.50	0.22	mg/L			11/19/20 22:25	5
Sulfate	6700		50	19	mg/L			11/18/20 18:58	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00055	J	0.0010	0.00031	mg/L		11/13/20 14:59	11/19/20 18:26	1
Boron	11		0.80	0.39	mg/L		11/13/20 14:59	11/20/20 16:32	10
Barium	0.022	B	0.010	0.0016	mg/L		11/13/20 14:59	11/19/20 18:26	1
Beryllium	ND		0.0010	0.00018	mg/L		11/13/20 14:59	11/19/20 18:26	1
Calcium	350		0.50	0.13	mg/L		11/13/20 14:59	11/19/20 18:26	1
Cadmium	ND		0.0010	0.00022	mg/L		11/13/20 14:59	11/19/20 18:26	1
Cobalt	0.0028		0.00050	0.00013	mg/L		11/13/20 14:59	11/19/20 18:26	1
Chromium	ND		0.0020	0.0015	mg/L		11/13/20 14:59	11/19/20 18:26	1
Molybdenum	1.9		0.0050	0.00061	mg/L		11/13/20 14:59	11/19/20 18:26	1
Lead	ND		0.0010	0.00013	mg/L		11/13/20 14:59	11/19/20 18:26	1
Antimony	ND		0.0020	0.00038	mg/L		11/13/20 14:59	11/19/20 18:26	1
Selenium	ND		0.0050	0.0015	mg/L		11/13/20 14:59	11/19/20 18:26	1
Thallium	ND		0.0010	0.00015	mg/L		11/13/20 14:59	11/19/20 18:26	1
Lithium	0.033		0.0050	0.0034	mg/L		11/13/20 14:59	11/19/20 18:26	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		11/11/20 09:42	11/12/20 16:02	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	3600		40	40	mg/L			11/12/20 18:22	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.4	HF	0.1	0.1	SU			11/20/20 09:50	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-2R

Lab Sample ID: 180-113376-3

Date Collected: 11/05/20 15:00

Matrix: Water

Date Received: 11/07/20 10:00

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.115	U	0.178	0.178	1.00	0.306	pCi/L	11/24/20 09:30	12/29/20 17:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	100		40 - 110					11/24/20 09:30	12/29/20 17:27	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.224	U	0.299	0.300	1.00	0.499	pCi/L	01/04/21 09:54	01/07/21 13:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.3		40 - 110					01/04/21 09:54	01/07/21 13:11	1
Y Carrier	79.3		40 - 110					01/04/21 09:54	01/07/21 13:11	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.339	U	0.348	0.349	5.00	0.499	pCi/L		01/11/21 13:59	1

Client Sample ID: CCR-AP-4R

Lab Sample ID: 180-113376-4

Date Collected: 11/05/20 10:30

Matrix: Water

Date Received: 11/07/20 10:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19		1.0	0.32	mg/L			11/22/20 02:17	1
Fluoride	0.48		0.10	0.044	mg/L			11/19/20 21:05	1
Sulfate	86	F1	1.0	0.38	mg/L			11/19/20 21:05	1

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		11/13/20 14:59	11/19/20 18:40	1
Boron	0.12		0.080	0.039	mg/L		11/13/20 14:59	11/20/20 16:36	1
Barium	0.080	B	0.010	0.0016	mg/L		11/13/20 14:59	11/19/20 18:40	1
Beryllium	ND		0.0010	0.00018	mg/L		11/13/20 14:59	11/19/20 18:40	1
Calcium	140		0.50	0.13	mg/L		11/13/20 14:59	11/19/20 18:40	1
Cadmium	ND		0.0010	0.00022	mg/L		11/13/20 14:59	11/19/20 18:40	1
Cobalt	ND		0.00050	0.00013	mg/L		11/13/20 14:59	11/19/20 18:40	1
Chromium	0.0023		0.0020	0.0015	mg/L		11/13/20 14:59	11/19/20 18:40	1
Molybdenum	0.0012	J	0.0050	0.00061	mg/L		11/13/20 14:59	11/19/20 18:40	1
Lead	ND		0.0010	0.00013	mg/L		11/13/20 14:59	11/19/20 18:40	1
Antimony	ND		0.0020	0.00038	mg/L		11/13/20 14:59	11/19/20 18:40	1
Selenium	ND		0.0050	0.0015	mg/L		11/13/20 14:59	11/19/20 18:40	1
Thallium	ND		0.0010	0.00015	mg/L		11/13/20 14:59	11/19/20 18:40	1
Lithium	ND		0.0050	0.0034	mg/L		11/13/20 14:59	11/19/20 18:40	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-4R

Lab Sample ID: 180-113376-4

Date Collected: 11/05/20 10:30

Matrix: Water

Date Received: 11/07/20 10:00

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		11/11/20 09:42	11/12/20 16:03	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	720		10	10	mg/L			11/12/20 18:22	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.4	HF	0.1	0.1	SU			11/20/20 09:50	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0118	U	0.291	0.291	1.00	0.563	pCi/L	11/24/20 09:30	12/29/20 17:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	71.8		40 - 110					11/24/20 09:30	12/29/20 17:28	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0270	U	0.306	0.306	1.00	0.559	pCi/L	01/04/21 09:54	01/07/21 13:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.1		40 - 110					01/04/21 09:54	01/07/21 13:11	1
Y Carrier	79.6		40 - 110					01/04/21 09:54	01/07/21 13:11	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.0152	U	0.422	0.422	5.00	0.563	pCi/L		01/11/21 13:59	1

Client Sample ID: CCR-AP-10

Lab Sample ID: 180-113376-5

Date Collected: 11/05/20 14:00

Matrix: Water

Date Received: 11/07/20 10:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	180		5.0	1.6	mg/L			11/22/20 03:20	5
Fluoride	0.40	J	0.50	0.22	mg/L			11/19/20 21:53	5
Sulfate	2000		50	19	mg/L			11/19/20 22:09	50

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0011		0.0010	0.00031	mg/L		11/13/20 14:59	11/19/20 19:04	1
Boron	6.5		0.40	0.19	mg/L		11/13/20 14:59	11/20/20 17:09	5
Barium	0.016	B	0.010	0.0016	mg/L		11/13/20 14:59	11/19/20 19:04	1
Beryllium	ND		0.0010	0.00018	mg/L		11/13/20 14:59	11/19/20 19:04	1
Calcium	210		0.50	0.13	mg/L		11/13/20 14:59	11/19/20 19:04	1
Cadmium	ND		0.0010	0.00022	mg/L		11/13/20 14:59	11/19/20 19:04	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-10

Lab Sample ID: 180-113376-5

Date Collected: 11/05/20 14:00

Matrix: Water

Date Received: 11/07/20 10:00

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	0.0012		0.00050	0.00013	mg/L		11/13/20 14:59	11/19/20 19:04	1
Chromium	ND		0.0020	0.0015	mg/L		11/13/20 14:59	11/19/20 19:04	1
Molybdenum	0.0026	J	0.0050	0.00061	mg/L		11/13/20 14:59	11/19/20 19:04	1
Lead	0.00072	J	0.0010	0.00013	mg/L		11/13/20 14:59	11/19/20 19:04	1
Antimony	ND		0.0020	0.00038	mg/L		11/13/20 14:59	11/19/20 19:04	1
Selenium	0.036		0.0050	0.0015	mg/L		11/13/20 14:59	11/19/20 19:04	1
Thallium	0.00027	J	0.0010	0.00015	mg/L		11/13/20 14:59	11/19/20 19:04	1
Lithium	ND		0.0050	0.0034	mg/L		11/13/20 14:59	11/19/20 19:04	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		11/11/20 09:42	11/12/20 16:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	3100		40	40	mg/L			11/12/20 18:22	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.5	HF	0.1	0.1	SU			11/20/20 09:50	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0874	U	0.293	0.293	1.00	0.615	pCi/L	11/24/20 09:30	12/29/20 17:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.4		40 - 110					11/24/20 09:30	12/29/20 17:28	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.445	U	0.357	0.360	1.00	0.566	pCi/L	01/04/21 09:54	01/07/21 13:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.4		40 - 110					01/04/21 09:54	01/07/21 13:11	1
Y Carrier	79.3		40 - 110					01/04/21 09:54	01/07/21 13:11	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.357	U	0.462	0.464	5.00	0.615	pCi/L		01/11/21 13:59	1

Client Sample ID: CCR-AP-11

Lab Sample ID: 180-113376-6

Date Collected: 11/05/20 16:00

Matrix: Water

Date Received: 11/07/20 10:00

Method: EPA 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	70		1.0	0.32	mg/L			11/18/20 11:33	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-11

Lab Sample ID: 180-113376-6

Date Collected: 11/05/20 16:00

Matrix: Water

Date Received: 11/07/20 10:00

Method: EPA 9056A - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.17		0.10	0.044	mg/L			11/18/20 11:33	1
Sulfate	740		10	3.8	mg/L			11/18/20 11:49	10

Method: EPA 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00060	J	0.0010	0.00031	mg/L		11/13/20 14:59	11/19/20 19:17	1
Boron	0.66		0.080	0.039	mg/L		11/13/20 14:59	11/20/20 17:13	1
Barium	0.058	B	0.010	0.0016	mg/L		11/13/20 14:59	11/19/20 19:17	1
Beryllium	ND		0.0010	0.00018	mg/L		11/13/20 14:59	11/19/20 19:17	1
Calcium	120		0.50	0.13	mg/L		11/13/20 14:59	11/19/20 19:17	1
Cadmium	ND		0.0010	0.00022	mg/L		11/13/20 14:59	11/19/20 19:17	1
Cobalt	0.00062		0.00050	0.00013	mg/L		11/13/20 14:59	11/19/20 19:17	1
Chromium	ND		0.0020	0.0015	mg/L		11/13/20 14:59	11/19/20 19:17	1
Molybdenum	0.00087	J	0.0050	0.00061	mg/L		11/13/20 14:59	11/19/20 19:17	1
Lead	0.00027	J	0.0010	0.00013	mg/L		11/13/20 14:59	11/19/20 19:17	1
Antimony	ND		0.0020	0.00038	mg/L		11/13/20 14:59	11/19/20 19:17	1
Selenium	0.0033	J	0.0050	0.0015	mg/L		11/13/20 14:59	11/19/20 19:17	1
Thallium	ND		0.0010	0.00015	mg/L		11/13/20 14:59	11/19/20 19:17	1
Lithium	0.012		0.0050	0.0034	mg/L		11/13/20 14:59	11/19/20 19:17	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		11/11/20 09:42	11/12/20 16:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1000		10	10	mg/L			11/12/20 18:22	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.2	HF	0.1	0.1	SU			11/20/20 09:50	1

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0535	U	0.208	0.208	1.00	0.431	pCi/L	11/24/20 09:30	12/29/20 17:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.0		40 - 110					11/24/20 09:30	12/29/20 17:28	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.317	U	0.335	0.336	1.00	0.659	pCi/L	01/04/21 09:54	01/07/21 13:12	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.9		40 - 110					01/04/21 09:54	01/07/21 13:12	1
Y Carrier	77.0		40 - 110					01/04/21 09:54	01/07/21 13:12	1

Eurofins TestAmerica, Pittsburgh

Client Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Client Sample ID: CCR-AP-11

Lab Sample ID: 180-113376-6

Date Collected: 11/05/20 16:00

Matrix: Water

Date Received: 11/07/20 10:00

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.371	U	0.394	0.395	5.00	0.659	pCi/L		01/11/21 13:59	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Method: EPA 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 180-337504/6
Matrix: Water
Analysis Batch: 337504

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			11/18/20 09:49	1
Fluoride	ND		0.10	0.044	mg/L			11/18/20 09:49	1
Sulfate	ND		1.0	0.38	mg/L			11/18/20 09:49	1

Lab Sample ID: LCS 180-337504/5
Matrix: Water
Analysis Batch: 337504

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	50.2		mg/L		100	80 - 120
Fluoride	2.50	2.45		mg/L		98	80 - 120
Sulfate	50.0	49.4		mg/L		99	80 - 120

Lab Sample ID: MB 180-337505/6
Matrix: Water
Analysis Batch: 337505

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			11/18/20 07:13	1
Sulfate	ND		1.0	0.38	mg/L			11/18/20 07:13	1

Lab Sample ID: LCS 180-337505/5
Matrix: Water
Analysis Batch: 337505

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	52.3		mg/L		105	80 - 120
Sulfate	50.0	51.6		mg/L		103	80 - 120

Lab Sample ID: MB 180-337754/6
Matrix: Water
Analysis Batch: 337754

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	ND		0.10	0.044	mg/L			11/19/20 10:44	1
Sulfate	ND		1.0	0.38	mg/L			11/19/20 10:44	1

Lab Sample ID: LCS 180-337754/5
Matrix: Water
Analysis Batch: 337754

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoride	2.50	2.47		mg/L		99	80 - 120
Sulfate	50.0	50.2		mg/L		100	80 - 120

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Method: EPA 9056A - Anions, Ion Chromatography (Continued)

Lab Sample ID: 180-113376-4 MS
Matrix: Water
Analysis Batch: 337754

Client Sample ID: CCR-AP-4R
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoride	0.48		2.50	2.70		mg/L		89	80 - 120
Sulfate	86	F1	50.0	122	F1	mg/L		73	80 - 120

Lab Sample ID: 180-113376-4 MSD
Matrix: Water
Analysis Batch: 337754

Client Sample ID: CCR-AP-4R
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Fluoride	0.48		2.50	2.81		mg/L		93	80 - 120	4	15
Sulfate	86	F1	50.0	130		mg/L		87	80 - 120	6	15

Lab Sample ID: MB 180-338103/43
Matrix: Water
Analysis Batch: 338103

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.32	mg/L			11/22/20 01:56	1

Lab Sample ID: LCS 180-338103/42
Matrix: Water
Analysis Batch: 338103

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	52.4		mg/L		105	80 - 120

Lab Sample ID: 180-113376-4 MS
Matrix: Water
Analysis Batch: 338103

Client Sample ID: CCR-AP-4R
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	19		50.0	67.5		mg/L		97	80 - 120

Lab Sample ID: 180-113376-4 MSD
Matrix: Water
Analysis Batch: 338103

Client Sample ID: CCR-AP-4R
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	19		50.0	69.3		mg/L		101	80 - 120	3	15

Method: EPA 6020A - Metals (ICP/MS)

Lab Sample ID: MB 180-337076/1-A
Matrix: Water
Analysis Batch: 337943

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.0010	0.00031	mg/L		11/13/20 14:59	11/19/20 17:58	1
Barium	0.00223	J	0.010	0.0016	mg/L		11/13/20 14:59	11/19/20 17:58	1
Beryllium	ND		0.0010	0.00018	mg/L		11/13/20 14:59	11/19/20 17:58	1
Calcium	ND		0.50	0.13	mg/L		11/13/20 14:59	11/19/20 17:58	1

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Method: EPA 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-337076/1-A
Matrix: Water
Analysis Batch: 337943

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cadmium	ND		0.0010	0.00022	mg/L		11/13/20 14:59	11/19/20 17:58	1
Cobalt	ND		0.00050	0.00013	mg/L		11/13/20 14:59	11/19/20 17:58	1
Chromium	ND		0.0020	0.0015	mg/L		11/13/20 14:59	11/19/20 17:58	1
Molybdenum	ND		0.0050	0.00061	mg/L		11/13/20 14:59	11/19/20 17:58	1
Lead	ND		0.0010	0.00013	mg/L		11/13/20 14:59	11/19/20 17:58	1
Antimony	ND		0.0020	0.00038	mg/L		11/13/20 14:59	11/19/20 17:58	1
Selenium	ND		0.0050	0.0015	mg/L		11/13/20 14:59	11/19/20 17:58	1
Thallium	ND		0.0010	0.00015	mg/L		11/13/20 14:59	11/19/20 17:58	1
Lithium	ND		0.0050	0.0034	mg/L		11/13/20 14:59	11/19/20 17:58	1

Lab Sample ID: MB 180-337076/1-A
Matrix: Water
Analysis Batch: 338070

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	ND		0.080	0.039	mg/L		11/13/20 14:59	11/20/20 16:08	1

Lab Sample ID: LCS 180-337076/2-A
Matrix: Water
Analysis Batch: 337943

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
Arsenic	1.00	0.980		mg/L		98	80 - 120	
Barium	1.00	1.01		mg/L		101	80 - 120	
Beryllium	0.500	0.498		mg/L		100	80 - 120	
Calcium	25.0	27.8		mg/L		111	80 - 120	
Cadmium	0.500	0.491		mg/L		98	80 - 120	
Cobalt	0.500	0.484		mg/L		97	80 - 120	
Chromium	0.500	0.490		mg/L		98	80 - 120	
Molybdenum	0.500	0.501		mg/L		100	80 - 120	
Lead	0.500	0.497		mg/L		99	80 - 120	
Antimony	0.250	0.247		mg/L		99	80 - 120	
Selenium	1.00	1.02		mg/L		102	80 - 120	
Thallium	1.00	1.03		mg/L		103	80 - 120	
Lithium	0.500	0.482		mg/L		96	80 - 120	

Lab Sample ID: LCS 180-337076/2-A
Matrix: Water
Analysis Batch: 338070

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
Boron	1.25	1.06		mg/L		84	80 - 120	

Lab Sample ID: 180-113376-4 MS
Matrix: Water
Analysis Batch: 337943

Client Sample ID: CCR-AP-4R
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	
Arsenic	ND		1.00	0.995		mg/L		99	75 - 125	
Barium	0.080	B	1.00	1.06		mg/L		98	75 - 125	

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Method: EPA 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: 180-113376-4 MS
Matrix: Water
Analysis Batch: 337943

Client Sample ID: CCR-AP-4R
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec.	
				Result	Qualifier				Limits	
Beryllium	ND		0.500	0.491		mg/L		98	75 - 125	
Calcium	140		25.0	162	4	mg/L		104	75 - 125	
Cadmium	ND		0.500	0.480		mg/L		96	75 - 125	
Cobalt	ND		0.500	0.481		mg/L		96	75 - 125	
Chromium	0.0023		0.500	0.489		mg/L		97	75 - 125	
Molybdenum	0.0012	J	0.500	0.502		mg/L		100	75 - 125	
Lead	ND		0.500	0.491		mg/L		98	75 - 125	
Antimony	ND		0.250	0.244		mg/L		98	75 - 125	
Selenium	ND		1.00	0.978		mg/L		98	75 - 125	
Thallium	ND		1.00	0.984		mg/L		98	75 - 125	
Lithium	ND		0.500	0.476		mg/L		95	75 - 125	

Lab Sample ID: 180-113376-4 MS
Matrix: Water
Analysis Batch: 338070

Client Sample ID: CCR-AP-4R
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec.	
				Result	Qualifier				Limits	
Boron	0.12		1.25	1.10		mg/L		78	75 - 125	

Lab Sample ID: 180-113376-4 MSD
Matrix: Water
Analysis Batch: 337943

Client Sample ID: CCR-AP-4R
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	%Rec.		RPD	
				Result	Qualifier				Limits	RPD	Limit	
Arsenic	ND		1.00	0.999		mg/L		100	75 - 125		0	20
Barium	0.080	B	1.00	1.07		mg/L		99	75 - 125		1	20
Beryllium	ND		0.500	0.492		mg/L		98	75 - 125		0	20
Calcium	140		25.0	163	4	mg/L		105	75 - 125		0	20
Cadmium	ND		0.500	0.482		mg/L		96	75 - 125		0	20
Cobalt	ND		0.500	0.486		mg/L		97	75 - 125		1	20
Chromium	0.0023		0.500	0.480		mg/L		95	75 - 125		2	20
Molybdenum	0.0012	J	0.500	0.509		mg/L		102	75 - 125		1	20
Lead	ND		0.500	0.497		mg/L		99	75 - 125		1	20
Antimony	ND		0.250	0.247		mg/L		99	75 - 125		1	20
Selenium	ND		1.00	0.995		mg/L		99	75 - 125		2	20
Thallium	ND		1.00	1.03		mg/L		103	75 - 125		5	20
Lithium	ND		0.500	0.479		mg/L		96	75 - 125		1	20

Lab Sample ID: 180-113376-4 MSD
Matrix: Water
Analysis Batch: 338070

Client Sample ID: CCR-AP-4R
Prep Type: Total Recoverable
Prep Batch: 337076

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	%Rec.		RPD	
				Result	Qualifier				Limits	RPD	Limit	
Boron	0.12		1.25	1.16		mg/L		83	75 - 125		5	20

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: MB 180-336708/1-A
Matrix: Water
Analysis Batch: 336987

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 336708

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.00013	mg/L		11/11/20 09:42	11/12/20 15:53	1

Lab Sample ID: LCS 180-336708/2-A
Matrix: Water
Analysis Batch: 336987

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 336708

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00250	0.00266		mg/L		106	80 - 120

Lab Sample ID: 180-113376-4 MS
Matrix: Water
Analysis Batch: 336987

Client Sample ID: CCR-AP-4R
Prep Type: Total/NA
Prep Batch: 336708

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	ND		0.00100	0.00112		mg/L		112	75 - 125

Lab Sample ID: 180-113376-4 MSD
Matrix: Water
Analysis Batch: 336987

Client Sample ID: CCR-AP-4R
Prep Type: Total/NA
Prep Batch: 336708

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	ND		0.00100	0.00114		mg/L		114	75 - 125	2	20

Method: EPA 9040C - pH

Lab Sample ID: LCS 180-337983/1
Matrix: Water
Analysis Batch: 337983

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
pH	7.00	7.0		SU		100	99 - 101

Lab Sample ID: 180-113376-4 DU
Matrix: Water
Analysis Batch: 337983

Client Sample ID: CCR-AP-4R
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	7.4	HF	7.4	HF	SU		0.4	2

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-336974/2
Matrix: Water
Analysis Batch: 336974

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	10	mg/L			11/12/20 18:22	1

Eurofins TestAmerica, Pittsburgh

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 180-336974/1
 Matrix: Water
 Analysis Batch: 336974

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	714	714		mg/L		100	80 - 120

Lab Sample ID: 180-113376-4 DU
 Matrix: Water
 Analysis Batch: 336974

Client Sample ID: CCR-AP-4R
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	720		717		mg/L		1	10

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-490023/20-A
 Matrix: Water
 Analysis Batch: 493325

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 490023

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.09216	U	0.202	0.202	1.00	0.366	pCi/L	11/24/20 09:30	12/29/20 19:49	1
Carrier	MB %Yield	MB Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	81.5		40 - 110					11/24/20 09:30	12/29/20 19:49	1

Lab Sample ID: LCS 160-490023/1-A
 Matrix: Water
 Analysis Batch: 493325

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 490023

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-226	11.3	9.595		1.32	1.00	0.441	pCi/L	85	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	82.7		40 - 110						

Lab Sample ID: 180-113376-4 DU
 Matrix: Water
 Analysis Batch: 493325

Client Sample ID: CCR-AP-4R
 Prep Type: Total/NA
 Prep Batch: 490023

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
Radium-226	0.0118	U	0.4714		0.281	1.00	0.369	pCi/L	0.80	1
Carrier	DU %Yield	DU Qualifier	Limits							
Ba Carrier	83.6		40 - 110							

QC Sample Results

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-493728/19-A
Matrix: Water
Analysis Batch: 494240

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 493728

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.02813	U	0.289	0.289	1.00	0.527	pCi/L	01/04/21 09:54	01/07/21 13:13	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	
Ba Carrier	89.6		40 - 110				01/04/21 09:54		01/07/21 13:13	
Y Carrier	86.7		40 - 110				01/04/21 09:54		01/07/21 13:13	

Lab Sample ID: LCS 160-493728/1-A
Matrix: Water
Analysis Batch: 494240

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 493728

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec. Limits
				Uncert. (2σ+/-)					
Radium-228	10.0	12.34		1.48	1.00	0.592	pCi/L	123	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	89.3		40 - 110						
Y Carrier	83.0		40 - 110						

Lab Sample ID: 180-113376-4 DU
Matrix: Water
Analysis Batch: 494240

Client Sample ID: CCR-AP-4R
Prep Type: Total/NA
Prep Batch: 493728

Analyte	Sample	Sample	DU	DU	Total	RL	MDC	Unit	RER	RER
	Result	Qual	Result	Qual	Uncert. (2σ+/-)					Limit
Radium-228	-0.0270	U	0.2245	U	0.333	1.00	0.559	pCi/L	0.39	1
Carrier	DU %Yield	DU Qualifier	Limits							
Ba Carrier	93.3		40 - 110							
Y Carrier	80.4		40 - 110							

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Lab Sample ID: 180-113376-4 DU
Matrix: Water
Analysis Batch: 494577

Client Sample ID: CCR-AP-4R
Prep Type: Total/NA

Analyte	Sample	Sample	DU	DU	Total	RL	MDC	Unit	RER	RER
	Result	Qual	Result	Qual	Uncert. (2σ+/-)					Limit
Combined Radium 226 + 228	-0.0152	U	0.6960		0.436	5.00	0.559	pCi/L	0.83	

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

HPLC/IC

Analysis Batch: 337504

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-6	CCR-AP-11	Total/NA	Water	EPA 9056A	
180-113376-6	CCR-AP-11	Total/NA	Water	EPA 9056A	
MB 180-337504/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-337504/5	Lab Control Sample	Total/NA	Water	EPA 9056A	

Analysis Batch: 337505

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total/NA	Water	EPA 9056A	
180-113376-1	CCR-AP-1R	Total/NA	Water	EPA 9056A	
180-113376-2	CCR-AP-2I	Total/NA	Water	EPA 9056A	
180-113376-3	CCR-AP-2R	Total/NA	Water	EPA 9056A	
MB 180-337505/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-337505/5	Lab Control Sample	Total/NA	Water	EPA 9056A	

Analysis Batch: 337754

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total/NA	Water	EPA 9056A	
180-113376-2	CCR-AP-2I	Total/NA	Water	EPA 9056A	
180-113376-3	CCR-AP-2R	Total/NA	Water	EPA 9056A	
180-113376-4	CCR-AP-4R	Total/NA	Water	EPA 9056A	
180-113376-5	CCR-AP-10	Total/NA	Water	EPA 9056A	
180-113376-5	CCR-AP-10	Total/NA	Water	EPA 9056A	
MB 180-337754/6	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-337754/5	Lab Control Sample	Total/NA	Water	EPA 9056A	
180-113376-4 MS	CCR-AP-4R	Total/NA	Water	EPA 9056A	
180-113376-4 MSD	CCR-AP-4R	Total/NA	Water	EPA 9056A	

Analysis Batch: 338103

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-4	CCR-AP-4R	Total/NA	Water	EPA 9056A	
180-113376-5	CCR-AP-10	Total/NA	Water	EPA 9056A	
MB 180-338103/43	Method Blank	Total/NA	Water	EPA 9056A	
LCS 180-338103/42	Lab Control Sample	Total/NA	Water	EPA 9056A	
180-113376-4 MS	CCR-AP-4R	Total/NA	Water	EPA 9056A	
180-113376-4 MSD	CCR-AP-4R	Total/NA	Water	EPA 9056A	

Metals

Prep Batch: 336708

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total/NA	Water	7470A	
180-113376-2	CCR-AP-2I	Total/NA	Water	7470A	
180-113376-3	CCR-AP-2R	Total/NA	Water	7470A	
180-113376-4	CCR-AP-4R	Total/NA	Water	7470A	
180-113376-5	CCR-AP-10	Total/NA	Water	7470A	
180-113376-6	CCR-AP-11	Total/NA	Water	7470A	
MB 180-336708/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-336708/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-113376-4 MS	CCR-AP-4R	Total/NA	Water	7470A	
180-113376-4 MSD	CCR-AP-4R	Total/NA	Water	7470A	

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

Metals

Analysis Batch: 336987

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total/NA	Water	EPA 7470A	336708
180-113376-2	CCR-AP-2I	Total/NA	Water	EPA 7470A	336708
180-113376-3	CCR-AP-2R	Total/NA	Water	EPA 7470A	336708
180-113376-4	CCR-AP-4R	Total/NA	Water	EPA 7470A	336708
180-113376-5	CCR-AP-10	Total/NA	Water	EPA 7470A	336708
180-113376-6	CCR-AP-11	Total/NA	Water	EPA 7470A	336708
MB 180-336708/1-A	Method Blank	Total/NA	Water	EPA 7470A	336708
LCS 180-336708/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	336708
180-113376-4 MS	CCR-AP-4R	Total/NA	Water	EPA 7470A	336708
180-113376-4 MSD	CCR-AP-4R	Total/NA	Water	EPA 7470A	336708

Prep Batch: 337076

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total Recoverable	Water	3005A	
180-113376-2	CCR-AP-2I	Total Recoverable	Water	3005A	
180-113376-3	CCR-AP-2R	Total Recoverable	Water	3005A	
180-113376-4	CCR-AP-4R	Total Recoverable	Water	3005A	
180-113376-5	CCR-AP-10	Total Recoverable	Water	3005A	
180-113376-6	CCR-AP-11	Total Recoverable	Water	3005A	
MB 180-337076/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-337076/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
180-113376-4 MS	CCR-AP-4R	Total Recoverable	Water	3005A	
180-113376-4 MSD	CCR-AP-4R	Total Recoverable	Water	3005A	

Analysis Batch: 337943

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total Recoverable	Water	EPA 6020A	337076
180-113376-2	CCR-AP-2I	Total Recoverable	Water	EPA 6020A	337076
180-113376-3	CCR-AP-2R	Total Recoverable	Water	EPA 6020A	337076
180-113376-4	CCR-AP-4R	Total Recoverable	Water	EPA 6020A	337076
180-113376-5	CCR-AP-10	Total Recoverable	Water	EPA 6020A	337076
180-113376-6	CCR-AP-11	Total Recoverable	Water	EPA 6020A	337076
MB 180-337076/1-A	Method Blank	Total Recoverable	Water	EPA 6020A	337076
LCS 180-337076/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020A	337076
180-113376-4 MS	CCR-AP-4R	Total Recoverable	Water	EPA 6020A	337076
180-113376-4 MSD	CCR-AP-4R	Total Recoverable	Water	EPA 6020A	337076

Analysis Batch: 338070

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total Recoverable	Water	EPA 6020A	337076
180-113376-2	CCR-AP-2I	Total Recoverable	Water	EPA 6020A	337076
180-113376-3	CCR-AP-2R	Total Recoverable	Water	EPA 6020A	337076
180-113376-4	CCR-AP-4R	Total Recoverable	Water	EPA 6020A	337076
180-113376-5	CCR-AP-10	Total Recoverable	Water	EPA 6020A	337076
180-113376-6	CCR-AP-11	Total Recoverable	Water	EPA 6020A	337076
MB 180-337076/1-A	Method Blank	Total Recoverable	Water	EPA 6020A	337076
LCS 180-337076/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020A	337076
180-113376-4 MS	CCR-AP-4R	Total Recoverable	Water	EPA 6020A	337076
180-113376-4 MSD	CCR-AP-4R	Total Recoverable	Water	EPA 6020A	337076

Eurofins TestAmerica, Pittsburgh

QC Association Summary

Client: Vectren Corporation
 Project/Site: CCR Groundwater Monitoring AB Brown

Job ID: 180-113376-1

General Chemistry

Analysis Batch: 336974

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total/NA	Water	SM 2540C	
180-113376-2	CCR-AP-2I	Total/NA	Water	SM 2540C	
180-113376-3	CCR-AP-2R	Total/NA	Water	SM 2540C	
180-113376-4	CCR-AP-4R	Total/NA	Water	SM 2540C	
180-113376-5	CCR-AP-10	Total/NA	Water	SM 2540C	
180-113376-6	CCR-AP-11	Total/NA	Water	SM 2540C	
MB 180-336974/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-336974/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-113376-4 DU	CCR-AP-4R	Total/NA	Water	SM 2540C	

Analysis Batch: 337983

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total/NA	Water	EPA 9040C	
180-113376-2	CCR-AP-2I	Total/NA	Water	EPA 9040C	
180-113376-3	CCR-AP-2R	Total/NA	Water	EPA 9040C	
180-113376-4	CCR-AP-4R	Total/NA	Water	EPA 9040C	
180-113376-5	CCR-AP-10	Total/NA	Water	EPA 9040C	
180-113376-6	CCR-AP-11	Total/NA	Water	EPA 9040C	
LCS 180-337983/1	Lab Control Sample	Total/NA	Water	EPA 9040C	
180-113376-4 DU	CCR-AP-4R	Total/NA	Water	EPA 9040C	

Rad

Prep Batch: 490023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total/NA	Water	PrecSep-21	
180-113376-2	CCR-AP-2I	Total/NA	Water	PrecSep-21	
180-113376-3	CCR-AP-2R	Total/NA	Water	PrecSep-21	
180-113376-4	CCR-AP-4R	Total/NA	Water	PrecSep-21	
180-113376-5	CCR-AP-10	Total/NA	Water	PrecSep-21	
180-113376-6	CCR-AP-11	Total/NA	Water	PrecSep-21	
MB 160-490023/20-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-490023/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
180-113376-4 DU	CCR-AP-4R	Total/NA	Water	PrecSep-21	

Prep Batch: 493728

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-113376-1	CCR-AP-1R	Total/NA	Water	PrecSep_0	
180-113376-2	CCR-AP-2I	Total/NA	Water	PrecSep_0	
180-113376-3	CCR-AP-2R	Total/NA	Water	PrecSep_0	
180-113376-4	CCR-AP-4R	Total/NA	Water	PrecSep_0	
180-113376-5	CCR-AP-10	Total/NA	Water	PrecSep_0	
180-113376-6	CCR-AP-11	Total/NA	Water	PrecSep_0	
MB 160-493728/19-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-493728/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
180-113376-4 DU	CCR-AP-4R	Total/NA	Water	PrecSep_0	



Address:

TAL-8210

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: <u>Muh Mustfeldt</u>		Date: <u>11-6-20</u>		COC No: <u>2</u> of <u>2</u> COCs	
Company Name: <u>Vecten Corporation</u>		Site Contact: <u>Angela Schaller</u>		Carrier: <u>Fedex</u>		Sampler: <u>Jason Wussell</u>	
Address: <u>8511 Walkerton Road</u>		Lab Contact: <u>Veronica Boffa</u>		Perform MS / MSD (Y / N)		For Lab Use Only:	
City/State/Zip: <u>Mt Vernon IN 47620</u>		Filtered Sample (Y / N)		EPA 903.0/904.0		Walk-in Client:	
Phone: <u>317 573 4082</u>		Analysis Turnaround Time		EPA 7170A		Lab Sampling:	
Fax:		TAT if different from Below		Mercury (Total)		Job / SDG No.:	
Project Name: <u>CCR Groundwater Monitoring</u>		<input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS		EPA App IV Test			
Site: <u>AB Brown</u>		2 weeks		Ground (9056A)			
P O #		1 week					
		2 days					
		1 day					

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Sample Specific Notes
CCR-AP-1R	11-5	1135	G	WT	5	
CCR-AP-2I		1325				
CCR-AP-2R		1500				
CCR-AP-4R		1030				
CCR-AP-10		1400				
CCR-AP-11		1600				
MSMSD-2		1030			10	



Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

Non-Hazard Flammable Skin Irritant Poison B Unknown

Return to Client Disposal by Lab Archive for _____ Months

Sample Disposal (A fee may be assessed): _____ 1 month

Special Instructions/QC Requirements & Comments:

Cooler Temp. (°C): Obs'd: _____ Therm ID No.: _____

Relinquished by: [Signature] Date/Time: 11-6-20/1300 Company: ATC

Relinquished by: [Signature] Date/Time: 11-7-20 Company: STATAH

Relinquished by: _____ Date/Time: 1000 Company: _____



ORIGIN ID:EVVA (812) 477-1176

AVENUE
TE 2
47715
US

SHIP DATE: 06NOV20
ACTWGT: 50.00 LB
CAD: 106997842/INET4280
DIMS: 22x15x14 IN

BILL SENDER

CA BORTOT
ERICA
HA DRIVE


JURGH PA 15238

REF: 170LF00900

DEPT:



180-113376 Waybill



FedEx
Express



J2020071401uv

56BJ3/61D8/B766

3 of 3

MPS# 7720 1356 5124

Mstr#: 7720 1356 4746

02014

SATURDAY 12:00P
PRIORITY OVERNIGHT

15238
PIT

PA-US

X0 AGCA



Uncorrected temp 34 °C
Thermometer ID 14

CF Initials B

PT-WJ-SR-001 effective 7/26/13

Use the 'Print' button on this page to print your label to your laser or inkjet printer.

Fold the printed page along the horizontal line.

Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-113376-1

Login Number: 113376

List Source: Eurofins TestAmerica, Pittsburgh

List Number: 1

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Vectren Corporation

Job Number: 180-113376-1

Login Number: 113376

List Number: 2

Creator: Mazariegos, Leonel A

List Source: Eurofins TestAmerica, St. Louis

List Creation: 11/12/20 02:13 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ATTACHMENT 4
Statistical Analyses



HALEY & ALDRICH, INC.
400 Augusta Street
Suite 130
Greenville, SC 29601
864.214.8750

24 February 2020
File No. 129420

TO: Southern Indiana Gas and Electric Company

FROM: Haley & Aldrich, Inc.
[Steven F. Putrich, P.E., Project Principal
Mark Miesfeldt, P.G., Lead Hydrogeologist]

SUBJECT: Notification of Statistically Significant Levels of Appendix IV Constituents
Pursuant to 40 CFR § 257.95(g) and 40 CFR § 257.105(h)(8)
A.B. Brown Generating Station – Ash Pond - West Franklin, Indiana

Southern Indiana Gas and Electric Company (SIGECO) is implementing the 17 April 2015 United States Environmental Protection Agency (U.S. EPA) Federal Coal Combustion Residuals (CCR) Rule (40 CFR § 257 and 261) for the A.B. Brown Generating Station, in Posey County near West Franklin, Indiana. Detection monitoring events occurred in 2016 and 2017. The results of the sampling events were compared to background using appropriate statistical methods to determine if Appendix III constituents were present at concentrations above background. The result of the statistical analysis identified a statistically significant increase (SSI) downgradient of the Ash Pond thereby triggering Assessment Monitoring and respective notification of the same.

During the Assessment Monitoring phase, groundwater samples were collected from the CCR monitoring well network. Samples were collected in June, and August 2018 and subsequently analyzed for the Appendix III and Appendix IV constituents as required by 40 CFR § 257.95(b) and 40 CFR § 257.95(d)(1). Concurrent with the second assessment sampling round, and as required by 40 CFR § 257.95(h), groundwater protection standards (GWPS) were established for the detected Appendix IV constituents. The assessment monitoring sampling results were compared to the GWPS to determine if statistically significant levels (SSL) of Appendix IV constituents were present downgradient of the Ash Pond. The results of this evaluation indicated that lithium and molybdenum were present in groundwater at SSLs above the GWPS.

As a result of this determination, and in accordance with 40 CFR § 257.95(g)(3), a field investigation was initiated to demonstrate that a source other than the Ash Pond caused the lithium and molybdenum contamination. The field investigation included sampling and analysis of naturally occurring coal identified near monitoring well CCR-AP-2R as an alternative source of molybdenum and lithium and surface water sampling from the Coal Pile Runoff Pond and lower pool of the Ash Pond to evaluate the effluent from the coal pile runoff as an alternate source of the Appendix IV SSLs detected at CCR-AP-3R. While this investigation showed that the naturally occurring coal and the coal pile runoff were contributing sources, they did not contribute lithium and molybdenum at levels that resulted in a determination of an alternative source. Consequently, both lithium and molybdenum were carried forward into the assessment of corrective measures.

As required by 40 CFR § 257.95(b) and 40 CFR § 257.95(d)(1), semiannual groundwater sampling and analysis continued for the Ash Pond in 2019. The second round of semiannual groundwater sampling was conducted in October 2019. For the Ash Pond, which continued in Assessment Monitoring in 2019, a statistical analysis of the October 2019 analytical results was conducted, and downgradient wells were compared to each respective GWPS.

If the detected constituent was greater than the GWPS for that Unit, pursuant to 40 CFR § 257.93 (f)(5), the confidence interval method was used to evaluate if that Appendix IV constituent was present at an SSL. Based on the comparisons outlined above, the results of the statistical analyses conducted for those detected Appendix IV constituents confirm that molybdenum and lithium remain as the only two constituents present at statistically significant levels above GWPSs in one or more wells downgradient of the Ash Pond.

\\haleyaldrich.com\share\grn_common\129420 Vectren\Deliverables\AB_Brown\SSL Notification\February 2020\2020 0224_SSL_notification_Ash Pond_F.docx

A.B. Brown Generating Station

Ash Pond

Detection Monitoring Statistical Analysis Summary

Prepared: February 24, 2020

Location Id	Frequency of Detection	Percent Non-Detects	Range of Non-Detect	Mean	50th Percentile (Median)	95th Percentile	Maximum Detect	Variance	Standard Deviation	Coefficient of Variance	CCR MCL/RSL	Report Result Unit	Detection Exceedances (Y/N)	Number of Detection Exceedances	Outlier Detected	Outlier Removed	Trend	Distribution Group*	Distribution Well*	Inter-well Analysis		SSL			
																				October 2019 Concentrations	Upper Tolerance Limit		Background Limit (Higher of MCL/RSL or Upper Tolerance Limit)	² Exceedance above Background at Individual Well	
CCR Appendix-IV: Antimony, Total (mg/L)																									
CCR-BK-1	2/12	83%	0.002-0.002	0.00171	0.002	0.002	0.00045	4.695E-07	0.0006852	0.401	0.006	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric		0.002	0.006			
CCR-BK-2	1/12	92%	0.002-0.002	0.00187	0.002	0.002	0.00048	1.925E-07	0.0004388	0.2342	0.006	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric						
CCR-AP-1	0/12	100%	0.002-0.002	0.002	0.002	0.002		0	0	0	0.006	mg/L	N	0	N	N	NA		Non-parametric	Non-parametric	0.002			N	FALSE
CCR-AP-2	1/12	92%	0.002-0.02	0.00334	0.002	0.0101	0.00011	0.00002781	0.005274	1.578	0.006	mg/L	N	0	Y	N	Stable		Non-parametric	Non-parametric	0.002			N	FALSE
CCR-AP-3	1/12	92%	0.00022-0.02	0.00469	0.002	0.02	0.000092	0.00005162	0.007185	1.531	0.006	mg/L	N	0	Y	N	Stable		Non-parametric	Non-parametric	0.002			N	FALSE
CCR-AP-4	0/12	100%	0.002-0.002	0.002	0.002	0.002		0	0	0	0.006	mg/L	N	0	N	N	NA		Non-parametric	Non-parametric	0.002			N	FALSE
CCR-AP-5	0/12	100%	0.002-0.02	0.005	0.002	0.02		0.00004909	0.007006	1.401	0.006	mg/L	N	0	N	N	NA		Non-parametric	Non-parametric	0.002			N	FALSE
CCR-AP-6	1/12	92%	0.002-0.02	0.00339	0.002	0.0101	0.00068	0.00002751	0.005245	1.547	0.006	mg/L	N	0	N	N	Stable		Non-parametric	Non-parametric	0.002			N	FALSE
CCR-AP-7	1/12	92%	0.002-0.02	0.00338	0.002	0.0101	0.00059	0.00002755	0.005249	1.552	0.006	mg/L	N	0	N	N	Stable		Non-parametric	Non-parametric	0.002			N	FALSE
CCR Appendix-IV: Arsenic, Total (mg/L)																									
CCR-BK-1	12/13	8%	0.001-0.001	0.000914	0.00095	0.0019	0.0025	3.888E-07	0.0006236	0.6823	0.01	mg/L	N	0	N	N	Stable	Non-parametric	Normal		0.004	0.010			
CCR-BK-2	7/13	46%	0.001-0.001	0.00117	0.001	0.00308	0.0035	8.959E-07	0.0009465	0.8122	0.01	mg/L	N	0	N	N	Stable		Log-transformed						
CCR-AP-1	10/13	23%	0.001-0.001	0.00103	0.0008	0.0028	0.0052	0.000001674	0.001294	1.253	0.01	mg/L	N	0	N	N	Stable		Log-transformed		0.00038			N	FALSE
CCR-AP-2	8/13	38%	0.001-0.01	0.00159	0.001	0.00544	0.0024	0.000006654	0.002579	1.622	0.01	mg/L	N	0	N	N	Stable		Log-transformed		0.00058			N	FALSE
CCR-AP-3	5/13	62%	0.001-0.01	0.00214	0.001	0.01	0.00044	0.00001225	0.0035	1.633	0.01	mg/L	N	0	Y	N	Stable		Non-parametric		0.00035			N	FALSE
CCR-AP-4	8/13	38%	0.001-0.001	0.000592	0.00038	0.001	0.00059	1.197E-07	0.0003459	0.584	0.01	mg/L	N	0	N	N	Stable		Non-parametric		0.00100			N	FALSE
CCR-AP-5	3/13	77%	0.001-0.01	0.00223	0.001	0.01	0.00057	0.00001197	0.003459	1.549	0.01	mg/L	N	0	Y	N	Stable		Non-parametric		0.00100			N	FALSE
CCR-AP-6	12/13	8%	0.01-0.01	0.00342	0.0032	0.00718	0.0053	0.000006371	0.002524	0.7382	0.01	mg/L	N	0	N	N	Decrease		Normal		0.00049			N	FALSE
CCR-AP-7	11/13	15%	0.001-0.01	0.0019	0.001	0.00592	0.0032	0.000006481	0.002546	1.339	0.01	mg/L	N	0	N	N	Stable		Normal		0.00046			N	FALSE
CCR Appendix-IV: Barium, Total (mg/L)																									
CCR-BK-1	13/13	0%	-	0.0411	0.038	0.0622	0.082	0.0001889	0.01374	0.3346	2	mg/L	N	0	Y	N	Stable	Non-parametric	Non-parametric		0.150	2.000			
CCR-BK-2	13/13	0%	-	0.0464	0.036	0.0888	0.15	0.0009994	0.03161	0.6816	2	mg/L	N	0	Y	N	Stable		Non-parametric	Non-parametric					
CCR-AP-1	13/13	0%	-	0.0205	0.018	0.0326	0.041	0.00005394	0.007344	0.3576	2	mg/L	N	0	N	N	Stable		Log-transformed		0.027			N	FALSE
CCR-AP-2	13/13	0%	-	0.0413	0.043	0.0498	0.051	0.00005506	0.007421	0.1796	2	mg/L	N	0	N	N	Stable		Normal		0.023			N	FALSE
CCR-AP-3	13/13	0%	-	0.028	0.017	0.0784	0.16	0.00158	0.03975	1.42	2	mg/L	N	0	Y	N	Stable		Log-transformed		0.016			N	FALSE
CCR-AP-4	13/13	0%	-	0.0783	0.089	0.114	0.12	0.0007457	0.02731	0.3487	2	mg/L	N	0	N	N	Stable		Normal		0.100			N	FALSE
CCR-AP-5	13/13	0%	-	0.016	0.016	0.019	0.019	0.0000035	0.001871	0.1169	2	mg/L	N	0	Y	N	Stable		Normal		0.019			N	FALSE
CCR-AP-6	12/13	8%	0.1-0.1	0.028	0.021	0.064	0.04	0.0005123	0.02263	0.8084	2	mg/L	N	0	N	N	Stable		Normal		0.014			N	FALSE
CCR-AP-7	13/13	0%	-	0.0375	0.033	0.0552	0.063	0.0001159	0.01077	0.2874	2	mg/L	N	0	N	N	Stable		Normal		0.028			N	FALSE
CCR Appendix-IV: Beryllium, Total (mg/L)																									
CCR-BK-1	1/12	92%	0.001-0.001	0.000927	0.001	0.001	0.00012	6.453E-08	0.000254	0.2741	0.004	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric		0.001	0.004			
CCR-BK-2	2/12	83%	0.001-0.001	0.000882	0.001	0.001	0.0004	7.858E-08	0.0002803	0.3179	0.004	mg/L	N	0	N	N	Stable		Non-parametric	Non-parametric					
CCR-AP-1	3/12	75%	0.001-0.001	0.000787	0.001	0.001	0.00019	1.493E-07	0.0003864	0.4909	0.004	mg/L	N	0	N	N	Stable		Non-parametric		0.001			N	FALSE
CCR-AP-2	4/12	67%	0.001-0.01	0.00148	0.001	0.00505	0.00027	0.000007354	0.002712	1.833	0.004	mg/L	N	0	Y	N	Stable		Non-parametric		0.001			N	FALSE
CCR-AP-3	2/12	83%	0.001-0.01	0.00162	0.001	0.00505	0.00021	0.00000707	0.002659	1.646	0.004	mg/L	N	0	Y	N	Stable		Non-parametric		0.001			N	FALSE
CCR-AP-4	0/12	100%	0.001-0.001	0.001	0.001	0.001		0	0	0	0.004	mg/L	N	0	N	N	NA		Non-parametric	Non-parametric	0.001			N	FALSE
CCR-AP-5	2/12	83%	0.001-0.01	0.0016	0.001	0.00505	0.00016	0.000007115	0.002667	1.666	0.004	mg/L	N	0	Y	N	Stable		Non-parametric		0.001			N	FALSE
CCR-AP-6	3/12	75%	0.001-0.001	0.000836	0.001	0.001	0.00051	9.664E-08	0.0003109	0.3719	0.004	mg/L	N	0	N	N	Stable		Non-parametric		0.001			N	FALSE
CCR-AP-7	2/12	83%	0.001-0.001	0.000864	0.001	0.001	0.00024	1.012E-07	0.0003181	0.3681	0.004	mg/L	N	0	N	N	Stable		Non-parametric		0.001			N	FALSE
CCR Appendix-IV: Cadmium, Total (mg/L)																									
CCR-BK-1	0/13	100%	0.001-0.001	0.001	0.001	0.001		0	0	0	0.005	mg/L	N	0	N	N	NA	Non-parametric	Non-parametric		0.001	0.005			
CCR-BK-2	0/13	100%	0.001-0.001	0.001	0.001	0.001		0	0	0	0.005	mg/L	N	0	N	N	NA		Non-parametric	Non-parametric					
CCR-AP-1	4/13	69%	0.001-0.001	0.000754	0.001	0.001	0.00028	1.484E-07	0.0003853	0.5111	0.005	mg/L	N	0	N	N	Stable		Non-parametric		0.0010			N	FALSE
CCR-AP-2	12/13	8%	0.01-0.01	0.00119	0.0004	0.00448	0.0008	0.000007035	0.002652	2.235	0.005	mg/L	N	0	Y	N	Stable		Non-parametric		0.0004			N	FALSE
CCR-AP-3	11/13	15%	0.01-0.01	0.00173	0.00024	0.01	0.0003	0.00001349	0.003673	2.129	0.005	mg/L	N	0	Y	N	Stable		Non-parametric		0.0003			N	FALSE
CCR-AP-4	2/13	85%	0.001-0.001	0.000866	0.001	0.001	0.00018	1.066E-07	0.0003266	0.3769	0.005	mg/L	N	0	Y	N	Stable		Non-parametric		0.0010			N	FALSE
CCR-AP-5	2/13	85%	0.001-0.01	0.00225	0.001	0.01	0.00012	0.00001194	0.003455	1.536	0.005	mg/L	N	0	Y	N	Stable		Non-parametric		0.0010			N	FALSE
CCR-AP-6	2/13	85%	0.001-0.01	0.00156	0.001	0.0046	0.00021	0.00000652	0.002553	1.632	0.005	mg/L	N	0	Y	N	Stable		Non-parametric		0.0010			N	FALSE
CCR-AP-7	7/13	46%	0.001-0.01	0.00125	0.00032	0.0046	0.00032	0.000007076	0.00266	2.127	0.005	mg/L	N	0	N	N	Stable		Non-parametric		0.0010			N	FALSE
CCR Appendix-IV: Chromium, Total (mg/L)																									
CCR-BK-1	11/13	15%	0.002-0.002	0.00246	0.0025	0.00484	0.0076	0.000003119	0.001766	0.7188	0.1	mg/L	N	0	Y	N	Increase	Non-parametric	Normal		0.009	0.1			
CCR-BK-2	5/13	62%	0.002-0.002	0.00297	0.002	0.0063	0.0087	0.000004274	0.002067	0.6969	0.1	mg/L	N	0	N	N	Stable		Non-parametric						
CCR-AP-1	1/13	92%	0.002-0.0023	0.00195	0.002	0.00212	0.0011	7.269E-08	0.0002696	0.138	0.1	mg/L	N	0	Y	N	Stable		Non-parametric		0.0020			N	FALSE
CCR-AP-2	3/13	77%	0.00																						

A.B. Brown Generating Station

Ash Pond

Detection Monitoring Statistical Analysis Summary

Prepared: February 24, 2020

Location Id	Frequency of Detection	Percent Non-Detects	Range of Non-Detect	Mean	50th Percentile (Median)	95th Percentile	Maximum Detect	Variance	Standard Deviation	Coefficient of Variance	CCR MCL/RSL	Report Result Unit	Detection Exceedances (Y/N)	Number of Detection Exceedances	Outlier Detected	Outlier Removed	Trend	Distribution Group*	Distribution Well*	Inter-well Analysis				SSL
																				October 2019 Concentrations	Upper Tolerance Limit	Background Limit (Higher of MCL/RSL or Upper Tolerance Limit)	² Exceedance above Background at Individual Well	
CCR Appendix-IV: Cobalt, Total (mg/L)																								
CCR-BK-1	12/13	8%	0.0005-0.0005	0.000909	0.00076	0.00244	0.0028	0.000000613	0.0007829	0.8611	0.006	mg/L	N	0	Y	N	Stable	Non-parametric	Log-transformed		0.006	0.006		
CCR-BK-2	8/13	38%	0.0005-0.0005	0.000946	0.0005	0.00338	0.0062	0.000002669	0.001634	1.726	0.006	mg/L	Y	1	Y	N	Stable	Non-parametric	Log-transformed					
CCR-AP-1	13/13	0%	-	0.00222	0.00084	0.00902	0.011	0.00001094	0.003307	1.488	0.006	mg/L	Y	2	N	N	Decrease		Log-transformed		0.00020		N	FALSE
CCR-AP-2	13/13	0%	-	0.00286	0.0025	0.00508	0.0079	0.000002428	0.001558	0.5445	0.006	mg/L	Y	1	Y	N	Stable		Log-transformed		0.00260		N	FALSE
CCR-AP-3	9/13	31%	0.0005-0.005	0.000873	0.00035	0.00314	0.0019	0.000001884	0.001373	1.572	0.006	mg/L	N	0	Y	N	Stable		Log-transformed		0.00190		N	FALSE
CCR-AP-4	9/13	31%	0.0005-0.0005	0.000578	0.0003	0.001806	0.0033	7.091E-07	0.0008421	1.456	0.006	mg/L	N	0	N	N	Stable		Log-transformed		0.00024		N	FALSE
CCR-AP-5	6/13	54%	0.0005-0.005	0.00109	0.0005	0.005	0.00081	0.000003059	0.001749	1.608	0.006	mg/L	N	0	N	N	Stable		Log-transformed		0.00034		N	FALSE
CCR-AP-6	13/13	0%	-	0.00244	0.0013	0.00596	0.0068	0.000003873	0.001968	0.8055	0.006	mg/L	Y	1	N	N	Decrease		Normal		0.00110		N	FALSE
CCR-AP-7	12/13	8%	0.005-0.005	0.00184	0.0013	0.0044	0.004	0.000002396	0.001548	0.8427	0.006	mg/L	N	0	N	N	Stable		Normal		0.00052		N	FALSE
CCR Appendix-III: Fluoride (mg/L)																								
CCR-BK-1	12/13	8%	0.23-0.23	1.264	1.28	1.51	1.52	0.01066	0.20648	0.6532	4	mg/L	N	0	N	N	Stable	Non-parametric	Normal		0.380	4.000		
CCR-BK-2	12/13	8%	0.12-0.12	0.576	0.56	0.8	0.8	0.004452	0.13344	0.9276	4	mg/L	N	0	N	N	Decrease		Normal					
CCR-AP-1	10/13	23%	0.5-5	3.048	1.84	15.728	2.92	6.324	5.028	6.604	4	mg/L	N	0	Y	N	Stable		Non-parametric		0.37		N	FALSE
CCR-AP-2	11/13	15%	0.5-0.5	2.032	2	3.4	3.6	0.09972	0.6316	1.242	4	mg/L	N	0	N	N	Stable		Normal		0.30		N	FALSE
CCR-AP-3	13/13	0%	-	4.16	3.84	6.1	6.4	0.23056	0.9604	0.9268	4	mg/L	N	0	N	N	Stable		Normal		0.79		N	FALSE
CCR-AP-4	13/13	0%	-	1.52	1.64	1.88	1.92	0.032896	0.36276	0.9544	4	mg/L	N	0	N	N	Stable		Normal		0.10		N	FALSE
CCR-AP-5	11/13	15%	0.5-0.5	1.352	1.24	2.12	2.16	0.04916	0.4432	1.31	4	mg/L	N	0	N	N	Stable		Normal		0.23		N	FALSE
CCR-AP-6	11/13	15%	0.1-0.17	0.808	0.8	1.56	1.76	0.02612	0.32324	1.5976	4	mg/L	N	0	N	N	Increase		Log-transformed		0.14		N	FALSE
CCR-AP-7	10/13	23%	0.17-0.25	0.76	0.76	1	1	0.008132	0.18036	0.9476	4	mg/L	N	0	N	N	Stable		Normal		0.16		N	FALSE
CCR Appendix-IV: Lead, Total (mg/L)																								
CCR-BK-1	12/13	8%	0.001-0.001	0.000583	0.00063	0.00104	0.0011	1.452E-07	0.000381	0.653	0.015	mg/L	N	0	N	N	Stable	Non-parametric	Normal		0.011	0.015		
CCR-BK-2	5/13	62%	0.001-0.001	0.00191	0.001	0.00608	0.011	0.000007969	0.002823	1.48	0.015	mg/L	N	0	Y	N	Stable		Non-parametric					
CCR-AP-1	4/13	69%	0.001-0.001	0.000839	0.001	0.00112	0.0013	1.396E-07	0.0003736	0.4452	0.015	mg/L	N	0	N	N	Stable		Non-parametric		0.00100		N	FALSE
CCR-AP-2	7/13	46%	0.001-0.01	0.00163	0.001	0.00712	0.0052	0.000008149	0.002855	1.754	0.015	mg/L	N	0	Y	N	Stable		Non-parametric		0.00015		N	FALSE
CCR-AP-3	4/13	69%	0.001-0.01	0.00213	0.001	0.01	0.00028	0.00001234	0.003513	1.649	0.015	mg/L	N	0	Y	N	Stable		Non-parametric		0.00013		N	FALSE
CCR-AP-4	5/13	62%	0.001-0.001	0.00067	0.001	0.001	0.00023	1.904E-07	0.0004364	0.6517	0.015	mg/L	N	0	N	N	Stable		Non-parametric		0.00013		N	FALSE
CCR-AP-5	2/13	85%	0.001-0.01	0.00161	0.001	0.0046	0.0007	0.000006402	0.00253	1.571	0.015	mg/L	N	0	Y	N	Stable		Non-parametric		0.00100		N	FALSE
CCR-AP-6	7/13	46%	0.001-0.01	0.002	0.001	0.007	0.005	0.000007741	0.002782	1.394	0.015	mg/L	N	0	N	N	Stable		Log-transformed		0.00100		N	FALSE
CCR-AP-7	12/13	8%	0.01-0.01	0.00154	0.00041	0.00598	0.0033	0.000007353	0.002712	1.763	0.015	mg/L	N	0	N	N	Stable		Normal		0.00016		N	FALSE
CCR Appendix-IV: Lithium, Total (mg/L)																								
CCR-BK-1	3/13	77%	0.005-0.05	0.033	0.05	0.05	0.0086	0.0005044	0.02246	0.6814	0.04	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric		0.050	0.050		
CCR-BK-2	0/13	100%	0.005-0.05	0.04	0.05	0.05		0.000365	0.01911	0.4781	0.04	mg/L	N	0	N	N	Stable		Non-parametric					
CCR-AP-1	7/13	46%	0.005-0.05	0.0296	0.025	0.0564	0.066	0.0004495	0.0212	0.7168	0.04	mg/L	Y	1	N	N	Stable		Normal		0.025		N	FALSE
CCR-AP-2	13/13	0%	-	0.0516	0.056	0.064	0.067	0.0002279	0.0151	0.2925	0.04	mg/L	Y	11	Y	N	Stable		Non-parametric		0.050		N	FALSE
CCR-AP-3	13/13	0%	-	0.0782	0.077	0.094	0.1	0.0001295	0.01138	0.1455	0.04	mg/L	Y	13	Y	N	Stable		Normal		0.100		Y	TRUE
CCR-AP-4	0/13	100%	0.005-0.05	0.0397	0.05	0.05		0.0003798	0.01949	0.4903	0.04	mg/L	N	0	N	N	NA		NA		0.005		N	FALSE
CCR-AP-5	11/13	15%	0.05-0.05	0.0226	0.018	0.05	0.023	0.0001591	0.01261	0.5577	0.04	mg/L	N	0	N	N	Stable		Normal		0.050		N	FALSE
CCR-AP-6	12/13	8%	0.005-0.005	0.0364	0.04	0.043	0.043	0.0001113	0.01055	0.2899	0.04	mg/L	Y	6	N	N	Stable		Non-parametric		0.042		N	FALSE
CCR-AP-7	12/13	8%	0.05-0.05	0.0249	0.023	0.0404	0.034	0.00008691	0.009323	0.3741	0.04	mg/L	N	0	N	N	Stable		Normal		0.034		N	FALSE
CCR Appendix-IV: Molybdenum, Total (mg/L)																								
CCR-BK-1	11/13	15%	0.005-0.005	0.00218	0.0015	0.005	0.0034	0.000002146	0.001465	0.6734	0.1	mg/L	N	0	N	N	Decrease	Non-parametric	Normal		0.005	0.1		
CCR-BK-2	5/13	62%	0.005-0.005	0.00354	0.005	0.005	0.0025	0.000003951	0.001988	0.5616	0.1	mg/L	N	0	N	N	Stable		Non-parametric					
CCR-AP-1	12/13	8%	0.005-0.005	0.00405	0.0039	0.00596	0.0074	0.000001921	0.001386	0.3426	0.1	mg/L	N	0	Y	Y	Stable		Normal		0.0047		N	FALSE
CCR-AP-2	13/13	0%	-	1.62	1.6	1.9	1.9	0.03859	0.1964	0.121	0.1	mg/L	Y	13	Y	Y	Stable		Normal		1.7000		Y	TRUE
CCR-AP-3	13/13	0%	-	0.886	0.9	1	1	0.008692	0.09323	0.1052	0.1	mg/L	Y	13	N	N	Stable		Normal		0.9000		Y	TRUE
CCR-AP-4	12/13	8%	0.005-0.005	0.00288	0.0019	0.00652	0.0088	0.00000464	0.002154	0.7467	0.1	mg/L	N	0	N	N	Stable		Log-transformed		0.0013		N	FALSE
CCR-AP-5	13/13	0%	-	0.0455	0.052	0.0622	0.067	0.0002819	0.01679	0.3687	0.1	mg/L	N	0	N	N	Increase		Normal		0.0580		N	FALSE
CCR-AP-6	13/13	0%	-	0.0096	0.0089	0.0174	0.021	0.00002064	0.004543	0.4733	0.1	mg/L	N	0	N	N	Decrease		Normal		0.0064		N	FALSE
CCR-AP-7	4/13	69%	0.005-0.05	0.00723	0.005	0.023	0.0016	0.0001688	0.01299	1.797	0.1	mg/L	N	0	N	N	Stable		Non-parametric		0.0050		N	FALSE
CCR Appendix-IV: Radium-226 & 228 (mg/L)																								
CCR-BK-1	8/13	38%	0.366-5	1.21	0.486	5	0.795	2.847	1.687	1.389	5	pCi/L	N	0	Y	N	Stable	Non-parametric	Normal		0.005	5.000		
CCR-BK-2	4/13	69%	0.356-5	3.24	5	5	3.13	4.453	2.11	0.652	5	pCi/L	N	0	N	N	Stable		Non-parametric					
CCR-AP-1	9/13	31%	0.672-5	1.74	0.849	5	1.05	3.49	1.868	1.072	5	pCi/L	N	0	Y	N	Stable		Non-parametric		5.00		N	FALSE
CCR-AP-2	13/13	0%	-	0.738	0.713	1.206	1.38	0.06606	0.257	0.3483	5	pCi/L	N	0	N	N	Stable		Normal		0.49		N	FALSE
CCR-AP-3	12/13	8%	5-5	1.04	0.647	2.744	1.24	1.494	1.222	1.18	5	pCi/L	N	0	Y	N	Stable		Normal		0.42		N	FALSE
CCR-AP-																								

Location Id	Frequency of Detection	Percent Non-Detects	Range of Non-Detect	Mean	50th Percentile (Median)	95th Percentile	Maximum Detect	Variance	Standard Deviation	Coefficient of Variance	CCR MCL/RSL	Report Result Unit	Detection Exceedances (Y/N)	Number of Detection Exceedances	Outlier Detected	Outlier Removed	Trend	Distribution Group*	Distribution Well*	Inter-well Analysis			SSL	
																				October 2019 Concentrations	Upper Tolerance Limit	Background Limit (Higher of MCL/RSL or Upper Tolerance Limit)		² Exceedance above Background at Individual Well
CCR Appendix-IV: Selenium, Total (mg/L)																								
CCR-BK-1	3/13	77%	0.005-0.005	0.00397	0.005	0.005	0.00067	0.000003869	0.001967	0.496	0.05	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric		0.005	0.050		
CCR-BK-2	2/13	85%	0.005-0.005	0.00434	0.005	0.005	0.00098	0.000002588	0.001609	0.3705	0.05	mg/L	N	0	Y	N	Stable	Non-parametric	Non-parametric		0.005	0.050		
CCR-AP-1	1/13	92%	0.005-0.005	0.00465	0.005	0.005	0.00049	0.000001565	0.001251	0.2688	0.05	mg/L	N	0	N	N	Stable		Non-parametric	0.0050			N	FALSE
CCR-AP-2	4/13	69%	0.005-0.05	0.00711	0.005	0.023	0.00083	0.0001704	0.01305	1.836	0.05	mg/L	N	0	Y	N	Stable		Non-parametric	0.0050			N	FALSE
CCR-AP-3	12/13	8%	0.05-0.05	0.014	0.011	0.0344	0.024	0.0001769	0.0133	0.9533	0.05	mg/L	N	0	N	N	Stable		Normal	0.0074			N	FALSE
CCR-AP-4	4/13	69%	0.005-0.005	0.00373	0.005	0.005	0.0014	0.000003979	0.001995	0.5349	0.05	mg/L	N	0	N	N	Stable		Non-parametric	0.0050			N	FALSE
CCR-AP-5	1/13	92%	0.005-0.05	0.0116	0.005	0.05	0.00085	0.0002917	0.01708	1.472	0.05	mg/L	N	0	Y	N	Stable		Non-parametric	0.0050			N	FALSE
CCR-AP-6	1/13	92%	0.005-0.05	0.00813	0.005	0.023	0.00065	0.0001597	0.01264	1.555	0.05	mg/L	N	0	N	N	Stable		Non-parametric	0.0050			N	FALSE
CCR-AP-7	2/13	85%	0.005-0.05	0.00782	0.005	0.023	0.00099	0.000163	0.01277	1.632	0.05	mg/L	N	0	Y	N	Stable		Non-parametric	0.0050			N	FALSE
CCR Appendix-IV: Thallium, Total (mg/L)																								
CCR-BK-1	1/12	92%	0.001-0.001	0.00092	0.001	0.001	0.000038	7.712E-08	0.0002777	0.3019	0.002	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric		0.001	0.002		
CCR-BK-2	1/12	92%	0.001-0.001	0.000922	0.001	0.001	0.000059	7.379E-08	0.0002716	0.2948	0.002	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric		0.001	0.002		
CCR-AP-1	3/12	75%	0.001-0.001	0.00077	0.001	0.001	0.00013	1.731E-07	0.0004161	0.5402	0.002	mg/L	N	0	N	N	Stable		Non-parametric	0.001			N	FALSE
CCR-AP-2	2/12	83%	0.001-0.01	0.0016	0.001	0.00505	0.00015	0.000007121	0.002669	1.669	0.002	mg/L	N	0	Y	N	Stable		Non-parametric	0.001			N	FALSE
CCR-AP-3	1/12	92%	0.001-0.01	0.00243	0.001	0.01	0.00014	0.00001257	0.003545	1.46	0.002	mg/L	N	0	Y	N	Stable		Non-parametric	0.001			N	FALSE
CCR-AP-4	2/12	83%	0.001-0.001	0.000853	0.001	0.001	0.00022	0.000000119	0.000345	0.4042	0.002	mg/L	N	0	N	N	Stable		Non-parametric	0.001			N	FALSE
CCR-AP-5	1/12	92%	0.001-0.01	0.00242	0.001	0.01	0.000076	0.0000126	0.003549	1.465	0.002	mg/L	N	0	Y	N	Stable		Non-parametric	0.001			N	FALSE
CCR-AP-6	4/12	67%	0.001-0.01	0.00145	0.001	0.00505	0.00018	0.000007444	0.002728	1.884	0.002	mg/L	N	0	N	N	Stable		Non-parametric	0.001			N	FALSE
CCR-AP-7	1/12	92%	0.001-0.01	0.00167	0.001	0.00505	0.000054	0.000006954	0.002637	1.578	0.002	mg/L	N	0	N	N	Stable		Non-parametric	0.001			N	FALSE

N/A - Not available

NT- Not tested

* - Determined using the Shapiro-Wilks statistical test at a 1% significance level and a residual probability plot.



HALEY & ALDRICH, INC.
400 Augusta Street
Suite 130
Greenville, SC 29601
864.214.8750

24 September 2020
File No. 129420

TO: Southern Indiana Gas and Electric Company

FROM: Haley & Aldrich, Inc.
[Steven F. Putrich, P.E., Project Principal
Mark Miesfeldt, Lead Hydrogeologist]

SUBJECT: May 2020 Sampling Results and Assessment Monitoring Statistical Analysis Summary
Pursuant to 40 CFR § 257.96(b)
A.B. Brown Generating Station – Ash Pond – West Franklin, Indiana

Southern Indiana Gas and Electric Company (SIGECO) is implementing the 17 April 2015 United States Environmental Protection Agency Federal Coal Combustion Residuals (CCR) Rule (40 CFR § 257 and 261) for the A.B. Brown Generating Station, in Posey County near West Franklin, Indiana. Detection monitoring events occurred in 2016 and 2017. The results of the sampling events were compared to background using appropriate statistical methods to determine if Appendix III constituents were present at concentrations above background. The result of the statistical analysis identified statistically significant increases of Appendix III constituents downgradient of the Ash Pond thereby triggering Assessment Monitoring and respective notification of the same.

During the Assessment Monitoring phase, groundwater samples were collected from the CCR monitoring well network. Samples were collected in June, and August 2018 and subsequently analyzed for the Appendix III and Appendix IV constituents as required by 40 CFR § 257.95(b) and 40 CFR § 257.95(d)(1). Concurrent with the second assessment sampling round, and as required by 40 CFR § 257.95(h), groundwater protection standards (GWPS) were established for the detected Appendix IV constituents. The assessment monitoring sampling results were compared to the GWPS to determine if statistically significant levels (SSL) of Appendix IV constituents were present downgradient of the Ash Pond. The results of this evaluation indicated that lithium and molybdenum were present in groundwater at SSLs above the GWPS thereby requiring notification as established by 40 CFR § 105(h)(8) and triggering an assessment of corrective measures.

As a result of this determination, and in accordance with 40 CFR § 257.95(g)(3), a field investigation was initiated to demonstrate that a source other than the Ash Pond caused the lithium and molybdenum contamination. The field investigation included sampling and analysis of naturally occurring coal identified near monitoring well CCR-AP-2R as an alternative source of molybdenum and lithium and surface water sampling from the Coal Pile Runoff Pond and lower pool of the Ash Pond to evaluate the effluent from the coal pile runoff as an alternate source of the Appendix IV SSLs detected at CCR-AP-3R. While this investigation showed that the naturally occurring coal and the coal pile runoff were contributing sources, they did not contribute lithium and molybdenum at levels that resulted in a

determination of an alternative source. Consequently, both lithium and molybdenum were carried forward into the assessment of corrective measures.

As required by 40 CFR § 257.95(b) and 40 CFR § 257.95(d)(1), semiannual groundwater sampling and analysis continued for the Ash Pond in 2020. The first round of semiannual groundwater sampling was conducted in May 2020. Analytical results for the May 2020 semiannual sampling event are summarized in Table I. For the Ash Pond, statistical analysis of the May 2020 analytical results was finalized within 90-days of completion of sampling and analysis as required by 40 CFR § 257.93(g). Downgradient wells were compared to each constituents' respective GWPS. The assessment monitoring statistical analysis summary is provided in Table II.

If the detected constituent was greater than the associated GWPS for that Unit, pursuant to 40 CFR § 257.93 (f)(5), the confidence interval method was used to evaluate if that Appendix IV constituent was present at a SSL. Based on the comparisons outlined above, the results of the statistical analyses conducted for those detected Appendix IV constituents confirm that lithium and molybdenum remain as the only constituents present at SSLs above GWPSs downgradient of the Ash Pond. This information is being provided for SIGECO's records. Since no new constituents were identified at SSLs above the GWPS, further notifications associated with the statistical analysis of the May 2020 sampling results are not required at this time.

Attachments:

Table I - Summary of Analytical Results – May 2020

Table II - Assessment Monitoring Statistical Analysis Summary – May 2020

\\haleyaldrich.com\share\grn_common\129420 Vectren\Deliverables\AB_Brown\Annual Report\2021\Ash Pond\Addendum for EPA\Attachment 4 - Statistical Analyses\May 2020\2020 0924_HAI_ABB_GW Stats Summary_Ash Pond_F.docx

Table II
A.B. Brown Generating Station
Ash Pond
Assessment Monitoring Statistical Analysis Summary
Prepared: September 24, 2020

Location Id	Frequency of Detection	Percent Non-Detects	Range of Non-Detect	Mean	50th Percentile (Median)	95th Percentile	Maximum Detect	Variance	Standard Deviation	Coefficient of Variance	CCR MCL/RSL	Report Result Unit	Detection Exceedances (Y/N)	Number of Detection Exceedances	Outlier Detected	Outlier Removed	Trend	Distribution Group*	Distribution Well*	Inter-well Analysis				
																				May 2020 Concentrations	Detect?	Upper Tolerance Limit	Background Limit (Higher of MCL/RSL or Upper Tolerance Limit)	² Exceedance above Background at Individual Well
CCR Appendix-IV: Antimony, Total (mg/L)																								
CCR-BK-1	2/13	85%	0.002-0.002	0.00346	0.004	0.004	0.0009	8.388E-07	0.0012952	0.7482	0.006	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric	0.002	0.006	N	FALSE	
CCR-BK-2	1/13	92%	0.002-0.002	0.00376	0.004	0.004	0.00096	3.412E-07	0.0008262	0.4388	0.006	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric					
CCR-AP-1	0/13	100%	0.002-0.002	0.004	0.004	0.004		0	0	0	0.006	mg/L	N	0	N	N	NA		Non-parametric	0.002	N		N	FALSE
CCR-AP-2	1/13	92%	0.002-0.02	0.00924	0.004	0.04	0.00022	0.00008994	0.013412	2.9	0.006	mg/L	N	0	Y	N	Stable		Non-parametric	0.020	N		Y	FALSE
CCR-AP-3	1/13	92%	0.00022-0.02	0.01174	0.004	0.04	0.000184	0.00012546	0.01584	2.698	0.006	mg/L	N	0	Y	N	Stable		Non-parametric	0.020	N		Y	FALSE
CCR-AP-4	0/13	100%	0.002-0.002	0.004	0.004	0.004		0	0	0	0.006	mg/L	N	0	N	N	NA		Non-parametric	0.002	N		N	FALSE
CCR-AP-5	0/13	100%	0.002-0.02	0.0123	0.004	0.04		0.00011964	0.015468	2.514	0.006	mg/L	N	0	N	N	NA		Non-parametric	0.020	N		Y	FALSE
CCR-AP-6	1/13	92%	0.002-0.02	0.00656	0.004	0.031	0.00136	0.0000487	0.009868	3.006	0.006	mg/L	N	0	N	N	Stable		Non-parametric	0.002	N		N	FALSE
CCR-AP-7	2/13	85%	0.002-0.02	0.0063	0.004	0.031	0.00118	0.0000498	0.00998	3.166	0.006	mg/L	N	0	N	N	Stable		Non-parametric	0.0004	Y		N	FALSE
CCR Appendix-IV: Arsenic, Total (mg/L)																								
CCR-BK-1	12/14	14%	0.001-0.001	0.00184	0.00195	0.0043	0.005	6.922E-07	0.0011766	1.279	0.01	mg/L	N	0	N	N	Stable	Non-parametric	Normal	0.004	0.010	N	FALSE	
CCR-BK-2	7/14	50%	0.001-0.001	0.0023	0.002	0.00651	0.007	1.5966E-06	0.001787	1.549	0.01	mg/L	N	0	N	N	Stable		Log-transformed					
CCR-AP-1	11/14	21%	0.001-0.001	0.001962	0.00127	0.0076	0.0104	0.00003048	0.00247	2.518	0.01	mg/L	N	0	N	N	Stable		Log-transformed	0.00031	Y		N	FALSE
CCR-AP-2	8/14	43%	0.001-0.01	0.00438	0.002	0.02	0.0048	0.00002156	0.006566	2.996	0.01	mg/L	N	0	N	N	Stable		Log-transformed	0.01000	N		N	FALSE
CCR-AP-3	5/14	64%	0.001-0.01	0.0054	0.002	0.02	0.00088	0.00003026	0.00778	2.878	0.01	mg/L	N	0	Y	N	Stable		Non-parametric	0.01000	N		N	FALSE
CCR-AP-4	8/14	43%	0.001-0.001	0.001242	0.00097	0.002	0.00118	2.356E-07	0.0006864	1.1046	0.01	mg/L	N	0	N	N	Stable		Non-parametric	0.00100	N		N	FALSE
CCR-AP-5	3/14	79%	0.001-0.01	0.00558	0.002	0.02	0.00114	0.00002958	0.00769	2.758	0.01	mg/L	N	0	Y	N	Stable		Non-parametric	0.01000	N		N	FALSE
CCR-AP-6	13/14	7%	0.01-0.01	0.0065	0.0061	0.01671	0.0106	0.00012066	0.004912	1.51	0.01	mg/L	N	0	N	N	Decrease		Normal	0.00110	Y		N	FALSE
CCR-AP-7	12/14	14%	0.001-0.01	0.00362	0.002	0.01524	0.0064	0.000011766	0.00485	2.686	0.01	mg/L	N	0	N	N	Stable		Normal	0.00057	Y		N	FALSE
CCR Appendix-IV: Barium, Total (mg/L)																								
CCR-BK-1	14/14	0%	-	0.0808	0.075	0.1409	0.164	0.0003498	0.02646	0.6554	2	mg/L	N	0	Y	N	Stable	Non-parametric	Non-parametric	0.150	2.000	N	FALSE	
CCR-BK-2	14/14	0%	-	0.0916	0.073	0.2286	0.3	0.0017864	0.05978	1.3056	2	mg/L	N	0	Y	N	Stable		Non-parametric					
CCR-AP-1	14/14	0%	-	0.0418	0.037	0.0722	0.082	0.00009998	0.014142	0.6756	2	mg/L	N	0	N	N	Stable		Log-transformed	0.026	Y		N	FALSE
CCR-AP-2	14/14	0%	-	0.0798	0.085	0.1006	0.102	0.00015462	0.017586	0.4412	2	mg/L	N	0	N	N	Stable		Normal	0.021	Y		N	FALSE
CCR-AP-3	14/14	0%	-	0.0548	0.034	0.2248	0.32	0.00282	0.00751	2.746	2	mg/L	N	0	Y	N	Stable		Log-transformed	0.019	Y		N	FALSE
CCR-AP-4	14/14	0%	-	0.1584	0.18	0.233	0.24	0.001348	0.05192	0.6554	2	mg/L	N	0	N	N	Stable		Normal	0.091	Y		N	FALSE
CCR-AP-5	14/14	0%	-	0.0326	0.032	0.0393	0.04	0.00008424	0.004104	0.252	2	mg/L	N	0	Y	N	Stable		Normal	0.020	Y		N	FALSE
CCR-AP-6	13/14	7%	0.1-0.1	0.0538	0.042	0.158	0.08	0.0009418	0.0434	1.6116	2	mg/L	N	0	N	N	Stable		Normal	0.013	Y		N	FALSE
CCR-AP-7	14/14	0%	-	0.0732	0.065	0.1169	0.126	0.0002242	0.02118	0.5778	2	mg/L	N	0	N	N	Stable		Normal	0.026	Y		N	FALSE
CCR Appendix-IV: Beryllium, Total (mg/L)																								
CCR-BK-1	1/13	92%	0.001-0.001	0.001864	0.002	0.002	0.00024	1.1438E-07	0.0004782	0.513	0.004	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric	0.001	0.004	N	FALSE	
CCR-BK-2	2/13	85%	0.001-0.001	0.001782	0.002	0.002	0.0008	1.4036E-07	0.0005298	0.5948	0.004	mg/L	N	0	N	N	Stable		Non-parametric					
CCR-AP-1	3/13	77%	0.001-0.001	0.001606	0.002	0.002	0.00038	2.694E-07	0.0007342	0.9138	0.004	mg/L	N	0	N	N	Stable		Non-parametric	0.001	N		N	FALSE
CCR-AP-2	4/13	69%	0.001-0.01	0.00426	0.002	0.02	0.00054	0.00002366	0.00688	3.224	0.004	mg/L	N	0	Y	N	Stable		Non-parametric	0.010	N		Y	FALSE
CCR-AP-3	2/13	85%	0.001-0.01	0.00452	0.002	0.02	0.00042	0.00002282	0.006756	2.99	0.004	mg/L	N	0	Y	N	Stable		Non-parametric	0.010	N		Y	FALSE
CCR-AP-4	0/13	100%	0.001-0.001	0.002	0.002	0.002		0	0	0	0.004	mg/L	N	0	N	N	NA		Non-parametric	0.001	N		N	FALSE
CCR-AP-5	2/13	85%	0.001-0.01	0.0045	0.002	0.02	0.00032	0.00002294	0.006774	3.014	0.004	mg/L	N	0	Y	N	Stable		Non-parametric	0.010	N		Y	FALSE
CCR-AP-6	3/13	77%	0.001-0.001	0.001696	0.002	0.002	0.00102	1.7408E-07	0.00059	0.6954	0.004	mg/L	N	0	N	N	Stable		Non-parametric	0.001	N		N	FALSE
CCR-AP-7	2/13	85%	0.001-0.001	0.00175	0.002	0.002	0.00048	1.8082E-07	0.0006014	0.6876	0.004	mg/L	N	0	N	N	Stable		Non-parametric	0.001	N		N	FALSE
CCR Appendix-IV: Cadmium, Total (mg/L)																								
CCR-BK-1	0/14	100%	0.001-0.001	0.002	0.002	0.002		0	0	0	0.005	mg/L	N	0	N	N	NA	Non-parametric	Non-parametric	0.001	0.005	N	FALSE	
CCR-BK-2	0/14	100%	0.001-0.001	0.002	0.002	0.002		0	0	0	0.005	mg/L	N	0	N	N	NA		Non-parametric					
CCR-AP-1	4/14	71%	0.001-0.001	0.001542	0.002	0.002	0.00056	2.722E-07	0.0007378	0.9566	0.005	mg/L	N	0	N	N	Stable		Non-parametric	0.0010	N		N	FALSE
CCR-AP-2	12/14	14%	0.01-0.01	0.00364	0.00085	0.02	0.0016	0.0000232	0.00681	3.75	0.005	mg/L	N	0	Y	N	Stable		Non-parametric	0.0100	N		Y	FALSE
CCR-AP-3	11/14	21%	0.01-0.01	0.00464	0.00049	0.02	0.0006	0.0000334	0.008172	3.528	0.005	mg/L	N	0	Y	N	Stable		Non-parametric	0.0100	N		Y	FALSE
CCR-AP-4	2/14	86%	0.001-0.001	0.001752	0.002	0.002	0.00036	1.9202E-07	0.0006198	0.7074	0.005	mg/L	N	0	Y	N	Stable		Non-parametric	0.0010	N		N	FALSE
CCR-AP-5	2/14	86%	0.001-0.01	0.0056	0.002	0.02	0.00024	0.00002948	0.00768	2.74	0.005	mg/L	N	0	Y	N	Stable		Non-parametric	0.0100	N		Y	FALSE
CCR-AP-6	2/14	86%	0.001-0.01	0.00304	0.002	0.0137	0.00042	0.000011634	0.004824	3.164	0.005	mg/L	N	0	Y	N	Stable		Non-parametric	0.0010	N		N	FALSE
CCR-AP-7	7/14	50%	0.001-0.01	0.00246	0.00132	0.0137	0.00064	0.00001259	0.005018	4.07	0.005	mg/L	N	0	N	N	Stable		Non-parametric	0.0010	N		N	FALSE
CCR Appendix-IV: Chromium, Total (mg/L)																								
CCR-BK-1	11/14	21%	0.002-0.002	0.00484	0.0045	0.01198	0.0152	0.000005574	0.003338	1.3772	0.1	mg/L	N	0	Y	N	Increase	Non-parametric	Normal	0.009	0.1	N	FALSE	
CCR-BK-2	5/14	64%	0.002-0.002	0.0058	0.004	0.0146	0.0174	0.00007726	0.00393	1.3568	0.1	mg/L	N	0	N	N	Stable		Non-parametric					
CCR-AP-1	1/14	93%	0.002-0.0023	0.00392	0.004	0.00439	0.0022	1.2952E-07	0.000509	0.26	0.1	mg/L	N	0	Y	N	Stable		Non-parametric	0.0020	N		N	FALSE
CCR-AP-2	3/14	79%	0.002-0.02	0.00902	0.004	0.04	0.0072	0.00008372	0.01294	2.868	0.1	mg/L	N	0	Y	N	Stable		Non-parametric	0.0200	N		N	FALSE
CCR-AP-3	3/14	79%	0.002-0.02	0.01116	0.004	0.04	0.0017	0.00011812	0.01537	2.754	0.1	mg/L	N	0	Y	N	Stable		Non-parametric	0.0200	N		N	FALSE
CCR-AP-4	14/14	0%	-	0.00482	0.0044	0.00746	0.0076	0.000001145	0.0015134	0.6286	0.1	mg/L	N	0	N	N	Increase		Normal	0.0027	Y		N	FALSE
CCR-AP-5	1/14	93%	0.002-0.02	0.01152	0.004	0.04	0.00124	0.00011498	0.015164	2.634	0.1	mg/L	N	0	Y	N	Stable		Non-parametric	0.0200	N		N	FALSE
CCR-AP-6	5/14	64%	0.002-0.02	0.00692	0.004	0.03104	0.0144	0.0000482	0.009818	2.836	0.1	mg/L	N	0	Y	N	Stable		Non-parametric	0.0020	N		N	FALSE
CCR-AP-7	10/14	29%	0.002-0.02	0.00728	0.004	0.0304	0.0126	0.00004666	0.00966	2.65	0.1	mg/L	N	0	N	N	Stable		Normal	0.0020	N		N	FALSE

CCR Appendix-IV: Selenium, Total (mg/L)																											
CCR-BK-1	3/14	79%	0.005-0.005	0.00808	0.01	0.01	0.00134	0.000007026	0.003748	0.928	0.05	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric			0.005	0.050				
CCR-BK-2	2/14	86%	0.005-0.005	0.00878	0.01	0.01	0.00196	0.00000466	0.003054	0.6956	0.05	mg/L	N	0	Y	N	Stable	Non-parametric	Non-parametric								
CCR-AP-1	1/14	93%	0.005-0.005	0.00936	0.01	0.01	0.00098	0.000002798	0.002366	0.5058	0.05	mg/L	N	0	N	N	Stable		Non-parametric	0.0050	N				N	FALSE	
CCR-AP-2	4/14	71%	0.005-0.05	0.0204	0.01	0.1	0.00166	0.000556	0.03334	3.278	0.05	mg/L	N	0	Y	N	Stable		Non-parametric	0.0500	N				N	FALSE	
CCR-AP-3	12/14	14%	0.05-0.05	0.033	0.027	0.1	0.048	0.0004932	0.0314	1.9004	0.05	mg/L	N	0	N	N	Stable		Normal	0.0500	N				N	FALSE	
CCR-AP-4	4/14	71%	0.005-0.005	0.00764	0.01	0.01	0.0028	0.000007296	0.00382	1	0.05	mg/L	N	0	N	N	Stable		Non-parametric	0.0050	N				N	FALSE	
CCR-AP-5	1/14	93%	0.005-0.05	0.0286	0.01	0.1	0.0017	0.0007214	0.03798	2.648	0.05	mg/L	N	0	Y	N	Stable		Non-parametric	0.0500	N				N	FALSE	
CCR-AP-6	1/14	93%	0.005-0.05	0.0158	0.01	0.0685	0.0013	0.0002854	0.02388	3.022	0.05	mg/L	N	0	N	N	Stable		Non-parametric	0.0050	N				N	FALSE	
CCR-AP-7	2/14	86%	0.005-0.05	0.01524	0.01	0.0685	0.00198	0.0002908	0.02412	3.164	0.05	mg/L	N	0	Y	N	Stable		Non-parametric	0.0050	N				N	FALSE	
CCR Appendix-IV: Thallium, Total (mg/L)																											
CCR-BK-1	1/13	92%	0.001-0.001	0.001852	0.002	0.002	0.000076	1.3668E-07	0.0005228	0.5646	0.002	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric			0.001	0.002				
CCR-BK-2	1/13	92%	0.001-0.001	0.001856	0.002	0.002	0.000118	1.3078E-07	0.0005114	0.5514	0.002	mg/L	N	0	N	N	Stable	Non-parametric	Non-parametric								
CCR-AP-1	3/13	77%	0.001-0.001	0.001576	0.002	0.002	0.00026	3.126E-07	0.0007906	1.0034	0.002	mg/L	N	0	N	N	Stable		Non-parametric	0.001	N				N	FALSE	
CCR-AP-2	2/13	85%	0.001-0.01	0.0045	0.002	0.02	0.0003	0.00002296	0.006776	3.018	0.002	mg/L	N	0	Y	N	Stable		Non-parametric	0.010	N				Y	FALSE	
CCR-AP-3	1/13	92%	0.001-0.01	0.00602	0.002	0.02	0.00028	0.00003058	0.007822	2.598	0.002	mg/L	N	0	Y	N	Stable		Non-parametric	0.010	N				Y	FALSE	
CCR-AP-4	2/13	85%	0.001-0.001	0.00173	0.002	0.002	0.00044	2.126E-07	0.000652	0.7542	0.002	mg/L	N	0	N	N	Stable		Non-parametric	0.001	N				N	FALSE	
CCR-AP-5	1/13	92%	0.001-0.01	0.00602	0.002	0.02	0.000152	0.00003064	0.00783	2.604	0.002	mg/L	N	0	Y	N	Stable		Non-parametric	0.010	N				Y	FALSE	
CCR-AP-6	4/13	69%	0.001-0.01	0.00282	0.002	0.0155	0.00036	0.000013132	0.005124	3.626	0.002	mg/L	N	0	N	N	Stable		Non-parametric	0.001	N				N	FALSE	
CCR-AP-7	1/13	92%	0.001-0.01	0.00324	0.002	0.0155	0.000108	0.000012304	0.00496	3.064	0.002	mg/L	N	0	N	N	Stable		Non-parametric	0.001	N				N	FALSE	

UG - Up Gradient

DG - Down Gradient

N/A - Not available

NT- Not tested

* - Determined using the Shapiro-Wilks statistical test at a 1% significance level and a residual probability plot.